


LWL, Flap rolls of abrasive cloth for conditioning machines

Ordering example: A2280100500040





Packing unit: LWL 100050 = 2 pcs. per type LWL 100100 = 1 pc. per type Machines to suit: page 373

Description	Grits	d ₁ mm	b mm	d ₂ mm	n recom. (1/min)	n _{max} . (1/min)	Product-Number	recommended for								
LWL 100050	NK 40	100	50	19	3.700	6.000	A2280100500040	1	2	3	4	5	6	7	8	
LWL 100050	NK 60	100	50	19	3.700	6.000	A2280100500060	1	2	3	4	6	6	7	8	
LWL 100050	NK 80	100	50	19	3.700	6.000	A2280100500080	1	2	3	4	6	6	7	8	
LWL 100100	NK 40	100	100	19	3.700	6.000	A22801001000040	1	2	3	4	6	6	7	8	
LWL 100100	NK 60	100	100	19	3.700	6.000	A22801001000060	0	2	3	4	6	6	7	8	
LWL 100100	NK 80	100	100	19	3.700	6.000	A22801001000080	0	2	3	4	6	6	7	8	

Material classification



- STEELS AND CAST STEELS
 - Rm up to 800 N/mm²
 - common structural steels
 - · free cutting steels
 - case hardened steels
 - fine grained structural steels
 - extruded steels
 - · toughened structural steels
 - boiler plate
 - nitrided steels
 - cast steels
 - heat treated steels
 - · heat resistant structural steels
- ALLOYED, TEMPERED STEELS
 - Rm 800 up to 1200 N/mm²
 - · case hardened steels
 - spring steels
 - fine grained structural steels
 - nitrided steels
 - heat treated steels
 - wear resistant steels
 - bearing steels
- 3 TOOL STEELS Rm up to 1300 N/mm²
 - 60 65 HRC
 - high-speed steels
 - non-alloyed tool steels
 - cold working tool steels
 - hot working tool steels
- RUST, ACID AND HEAT RESISTANT STEELS AND CAST STEELS
 - austenitic
 - ferritic
 - ferritic-austenitic
 - heat-resistant
 - martensitic
 - stainless, sulpherized

- 5 CAST IRON
- ALUMINIUM, MAGNESUIM AND COPPER ALLOYS
 - over 300 HB
 - 200-300 HB
 - up to 200 HB
 - over 15% Si
 - 10-15% Si
 - 0,5-10% Si
 - below 0,5% Si
- 7 TITANIUM AND NICKEL ALLOYS
 - Rm 900 up to 1500 N/mm²
 - Rm up to 900 N/mm²
- 8 PLASTICS, WOOD, RUBBER
- 9 GLASS / CARBIDES
- 10 STONE / TILES / GAS CEMENT
- 11 CONCRETE / REINFORCED CONCRETE
- 12 CERAMIC / FLOOR TILES
- 13 MARBLE
- 14 GRANITE
- 15 FRESHLY POURED CONCRETE
- 16 ASPHALT
- best suitable
- suitable
- delivery ex-stock
- delivery on request
- S regrind service, please enquire

Safety Symbols



Wear eye protection



Wear hearing protection



Wear a respirator



Read the instructions



Wear gloves



Only permitted with a back-up pad



Not permitted for wet grinding



Not permitted for face grinding



Do not use if damaged



Do noch use for freehand cutting