



Measuring tools

TAPES

Measuring tape



MTS

Length (m)	Blade Width (mm)	Quantity	Model
5	25	6	MTS-5-25
5	25	6	MTS-5-25-E
8	25	6	MTS-8-25
8	25	6	MTS-8-25-E

Measuring tape class I



MTB_C1

Length (m)	Blade Width (mm)	Quantity	Model
5	25	6	MTB-5-25-C1

Measuring tape



MTB

Length (m)	Blade Width (mm)	Quantity	Model
3	16	6	MTB-3-16
3	16	6	MTB-3-16-M
3	16	6	MTB-3-16-M-E
5	25	6	MTB-5-25
5	25	6	MTB-5-25-M
5	25	6	MTB-5-25-M-E
8	25	6	MTB-8-25
8	25	6	MTB-8-25-E
8	25	6	MTB-8-25-M
8	25	6	MTB-8-25-M-E

Set Display of 24 Measuring Tapes
8 units each of MTS-5-25, MTB-5-25-M, MTG-5-19



MT-24-DISP

Quantity	Model
1	MT-24-DISP

MTS-5-25

MTB-5-25-M

MTG-5-19

Measuring tape



MTG

Length (m)	Blade Width (mm)	Quantity	Model
3	16	12	MTG-3-16
3	16	12	MTG-3-16-E
5	19	12	MTG-5-19
5	19	12	MTG-5-19-E
8	25	4	MTG-8-25

Measuring Tape Compact Class I
Tip Diameter 2.5mm, Body Diameter 8mm



MTC_C1

Length (m)	Blade Width (mm)	Quantity	Model
3	13	6	MTC-3-13-C1
5	16	6	MTC-5-16-C1

Measuring tape compact class II



MTC_C2

Length (m)	Blade Width (mm)	Quantity	Model
3	13	6	MTC-3-13
5	16	6	MTC-5-16

COMPACT 3 M x 13 mm METRIC MEASURING TAPE



MT-TS-3

Length (m)	Blade Width (mm)	Quantity	Model
3	13	12	MT-TS-3

Measuring tape



1162N

Length (m)	Blade Width (mm)	Quantity	Model
3	13	1	1162N-1/2

Measuring long tape



LT-STEEL

Length (m)	Blade Width (mm)	Quantity	Model
30	13	5	LT-STEEL-30
50	13	5	LT-STEEL-50

Measuring tape



LTS

Length (m)	Width (mm)	Quantity	Model
30	16	5	LTS-30
30	16	5	LTS-30-E
50	16	5	LTS-50
50	16	5	LTS-50-E
100	16	5	LTS-100
100	16	5	LTS-100-E

Measuring tape



LTB

Length (m)	Width (mm)	Quantity	Model
10	13	6	LTB-10
20	13	6	LTB-20
30	13	6	LTB-30

Measuring tape



LTG

Length (m)	Width (mm)	Quantity	Model
10	10	6	LTG-10
20	13	6	LTG-20
30	13	6	LTG-30

MEASURING WHEELS

Measuring wheel 150 mm



MW-150

Length (mm)	Quantity	Model
150	2	MW-150

Measuring wheel 250 mm



MW-250

Length (mm)	Quantity	Model
250	2	MW-250

RULES

Wooden Rule 1m
MM metric only



WR1

Length (mm)	Quantity	Model
1	17	50 WR1
1	17	50 WR1-MM

Wooden Rule 2m
MM: metric only



WR2

Length (mm)	Quantity	Model
2	17	25 WR2
2	17	25 WR2-MM

Wooden Rule 2m 12 Section



WR2-12

Length (mm)	Quantity	Model
2	17	25 WR2-12

Flexible stainless steel ruler



1179-FLX

Length (mm)	Quantity	Model
160	12	100 1179-FLX

Steel Rules
-E version metric/imperial



SR_MM

Length (mm)	Quantity	Model
150	19	12 SR150-MM
200	19	12 SR200-MM
300	25	12 SR300-MM
600	30	20 SR600-MM
1000	35	20 SR1000-MM

Steel Rules
Double marking in inches and mm



SR_IN

Length (mm)	Quantity	Model
6	12	SR150-E
8	12	SR200-E
12	12	SR300-E
24	20	SR600-E
39	20	SR1000-E

LEVELS

Spirit Level



466

Length (mm)	Quantity	Model
400	4	466-400
400	4	466-400-M
600	4	466-600
600	4	466-600-M
800	4	466-800
800	4	466-800-M
1000	4	466-1000
1000	4	466-1000-M
1200	4	466-1200
1200	4	466-1200-M
1800	4	466-1800
2000	4	466-2000

Spirit level
Precision 0.5 mm / m



426

Length (mm)	Quantity	Model
400	1	426-400
600	1	426-600
600	1	426-600-3
800	1	426-800
1000	1	426-1000
1200	1	426-1200

Spirit Level
Precision 0.5 mm / m



416

Length (mm)	Quantity	Model
400	10	416-400
600	10	416-600
800	10	416-800
1000	10	416-1000
1200	10	416-1200
1500	10	416-1500
1800	10	416-1800
2000	10	416-2000

Spirit Level Set of 3 Pieces
600 mm, 1200 mm, 1800 mm



416-SET-1

Quantity	Model
5	416-SET-1

416-600, 416-1200, 416-1800

Spirit Level Set of 3 Pieces
600 mm, 1200 mm, 2000 mm



416-SET-2

Quantity	Model
10	416-SET-2

416-600, 416-1200, 416-2000

Solid Level, Injected Aluminium
-M models have a magnetic base



406

Length (mm)	Quantity	Model
300	5	406-300
300	5	406-300-M

Length (mm)	Quantity	Model
400	5	406-400
400	5	406-400-M
500	5	406-500
500	5	406-500-M
600	5	406-600
600	5	406-600-M
800	5	406-800

Polystyrene Plastic Spirit Level
Precision 1.0 mm / m



406P

Length (mm)	Quantity	Model
400	10	406P-400
600	10	406P-600

Straight Edge Level
Precision 1.0 mm / m



486

Length (mm)	Quantity	Model
1800	5	486-1800
2000	5	486-2000
2400	5	486-2400

Straight Edge Level-No Handles
Precision 1.0 mm/m



486WH

Length (mm)	Quantity	Model
1800	5	486-1800WH
2000	5	486-2000WH
2400	5	486-2400WH

Double T Profile Level
Precision 0.5 mm / m



496



1500	5	496-1500
1800	5	496-1800

Torpedo Level
Precision 0.5 mm / m



426TOR9



230	10	426TOR9
-----	----	---------

Scaffold Level
Precision 0.5 mm / m



466-250



250	10	466-250
-----	----	---------

Scaffold Level
Precision 0.5 mm / m



476-250



250	10	476-250
-----	----	---------

2 Way Level



466-BE1



12	466-BE1
----	---------

Line Level



466-LINE



75	12	466-LINE
----	----	----------

Post Level



466-POST



120 x 75 x 75 mm	6	466-POST
------------------	---	----------

Magnetic Plastic Torpedo Level
Tolerance 1.0 mm / m



406T-225



225	10	406T-225
-----	----	----------

CHALK LINE AND CHALK

Chalk Line 3x Rewind
CL-1221-SET: 227g bottle of blue chalk, 75 mm line level + CL-1221



CL-1221



30	6	CL-1221
----	---	---------

Chalk, 227g



CHALK



227	6	CHALK-BLUE
227	6	CHALK-WHITE
227	6	CHALK-RED
227	6	CHALK-YELLOW

CHALK LINE, BLUE CHALK, LINE LEVEL SET



CL-1221-SET



505	4	CL-1221-SET
-----	---	-------------

CHALK-BLUE

466-LINE

CL-1221



Plumb Bob



316107000



5

1 316107000

BEVELS

Sliding bevel



9572



200 115 6 9572-200

250 150 6 9572-250

Bevel



9574



200 165 10 9574-200

250 170 10 9574-250

300 170 10 9574-300

Fixed Bevel



9575



250 110 6 9575-250

SQUARE

Square



9045-B



200 170 6 9045-B-200

250 170 6 9045-B-250

300 170 6 9045-B-300

400 170 1 9045-B-400

Square



9048



200 165 10 9048-200

250 165 10 9048-250

300 180 10 9048-300

350 180 10 9048-350

400 180 10 9048-400

Construction Square



3085



400 200 1 308504000

500 250 1 308505000

600 300 1 308506000

800 400 1 308508000

1000 500 1 308510000

Flat Carpenter Square
52 blades



FCS-600/FCS-1000



600 300 6 FCS-600

800 300 6 FCS-800

1000 360 6 FCS-1000

Combination Square



CS



150 90 12 CS150

300 125 12 CS300

400 125 12 CS400

Adjustable Square for Plaster



AS-1200




1265 560 3 AS-1200

PENCILS AND SCRIBERS

Pencil HB Grade
FCS Certificate No.: CERT-0060481



P-HB




180 25 25 P-HB

FSC Certificate Code: QMI-COC-001417
File No.: 1627439

200 pencils P-HB display
In metal wire cage



PENCIL-200_




200 1 PENCIL-200-DISP

Offset scribe 230mm
Diameter 4mm and angle 70°



1177-SCRIBE




230 5 1177-SCRIBE

Scriber carb. tungsten 150mm
Diameter 2.5mm



1178-SCRIBE



150 5 1178-SCRIBE

Scriber with interchangeable Carbide point 150mm
Long
Tip Diameter 2.5mm, Body Diameter 8mm



1179-SCRIBE




150 5 1179-SCRIBE
1 1179-TIPS

PRECISION MEASURING

Digital caliper



1150D




150 25 x 90 x 250 mm 1 1150D

Caliper



1150




150 9 x 75 x 235 mm 1 1150-1/2H/P

Professional feeler gauges
26 blades



1544




0.03-1.00 1 1544

Professional Feeler Gauge
8 blades



1545




0.05-1.00 1 1545

Professional Feeler Gauge
13 blades



1546



0.05-1.00 1 1546

Professional feeler gauges
20 blades



1547



0.05-1.00



1 1547

Whitworth 55° Screw Pitch Gauge
28 blades



1536



30



4-62



1 1536

Metric 60° Screw Pitch Gauge
24 blades



1535



30

0.25-6.0



1 1535

Metric 60° & Whitworth 55° Screw Pitch Gauge
52 blades



1537



30

0.25-6.0 / 4-62



1 1537