



Striking tools



WOODWORKING HAMMERS

ERGO™ Hammer

ergo®



529

450	4	529-16-L
450	4	529-16-XL
570	4	529-20-L
570	4	529-20-XL

ERGO™ Hammer, Rip Claw

ergo®



529S

450	4	529S-16-XL
570	4	529S-20-XL

Claw hammer



427

450	4	427-16
570	4	427-20

Claw hammer



428

370	4	428-13
450	4	428-16
570	4	428-20

Claw hammer



429

230	4	429-8
370	4	429-13
450	4	429-16
570	4	429-20

Carpenter's hammer, Spike claw



485

600	4	485	

Spike Claw Carpenter Hammer
SH-485W: Spare handle with wedge, SH-485W-
PLATES: spare rails with rivets



485W

650	4	485W-650
750	4	485W-750
	1	SH-485W
	1	SH-485W-PLATES

Joiners hammer



483

100	6	483-16	
160	6	483-20	
200	6	483-22	
300	6	483-25	
400	6	483-28	
500	6	483-30	

Cross pein pin hammer



490

100	4	490-3.5

Warrington hammer



480

230	4	480-08
280	4	480-10
340	4	480-12
400	4	480-14
570	4	480-20

Compact nail puller with internal spring



36

220	5	36

Nail puller



38

450	1	38

METAL WORKING HAMMERS

German DIN hammer



481

Length	Quantity	Part Number
100	6	481-100
200	6	481-200
300	6	481-300
400	6	481-400
500	6	481-500
800	6	481-800
1000	6	481-1000
1500	6	481-1500
2000	6	481-2000

Rivoir hammer



482

Length	Quantity	Part Number
300	6	482-25
400	6	482-28
500	6	482-30
800	6	482-35
1000	6	482-40
1500	6	482-45

Pattern makers hammer



492

Length	Quantity	Part Number
100	4	492-3.5

Ball pein hammer



479

Length	Quantity	Part Number
230	6	479-08
340	6	479-12

Length	Quantity	Part Number
450	6	479-16
570	6	479-20
800	6	479-24
900	6	479-32

CONSTRUCTION AND SPECIAL HAMMERS

Club hammer



484

Length	Quantity	Part Number
1000	6	484-1000
1250	6	484-1250
1500	6	484-1500
2000	6	484-2000

Club hammer hickory handle



407

Length	Quantity	Part Number
700	6	407-700
1000	6	407-1000
1400	6	407-1400

Club Hammer Fiberglass handle



407F

Length	Quantity	Part Number
700	6	407F-700
1000	6	407F-1000
1400	6	407F-1400

PEIN SLEDGE HAMMER
SQUARE HEAD SLEDGE HAMMER



491

Length	Quantity	Part Number
3000	2	491-3000
4000	2	491-4000
5000	2	491-5000
6000	2	491-6000

SQUARE HEAD SLEDGE HAMMER
WOODEN HANDLE



488

Length	Quantity	Part Number
2000	2	488-2000
3000	2	488-3000
4000	2	488-4000
5000	2	488-5000
6000	1	488-6000

SQUARE HEAD SLEDGE HAMMER
FIBREGLASS HANDLE



488F

Length	Quantity	Part Number
2000	2	488F-2000
3000	2	488F-3000
4000	2	488F-4000
5000	2	488F-5000
6000	2	488F-6000

Bricklayer Hammer
SH-486W: Spare handle with wedge



486W

Length	Quantity	Part Number
500	4	486W-500
600	4	486W-600
	1	SH-486W



Spanish type bricklayer



486-700

700	6	486-700

Spanish Claw hammer



428

700	6	428-700

Spanish type shovel-pick



495F

500 600	6	495F-500 495F-600

Spanish type bricklayer



486F

700	6	486F-700

Spanish type shovel-hatchet



493

500 600	6	493-500 493-600

Hatchet



494

847	4	494-600

Bricklayer's hammer



486

600	4	486

Spanish type shovel-hatchet



493F

500 600	6	493F-500 493F-600

Dead blow sledge hammer



3625PU

300 640 1080	12	3625PU-30 3625PU-50 3625PU-60

Spanish Claw hammer



427

700	6	427-700

Spanish type shovel-pick



495

500 600	6	495-500 495-600

Dead blow sledge hammer



3625PU-105

5970	1	3625PU-105

Safety sledge hammer



489-1100/489-1800

g		
1100	1	489-1100
1800	1	489-1800

Safety sledge hammer



489-2700/489-5400

g		
2700	1	489-2700
3600	1	489-3600
4500	1	489-4500
5400	1	489-5400

Spare wooden handles



WSH

491-3000 & 491-4000	12	SH-491-34
488-2000	10	SH-488-2000
488-3000, 488-4000	10	SH-488-34
488-5000, 488-6000	10	SH-488-56
427-700	10	SH-427-700
486-700, 495-500, 495-600, 493-500, 493-600	10	SH-486-493-495

Fiberglass spare handles



FSH

488f-2000	10	SH-488F-2000
488F-3000 & 488F-4000	10	SH-488F-34
488F-5000 & 488F-6000	10	SH-488F-56
428-700	10	SH-428-700
486-700, 495-500, 495-600, 493-500, 493-600	10	SH-486F493F495F

SOFT HAMMERS

Polyflex plastic hammer
LY: spare dolleys



3625Y

g		
153	1	3625Y-22
235	1	3625Y-27
333	1	3625Y-32
425	1	3625Y-35
560	1	3625Y-40
885	1	3625Y-50
1285	1	3625Y-60

SPARE POLL, PAIR, FOR 3625Y



3625YL

∅		
22	1	3625YL-22
27	1	3625YL-27
32	1	3625YL-32
35	1	3625YL-35
40	1	3625YL-40
50	1	3625YL-50
60	1	3625YL-60

Superflex plastic hammer
NL: spare polls



3625N

g		
154	5	3625N-22
230	5	3625N-27
325	5	3625N-32
415	5	3625N-35
570	5	3625N-40
920	1	3625N-50
1280	1	3625N-60

SPARE POLL, PAIR, FOR 3625N



3625NL

∅		
22	1	3625NL-22
27	1	3625NL-27
32	1	3625NL-32
35	1	3625NL-35
40	1	3625NL-40
50	1	3625NL-50
60	1	3625NL-60

Nylon tip mallet
WL spare tips, WLH spare handle



3625W

g		
150	6	3625W-22
300	6	3625W-28
550	6	3625W-35
1050	6	3625W-44
1100	6	3625W-55



SPARE POLL, PAIR, FOR 3625W AND FOR 3625S



3625WL

Ø		
22	10	3625WL-22
28	10	3625WL-28
35	10	3625WL-35
44	10	3625WL-44
55	6	3625WL-55

Nylon Tipped Hammer-Steel Shaft



3625S

g		
325	6	3625S-28
630	6	3625S-35
1150	6	3625S-44

Anti Rebound Hammer

ARL = spare tips, ARLH = spare handle



3625AR

g		
500	6	3625AR-35
1100	6	3625AR-50
1550	6	3625AR-60

Rubber mallet



3625RM

g		
250	1	3625RM-55
440	1	3625RM-65
600	1	3625RM-75
720	1	3625RM-90

White Rubber Mallet



3625RMW

g		
810	1	3625RMW-75

Copper Sledge Hammer



4130

500	6	413005000
1000	6	413010000
1500	6	413015000
2000	6	413020000
3000	1	413030000
4000	1	413040000

AXES, MAULS AND WEDGES

Camping axe



HUS

	g	
380	850	4 HUS-0.6-380
500	1150	4 HUS-0.8-500

Camping axe



HGPS

	g	
360	800	10 HGPS-0.6-360
380	1000	4 HGPS-0.8-380
400	1250	4 HGPS-1.0-400

General purpose axe



HFGPS

	g	
380	1070	4 HFGPS-0,7-400FG

Camping axe with composite handle



CUC_

	g	
360	640	4 CUC-0.4-360

Camping axe



HUS-1.0-650

	g	
650	1400	4 HUS-1.0-650

Felling axe



FGS

	g	
600	1500	4 FGS-1.0-600
700	1800	4 FGS-1.25-700

Light axe with composite handle



CUC-0.8-600

Icon	g	Icon	Icon
	1220		
600		4	CUC-0.8-600

Splitting axes



SUS

Icon	g	Icon	Icon
	2400		
800		4	SUS-2.0-800

Splitting axe with composite handle



SUC_

Icon	g	Icon	Icon
	980		
450		4	SUC-0.7-450
600	1310	4	SUC-0.9-600
710	1550	4	SUC-1.0-710
780	2300	4	SUC-1.7-800

Felling axe



FGS-810

Icon	g	Icon	Icon
	2200		
800		4	FGS-1.6-810
800	2400	4	FGS-1.8-810

Splitting axe, Hickory handle



MCP

Icon	g	Icon	Icon
	3200		
800		2	MCP-2.5-810

Felling axe, Hickory handle



FCP

Icon	g	Icon	Icon
	2400		
800		4	FCP-1.8-810
850	3000	2	FCP-2.3-860

Splitting axe



LS/MES

Icon	g	Icon	Icon
	3000		
900		2	LS-MERLIN-2.5
900	3550	2	LS-MERLIN-2.5FG
900	3500	2	MES-3.0-900

Maul



LS-MASSE

Icon	g	Icon	Icon
	4800		
900		2	LS-MASSE-4FG
900	4300	2	LS-MASSE-4

Felling axe



FFSS

Icon	g	Icon	Icon
	2400		
900		4	FFSS-1.5-900FG

Splitting axe



MES

Icon	g	Icon	Icon
	3800		
900		2	MES-3.5-900
900	3900	2	MES-3.5-900FG

Maul/sledge



LS-MASSE-TR

Icon	g	Icon	Icon
	5000		
900		2	LS-MASSE-TR-4FG



Spare handles for pick axes



SH

L	g	Icons
800	1	SH-FCS-810
850	1	SH-FCS-860
600	1	SH-FGS-600
700	12	SH-FGS-700
800	1	SH-FGS-800
900	1	SH-FGS-1.8-810
400	1	SH-HFGPS-400FG
400	1	SH-HGPS-400
900	12	SH-MES-F-900
360	12	SH-HGPS-360
380	1	SH-HGPS-380
380	1	SH-HUS-380
500	1	SH-HUS-500
650	1	SH-HUS-650
900	12	SH-MES-900
900	12	SH-MES-900FG
800	12	SH-SUS-800
800	1	SH-MCS-800
900	1	SH-FCP-860

Splitting wedges



WT

L	g	Icons
220	2000	4 WT-2.0

Traditional steel wedges



WS

L	g	Icons
230	1500	4 W-S-1.5
250	2000	4 W-S-2.0
260	2500	4 W-S-2.5

Felling wedges



LS-COIN

L	g	Icons
260	295	2 LS-COIN 26 CM
190	260	4 LS-COIN 19 CM

Pick axe



PAGS-2.0-900FG

L	g	Icons
900	3000	1 PAGS-2.0-900FG

Heads of pick axes



PAGS

L	g	Icons
450	2000	6 PAGS-2.0

Spare handles for pick axes, ash wood or 3-component



SH-PAGS

L	g	Icons
900	700	1 SH-PAGS-900
920	1030	1 SH-PAGS-900FG

COLD CHISELS

Flat chisels



3740

L	Icons
100	5 3740-100
125	5 3740-125
150	5 3740-150
175	5 3740-175
200	5 3740-200
250	5 3740-250
300	5 3740-300

Flat Chisels



SB-3740

L	Icons
125	5 SB-3740-125
150	5 SB-3740-150
175	5 SB-3740-175
200	5 SB-3740-200
250	5 SB-3740-250
300	5 SB-3740-300

Chisel



3640

L	g	Icons
150	18	6 3640-150-C
175	21	6 3640-175-C
200	22	5 3640-200-C
250	25	5 3640-250-C
300	26	6 3640-300-C

Chisel Set



3640/6T



1 3640/6T

3640-175-C, 3640-200-C, 3640-250-C

3645-150-C, 3645-200-C, 3645-250-C

Cape chisels



3745



150	5	3745-150
175	5	3745-175
200	5	3745-200
250	5	3745-250

Cape Chisels



3645



150	6.5	5	3645-150-C
200	8.5	6	3645-200-C
250	9.5	6	3645-250-C

Slitting chisels



3750



240 5 3750

Chisel with safety impact head



3750H



240 1 3750H

Masons chisels



3736M



200	5	3736M-200
250	5	3736M-250
300	5	3736M-300
400	5	3736M-400

Masons chisel with safety head impact



3736MH



250	2	3736MH-250
300	2	3736MH-300
400	2	3736MH-400

Mixed Mason's chisels set



3654BMS/7



1 3654BMS/7

3734BM-2, 3734BM-4, 3734BM-5, 3734BM-6

3654BM-15, 3654BM-20

3755BM-6

Chisel with guard 15mm-retail



SB3654BM-15



205 5 SB3654BM-15

Chisel with guard 20mm-retail



SB3654BM-20



220 5 SB3654BM-20

pointed chisel



3739-250 / -400



250	5	3739-250
300	5	3739-300
400	5	3739-400

Pointed chisel with safety impact head



3739H



250	2	3739H-250
300	2	3739H-300
400	2	3739H-400



Chisel



8740

L	Icon	QTY	Part No.
200		5	874002000
250		5	874002500
300		5	874003000
350		5	874003500
400		5	874004000
500		5	874005000

Chisel



8741

L	Icon	QTY	Part No.
200		6	874102000
250		5	874102500
300		5	874103000
350		4	874103500
400		5	874104000

Octagonal Pointer



8746

L	Icon	QTY	Part No.
200		5	874602000
250		5	874602500
300		5	874603000
350		5	874603500
400		5	874604000

Electrician Chisel



8760

L	Icon	QTY	Part No.
200		10	876002000
250		5	876002500

Builder's Chisel



8770

L	Icon	QTY	Part No.
240		8	877002400

PUNCHES

Centre punches



3735

Ø	L	Icon	QTY	Part No.
4	120		5	3735-4-120
5	120		5	3735-5-120
5	150		5	3735-5-150

Centre punches



3735N

Ø	L	Icon	QTY	Part No.
2	100		10	3735N-2-100
4	120		10	3735N-4-120
5	120		10	3735N-5-120
6	150		10	3735N-6-150
8	150		10	3735N-8-150
2	100		1	SB-3735N-2-100
4	120		60	SB-3735N-4-120
5	120		1	SB-3735N-5-120
6	150		1	SB-3735N-6-150
8	150		1	SB-3735N-8-150

Automatic centre punch



1157

Ø	L	Icon	QTY	Part No.
2	130		20	1157

Centre punch set, 4 pcs sizes 2-4-6-8 mm



3735NS/4

Icon	QTY	Part No.
	25	3735NS/4

3735N-2-100, 3735N-4-120, 3735N-6-150, 3735N-8-150

Centre punch guard 4mm-retail



SB3755BM-4

L	Icon	QTY	Part No.
155		1	SB3755BM-4

Centre punch guard 6mm-retail



SB3755BM-6

L	Icon	QTY	Part No.
235		5	SB3755BM-6

Drift punches



3733

Ø	L	Icon	QTY	Part No.
2	120		5	3733-2
3	120		5	3733-3
4	120		5	3733-4
5	120		5	3733-5
6	120		5	3733-6

Conical Punch Set: 5pcs



3733S/5



1 3733S/5

3733-2, 3733-4, 3733-6

3733-8, 3733-10

Drift punches



3734

Ø	L	Icon	Part No.
2	150		5 3734-2
3	150		5 3734-3
4	150		5 3734-4
5	150		5 3734-5
6	150		5 3734-6
8	150		5 3734-8

Drift punches



3734N

Ø	L	Icon	Part No.
2	150		10 3734N-2-150
3	150		10 3734N-3-150
4	150		10 3734N-4-150
5	150		10 3734N-5-150
6	150		10 3734N-6-150
7	150		10 3734N-7-150
8	150		10 3734N-8-150
9	150		10 3734N-9-150
10	150		10 3734N-10-150
2	150		1 SB-3734N-2-150
3	150		1 SB-3734N-3-150
4	150		60 SB-3734N-4-150
5	150		1 SB-3734N-5-150
6	150		60 SB-3734N-6-150
7	150		1 SB-3734N-7-150
8	150		1 SB-3734N-8-150
10	150		1 SB-3734N-10-150

Drift punch set, 9 pcs
9pcs 2-10mm



3734NS/9



10 3734NS/9

3734N-2-150, 3734N-3-150, 3734N-4-150,
3734N-5-150, 3734N-6-150, 3734N-7-150,
3734N-8-150, 3734N-9-150, 3734N-10-150

Bi Material Parallel Punch Set



3734BMS/7



1 3734BMS/7

3734BM-2, 3734BM-3, 3734BM-4, 3734BM-5,
3734BM-6, 3734BM-8, 3734BM-10

Paral. pin punch guard 3-retail



SB3734BM-3



215

5 SB3734BM-3

Paral. pin punch guard 4-retail



SB3734BM-4



215

5 SB3734BM-4

Paral. pin punch guard 5-retail



SB3734BM-5



215

5 SB3734BM-5

Paral. pin punch guard 6-retail



SB3734BM-6



235

5 SB3734BM-6

Paral. pin punch guard 8-retail



SB3734BM-8



235

5 SB3734BM-8



Paral.pin punch guard 10-retail



SB3734BM-10

L	Icons
235	5 SB3734BM-10

Nail punches



3732

Ø	L	Icons
2	125	60 SB-3732-2-125
2.5	125	60 SB-3732-2.5-125
3.2	125	60 SB-3732-3.2-125
4	125	1 SB-3732-4-125

Set of chisels, 6pcs



3736S/6

Icons
1 3736S/6

Set of drift punches



3734S/6

Icons
1 3734S/6

3734-2, 3734-3, 3734-4, 3734-5, 3734-6, 3734-8

Centre punches with hand protection



3643

Ø	L	Icons
3	100	5 3643-100
4	120	5 3643-120
5	150	5 3643-150

Drift punch with hand protection



3644

Ø	L	Icons
2	120	5 3644-120
3	125	5 3644-125
4	130	5 3644-130
4	150	5 3644-150
5	165	5 3644-165
6	180	5 3644-180
8	200	5 3644-200

Drift punches with hand protection



3646

Ø	L	Icons
2	115	5 3646-115
3	125	5 3646-125
4	150	5 3646-150
5	165	5 3646-165
6	180	5 3646-180
8	200	5 3646-200


Drift punches with hand protection



3658A

Ø	L	Icons
2	150	5 3658A-2
3	150	5 3658A-3
4	150	5 3658A-4
5	150	5 3658A-5
6	150	5 3658A-6
8	150	5 3658A-8

Drift punches with hand protection, Tool set



3646/6

Icons
1 3646/6

3646-115, 3646-125, 3646-150, 3646-165, 3646-180, 3646-200

Set of drift punches with hand protection



3658A/6



1 3658A/6

3658A-2, 3658A-3, 3658A-4, 3658A-5, 3658A-6, 3658A-8

Drift punches with knurled guide sleeve



3659

Ø	L	Icons
0.9	75	5 3659-0.9
1.4	85	5 3659-1.4
1.8	85	5 3659-1.8
2.4	90	5 3659-2.4
2.8	95	5 3659-2.8
3.4	95	5 3659-3.4
3.9	100	5 3659-3.9
** 5.9	100	5 3659-6.0

Set of pin punches



3659/8



1 3659/8

3659-0.9, 3659-1.4, 3659-1.8, 3659-2.4, 3659-2.8, 3659-3.4, 3659-3.9, 3659-6.0

Set of 8 punches in plastic wallet



3659/8T



1 3659/8T

3659-0.9, 3659-1.4, 3659-1.8, 3659-2.4, 3659-2.8, 3659-3.4, 3659-3.9, 3659-6.0

SETS

Tool set, 6 pieces



3654R



1 3654R

Tool set, 10 pieces



3656/10



1 3656/10

PRY BARS

Adjustable Pry Bars



APB260

L	g	Icons
260 mm	410	10 APB260

Adjustable Pry Bars



APB360

L	g	Icons
360 mm	543	10 APB360

PRY BAR CROWFOOT-PRECISE END 10"



CFP250

Icons
6 CFP250 12 CFP250-DISP

PRY BAR CROWFOOT-WIDE END 10"



CFW250

Icons
6 CFW250 12 CFW250-DISP



WRECKING BARS

Wrecking Bar



4400

Ø	L		
18	500	1	440005000
20	600	1	440006000
20	700	1	440007000
22	800	1	440008000
22	1000	1	440010000
22	1200	1	440012000
22	1500	1	440015000

Premium Wrecking Bar



WBP

Ø	L		
14 mm	346	1	WBP300
16 mm	487	1	WBP500
17 mm	621	1	WBP625
17 mm	704	1	WBP710
20 mm	890	1	WBP900

Basic Wrecking Bar



WBB

Ø	L		
18 mm	810	6	WBB800
14 mm	391	10	WBB400
16 mm	500	10	WBB500
18 mm	596	10	WBB600
18 mm	685	6	WBB700

Flat Wrecking Bar



WBF380

Ø	L		
35 mm	374	1	WBF380

Mini Flat Wrecking Bar



WBMF190

Ø	L		
18 mm	188	1	WBMF190

MASON'S PINS

Masons pin



4401

L		
250	10	440102500
300	10	440103000