

ST MAX™ II PC Pro

Midsize range of Electric Airless Paint Sprayers for Professional Painting Contractors



PROFESSIONAL ADVANTAGES

- Ideal for renovation and new construction family house painting
- Save time cleaning your unit with FastFlush™
- Finish every job, every day thanks to ProGuard[™], protection against bad voltage and ProConnect[™] fast pump replacement system



ST MAX™ II PC Pro

Finish every job, every day!

ST Max™ II PC Pro

More **PERFORMANCE**, advanced **TECHNOLOGY** and extra features offers you every day reliability and ultimate user comfort, with **ST Max™ II PC Pro**.

When you need the increased productivity to handle medium residential and light commercial jobs, **ST Max**" **II PC Pro** delivers the performance you want. Available for you in a compact stand version or the more featured cart version, offering direct suction, a kick back, hose wrap and toolbox as a premium.

It's for **YOU**, we equipped all **ST Max™ II PC Pro** with ProConnect™, ProGuard™, maintenance-free brushless motor design, Endurance™ Pump, Contractor™ Gun, SmartControl™ 2.5 and FastFlush™. Leading technology, helps you finish your paint job on time, every day with a smile!



Watch our application videos at: http://www.contractorclub.com

ProGuard™+

Sprayer Protection System

conditions (230V models only)

Guards against bad or extreme job site power

Your Perfect 'Buddy' for Renovation Jobs

ST Max II PC Pro Features

The combination of reliable performance and compact design makes the ST Max II PC Pro range the ideal product for interior painting of family houses or small residential jobs. You can easily spray almost all interior acrylic paints, emulsions, laquers, varnishes and enamels on walls, wood and metal surfaces.

The ST Max II 595 PC Pro outperforms all other models and can also be used for occasional façade painting.





EXTEND YOUR REACH!

JetRoller™ The ideal renovation tool

Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation. Uses commonly available 18 or 25 cm roller covers.

Benefits:

- Reduces overspray
- Eliminates reaching
- Eliminates climbing and continually reaching up and down
- Completes large jobs in half the time of traditional methods

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot™ Shut-Off™ valve, Inline™ gun, spray tip and guard.

Hopper

A convenient 5.7 liter hopper. compatible with all units



- Thick chrome over steel to withstand rugged environments - Retractable handle doubles as a hose wrap for simple removal of coiled hose - Comfortable inlet suction allows suction of unthinned paint up to 30 liter buckets - TiltBack™ easily allows one man bucket change



Semi-Pneumatic Wheels

- Roll easily over rough terrain



! TIP

With a spare pump ready, you'll always be able to finish your job!

Features

PRO • CONNECT

Durable Cart design

Exchange your pump easily YOURSELF in 3 steps in case any damage appears.

No more time wasted or money lost to labour charges on pump repairs.



Loosen the clamping nut



Open door and remove pump



suction tube

Fast Pump Replacement

- 1-minute job site replacement
- Keeps you spraying instead of waiting for service
- No pins or parts to lose!



Remove hose and



ST MAX™ II PC Pro Accessories

Get the most out of your equipment, using our professional accessories

Improve your spraying quality



Contractor™ Guns

2-finger, RAC X[™] guard and 517 tip, 288475

60 + 100 mesh filter

288009 4-finger, RAC X[™] guard and 517 tip,

60 mesh filter

2-finger, RAC X™ guard, no tip, 262114

60 mesh filter



Easy-Out™ Gun Filters

257129 30 mesh, grey 287033 100 mesh, blue 287032 60 mesh, black 257130 200 mesh, red



246425 30 mesh, grey

246384 60 mesh, black (= standard)

246382 100 mesh, blue 246383 200 mesh, red



BlueMax™ II Hoses

214698 3/16" x 7.5 m 241272 1/4" x 20 m 240794 1/4" x 15 m 223771 1/4" x 30 m



Hose Connectors

156971 1/4" x 1/4" 157350 1/4" x 3/8"



Whips (230 bar)

3/16" x 1.8 m 238358 3/16" x 0.9 m 238359

3/16" x 1.4 m 238959



Blister Pack - ProConnect Pump Lower

Blister Pack, fits all ST Max™ II PC Pro 17C489



24W090 230V, CEE 7/7, shuko 230V, IEC320, multi-cord 24W755



Hopper

288526 5.7 liter / stand version 24B250 5.7 liter / hi-boy version

JetRoller™ System 0.5 m Heavy Duty Extension

with Inline™ Gun without Inline™ Gun 24V490 24V492 roller 18 cm roller 18 cm 24V491 roller 25 cm 24V493 roller 25 cm

232123 1 m Heavy Duty extension



287026 90 cm 287027 180 cm

RAC X Tip Extensions

287019 50 cm 25 cm 287021 75 cm 287020 40 cm 287022



Rollers Exterior (complete)

6880095 30 cm fixed 098084 90-180 cm telescopic 098085 45-90 cm telescopic

Roller Kit

245397 Fixed interior roller 50 cm - EvenFlow[™] head

23 cm - Cover 12 mm - InLine™ qun

Tips & Guards

Green RAC X fine finish tip **FFAXXX PAAXXX** Blue RAC X professional airless tip

WA12XX RAC X WideRac, for big surfaces

246215 RAC X quard



Liquids

TSL™ 0.25 I 206994 253574 Pump Armor[™] 1 I

Specifications

ALL UNITS SHIP complete and ready to spray with: Contractor™ gun, filters (gun + manifold), 240794 BlueMax™ II hose 1/4" x 15m, RAC™ X (PAA517) tip and guard, ProGuard+ voltage protection.









II 395 ST Max™ II 395 ST Max™ II 495 ST Max™ II 495 **PC Pro PC Pro PC Pro PC Pro Hi-Boy Stand** Stand

2.5

Hi-Boy Hi-Boy Part Numbers: for EURO version (230 V) 17C373 17C376 17C369 17C372 17C381 for Multicord version (230 V) 17C374 17C377 17C382 for UK (110 V) 17C375 17C383 Max. Working Pressure - bar (PSI) 227 (3300) 227 (3300) 227 (3300) 227 (3300) 227 (3300) Max. Fluid Flow - I/min. (gpm) 2.0 (0.54) 2.0 (0.54) 2.3 (0.60) 2.3 (0.60) 2.6 (0.68) Max. Tip Size - 1 gun 0.023 0.023'0.0251 0.025 0.027 Weight - kg (lbs) 14 (30) 30 (66) 15 (34) 30 (66) 33 (73) Motor Rating - HP 1.0 Brushless DC 1.0 Brushless DC 1.2 Brushless DC 1.2 Brushless DC 1.6 Brushless DC Minimum Generator Requirement - W 3500 3500 3750 3750 4000 Features: TiltBack™ / Bucket Hook 111 111 Toolbox / Hose Wrap 111 111

2.5

GRACO BVBA . Fluid Handling Solutions Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen Tel. (32) 89 770 700 • Fax (32) 89 770 777

SmartControl[™] version

© 2015 Graco BVBA · Form No. 320580ENEU (rev.G) · 07/15 · Printed in Europe.

2.5

Graco is certified ISO 9001.

PC Pro

All information, illustrations, and specifications in this document are based on the latest product information available at the time of publication. The right is reserved to make changes at any time without notice.

2.5