




IVC 60/30 Ap M Z22

Compact industrial vacuum with wear-resistant side channel blower for continuous use (e.g. in manufacturing). For fine dusts in dust class M, ATEX zone 22 and hygiene-sensitive areas.



1 With compact flat pleated filter

- The compact flat pleated filter allows a large filter area with a small and clear design.

2 Certified according to 94/9/EC (ATEX)

- Explosion-proof industrial vacuum certified according to 94/9/EC (ATEX) for zone 22 and dust filter class M.

3 Waste container with set-down mechanism

- The waste container with set-down mechanism ensures ergonomic emptying, even when the vacuumed waste is heavy.

4 Manual filter vibration for low operating costs

- The manual filter vibration increases the working time of the permanent filter, thereby reducing the maintenance required.



IVC 60/30 Ap M Z22

- Certified according to 94/9/EC
- Manual filter cleaning
- Anti-static equipment

Technical data

Order no.	1.576-106.0	
EAN code	4039784463752	
Rated input power during operation	kW	3
Air flow rate	l/s / m³/h	68 / 244
Vacuum	mbar / kPa	286 / 28.6
Container capacity	l	60
Filter area	m²	1.9
Main filter dust class		M
Sound pressure level	dB(A)	77
Nominal diameter of connection		ID 70
Weight	kg	95
Nominal diameter of accessory		ID 40
Dimensions (L × W × H)	mm	970 × 690 × 1240

Equipment

Accessories in scope of delivery	No
Container in scope of delivery	60 l
Dust class	M
Type	Z22
Filter cleaning	Manual

ACCESSORIES FOR IVC 60/30 AP M Z22

1.576-106.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, paper									
Flat pleated filter, paper	1	6.904-283.0	1 piece(s)					Paper flat pleated filter (BIA-(U,S,G,C) dust class M) suitable for NT 65/2 Eco, NT 65/2 Eco Tc, NT 65/2 Eco Me.	■

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP M Z22

1.576-106.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Suction container and swarf baskets								
Container, stainless steel, 60 l	1	4.070-837.0	1 piece(s)				60 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	■
Container, stainless steel, 100 l	2	4.070-838.0	1 piece(s)				100 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	□
Bend, coated								
Bend, screw connection	3	6.902-202.0	1 piece(s)	ID 42			Bend, powder-coated steel, electrically conductive, with star screw.	□
Suction tube, coated								
Suction tube, screw connection	4	6.902-182.0	1 piece(s)	ID 42	750 mm		For floor cleaning in combination with bend (6.902-202.0) and DN 42 floor nozzles.	□
Floor nozzles								
Multi-purpose nozzle, Ex approved	5	6.902-213.0	1 piece(s)	ID 42	370 mm		Multi-purpose nozzle for floor cleaning, electrically conductive, ATEX-approved, width 370 mm, DN 42.	□
Other nozzles								
Flexible nozzle, plastic	6	6.902-197.0	1 piece(s)	ID 42	220 mm		Nozzle, elastic, rubber, DN 42	□
Elongated round nozzle, rubber	7	6.902-200.0	1 piece(s)	ID 42	315 mm		Suction nozzle, rubber, round, DN 42, length 315mm	□
Round brush, angled	8	6.902-193.0	1 piece(s)	ID 42			Suction brush, round 45°, DN 42	□
Surface brushes	9	6.902-204.0	1 piece(s)	ID 42	120 mm		Surface brush, width 120mm, DN 42	□
Surface nozzle, aluminium	10	6.902-188.0	1 piece(s)	ID 42	150 mm		Surface nozzle, aluminium, width 150mm, DN 42	□
Crevice tools								
Crevice nozzle, plastic	11	6.902-195.0	1 piece(s)	ID 42	290 x 13 mm		Crevice nozzle, plastics, long, DN 42, width 13mm	□
Crevice nozzle, plastic, flexible	12	6.902-210.0	1 piece(s)	ID 42	340 x 20 mm		Bendable plastic crevice nozzle (ID 42) with a nozzle width of 20 mm. Ideal for flexible applications thanks to high manoeuvrability.	□
Crevice nozzle, zinc coated, flexible	13	6.902-190.0	1 piece(s)	ID 42	490 x 17 mm		Crevice nozzle, flexible, width 17mm, DN 42	□
PVC hoses								
Suction hose, PVC, screw connection	14	6.907-292.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector	□
	15	6.907-293.0	1 piece(s)	ID 42	5 m			□
Connection hose, PVC, screw connection	16	6.907-310.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	□
	17	6.907-311.0	1 piece(s)	ID 42	5 m			□
PU hoses								
Suction hose, PU, screw connection	18	6.907-298.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector	□
	19	6.907-299.0	1 piece(s)	ID 42	5 m			□
Connection hose, PU, screw connection	20	6.907-314.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	□
	21	6.907-315.0	1 piece(s)	ID 42	5 m		Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends.	□
Metal hoses								
Suction hose, ME-PU, screw connection	22	6.907-304.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector	□
	23	6.907-305.0	1 piece(s)	ID 42	5 m			□
Connection hose, ME-PU, screw connection	24	6.907-318.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	□
	25	6.907-319.0	1 piece(s)	ID 42	5 m			□
Adapters and spare parts								
Vacuum connector, ID 72 to ID 42	26	6.902-178.0	1 piece(s)	ID 72			For attachment to suction nozzle and reduction to hoses DN 42	□
Hose connection	27	6.902-170.0	1 piece(s)	ID 42			For attachment to hose DN 42	□
Hose connection, rotatable	28	6.902-172.0	1 piece(s)	ID 42			Rotatable, for attachment to hose DN 42	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP M Z22

1.576-106.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Hose clamp	29	6.902-167.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42/52	<input type="checkbox"/>
Hose sleeve	30	6.902-171.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42	<input type="checkbox"/>
Star grip M 6	31	6.303-555.0	1 piece(s)	ID 42			M 6 star knob, replacement for all bends and connectors ID 42.	<input type="checkbox"/>
Filters and waste disposal bags								
Disposal bags, PE	32	6.907-336.0	5 piece(s)				Disposal bag, PE, 5 pcs, 100 l, for low-dust disposal of suction waste.	<input type="checkbox"/>
	33	6.907-347.0	5 piece(s)				Disposal bag, PE, 5 pcs, 50 l, for low-dust disposal of suction waste.	<input type="checkbox"/>
Miscellaneous								
Crane and forklift emptying device	34	2.642-842.0	1 piece(s)				For container emptying of all IV and IVC containers with a crane or forklift truck. Empty using a crank mechanism. Max. 260 kg.	<input type="checkbox"/>
Accessory kits IVC, IVS, IVR (3 phases)								
Vacuuming kit for explosive dusts	35	9.988-127.0	6 -part	ID 42			PVC suction hose, 3 m, ID 42 (6.907-292.0), bend, ID 42 (6.902-202.0), suction tube, 750 mm, ID 42 (6.902-182.0), floor nozzle Ex (6.902-213.0), crevice nozzle, plastic, ID 42 (6.902-195), surface brush, ID 42 (6.902-204).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.