PRODUCT RANGE 2020/2021

Craft & Cleaning



FOR THE CRAFT & CLEANING

Whatever the challenge awaits you – here you will find equipment that complements your great performance!

High-quality cleaning and sanitary solut ions for a clean and sustainable world

Using the expertise we've gained from air, sweeping and air technology and our application-oriented product design, we create high-quality cleaning and sanitary solutions for a healthy, clean and sustainable world.

Because we listen carefully to our customers, we have a deep understanding of their day-to-day work and what they need, so we can offer solutions that really help.

Made in Germany. Made for you!



FOR YOU!

We are there for you right from the start:

- We include our customers in product development so that we can deliver practical solutions.
- We give professional and comprehensive advice about all our products in person.
- To do this, we use a wide and reliable sales network in more than 100 countries.
- Thanks to our lean organisation, we are flexible and able to guarantee short lead times.
- Personal customer service, maintenance and disposal of old appliances.
- For service support, you can always rely on our professional customer service and on our service partner.
- As a responsible employer, we value our team and provide a modern and healthy working environment.



FOR AN OPEN WORLD!

Starmix and haaga are ELECTROSTAR GmbH brands, forming part of the international Algo Company Group.

Although our local roots run deep, we have a global presence with a subsidiary in China and sister companies in Russia and the Netherlands. Professional users work with our developments and produts on every continent of the world.



FOR TOMORROW!

For almost 100 years, we have been developing and producing technological market leaders, tailor-made for your requirements.

Today, based on modular technology, we create high-performance solutions for professional cleaning and sanitary products.

Product series such as iPulse, with its unique filters and filter cleaning technology, define industry-wide standards.

Thanks to our customer-oriented innovation strategy, we are fully prepared for the future.



FOR THE ENVIRONMENT!

When you opt for a starmix product, you are opting for environmental protection and sustainability:

- We use mostly recyclable materials and avoid those that are harmful to the environment.
- At the new site in Ebersbach, we save up to 30 % CO₂ thanks to modern insulation, the use of highly efficient heating systems and energy-saving lighting.
- When in use and during cleaning, our products release fewer harmful emissions thanks to innovative filter technologies.
- Due to their outstanding 'Made in Germany' guality, our products have an impressive durability ex works. We build easy-to-repair appliances and make spare parts available for a longer period of time. In this way, we are already supporting the EU's plans for the district economy.

It's time for your performance

I III THE RY

A

AA

What awaits you again today? Milling cable ducts by the kilometre? Sanding back painted wood? A damp cellar? Working with plasterboard?

It doesn't matter – **tackle it.** With the starmix vacuum cleaner you're prepared for everything Even for the toughest continuous use.

starmix



CONTENT

05 CRAFT

06	Cordless Alliance System (CAS) One battery, many solutions.						
08	Dust-free work Optimal protection from specialists						
10	Overview/decision support for craft						
12	Adapter plate UNIFIX 🙀						
	For securely mounting of tool boxes						
14	"iPulse" series For the most difficult of fine, problematic dusts						
20	iPulse Standard						
22	iPulse M-/H-/H-asbestos safety vacuum cleaners						
24	ISC "Compact" series Compact profile for hard dust usage						
28	ISC Compact Standard						
29	ISC Compact M safety vacuum cleaner						
30	"uClean" series for craft Your partner for small and mid-sized dust emission						
34	ARDL units						
36	ADL units						
37	"eSwift" series For quick usage on low dust emission						

42 CLEANING

72 ACCESSORIES

Cordless Alliance System One battery many solutions.

Cordless Alliance System (CAS) is a cross-manufacturer battery pack system of leading power tool brands. The alliance unites innovative power, high performance of the products and the common goal to make professionals independent from the power socket. Together with nine other manufacturers, starmix and haaga are among the founding members. The circle of the CAS is growing steadily, in the meantime it is already 17 members.



100 % compatibility for over 160 machines in the 18 volt class!

Unlimited combinations: Now you can combine machines, battery packs and chargers of different manufacturer with each other without any problems.

leading battery pack technology!

CAS uses the world's most powerful battery pack system in the industry - from Metabo. With more than 30 years of battery pack expertise, Metabo is pioneer in the battery pack technology and in the topic of "cordless construction site". The focus is on 18V the most important application range for professional users.

user benefits!

CAS stands for a sophisticated battery pack system on which you can now also rely for different standard and special applications. Thanks to the multiple use of existing battery packs you achieve clear cost benefits. CAS also offers highest reliability and high investment security of a guaranteed sustainable battery pack system.





The cordless wet/dry vacuum cleaner! ISC BATRIX

World premiere times two in 2020: for the first time, a battery-powered wet/dry vacuum cleaner performs as well as a mains vacuum cleaner. A second highlight: Cordless Control – the innovative radio connection between the vacuum cleaner and the power tool! Of course, the ISC BATRIX also uses the flexible CAS battery technology.



Attached to the suction hose or power tool, CoCo detects the operating status of the battery power tool (on/off) and automatically switches the vacuum cleaner on or off via the radio connection.



Battery packs of the Cordless Alliance Systems (CAS). Cross-manufacturing use of the battery packs within the CAS.



 $2 \times \text{Li-HD}$ battery packs $18 \vee 8.0 \text{ Ah} + \text{Quick charger}$. Running time: Boost (15 min.), Eco-Modus (45 min.), Low (120 min.)



Newly developed brushless motor (BL motor) allows a more compact and weight-reduced design, while providing better efficiency and more power. With the BL motor and intelligent motor control, the vacuum cleaner lasts longer with one battery charge.



2 foldable hose hooks for easy and safe storage of the suction hose.



CRAFT



Image similar

Warning, fine dust! Better, dust-free work

The problem: whether on a building site, in business premises or homes-drilling, milling, grinding and sawing often create very high dust emissions. The danger: without the relevant protective measures, the smallest of dust particles are breathed in. In the worst cases, these penetrate into the alveoli, where they cause severe damage. The ideal solution: timely avoidance of dust development through use of the highly efficient Starmix high performance electric power tool vacuum cleaners. The advantage: they suck up dust particles directly into the electric tool with intelligent pulse filter cleaning.

Fine dust is highly dangerous! Take care of your health.

Take no risks!

It doesn't matter where you work-dust occurs everywhere. Therefore, it is important to know the dangers that could exist. They range from light to middle through to highly dangerously classified dusts. At high exposure, it often leads to illnesses - in extreme cases, even lung cancer.



★ Do not forget: finer is more fearsome.

Dust-free instead of construction freeze!

closing down construction sites with no dust extractors in operation.

Since 1st June 2010, new technical rules for dangerous materials have been in force (TRGS

559). The legislators stipulate that machines and equipment are to be operated in such a

way that as little dust is released as possible.* In some countries, authorities are already

The general rule is: the finer the dust, the greater the health risk. Therefore, different particle sizes have different dangers:

- < 10 µm Reduces lung function
- < 2 µm Skin and eye ailments
- < 1 µm Tumors
- < 0.1 µm Heart and lung diseases

60µm 30µm 5µm 1µm Hair Fingerprint Dust particle Smoke particle

★ The best vacuum cleaner for every task.

Starmix offers a suitable vacuum cleaner solution for every dust protection class:

- Direct dust vacuuming at the tool
- Intelligent electric and innovative filter systems
- Patented permanent impulse filter cleaning "iPulse" for the toughest challenges
- Use of fleece and PE bags possible.

★ All dust classes at a glance.

Dust class L (light)

These dusts have an occupational exposure limit value (AGW) of > 1mg/m³. The filter material of vacuum cleaners of dust class L is tested. The maximum particle penetration grade is less than 1%. There are no special disposal requirements.

Dust class M (middle)

Here, dusts with an AGW of $> 0.1 \text{ mg/m}^3$ are present. These vacuum cleaners are tested as complete units. The maximum particle penetration grade is less than 0.1 %. Disposal of the dirt must be carried out low on dust.

Dust class H (high)

This dust class covers dust with an AGW value of < 0.1 mg/m³, all carcinogenic dust and dust which is tainted with pathogens. These vacuum cleaners are also tested as complete devices. The maximum particle penetration grade is less than 0.005 %. Disposal of the dirt must be carried out free of dust.

Dust class asbestos

This class corresponds to dust class H. The difference: an additional test for machines and devices that eliminates dust and is intended to collect and separate asbestos (in accordance with TRGS 519).

★ Working with Starmix: lots of choice, many advantages.

As well as the avoidance of dangerous fine dusts, starmix vacuum cleaners offer many other advantages. A few examples:

- awarded with the best certifications (A TNO)
- simple, self-explanatory operation.
- protects the electric power tool from extreme dirt.
- simple work preparation, as hardly any isolation or housing is necessary.

DUST-FREE WORK



Detailed info here!



Dust class	AGW value*	Particle pene- tration grade (max.)	Disposal					
LARL	> 1 mg/m ³	< 1 % (filter material only)	-					
M ARM	\geq 0.1 mg/m ³	< 0.1 % (complete system)	low dust					
H (H	< 0.1 mg/m ³	< 0.005 % (complete system)	free of dust					
Additional equirements or asbestos	asbestos	< 0.005 % (complete system)	free of dust					
*ACW - Occupational expective limit value								

*AGW = Occupational exposure limit value



1-32

You have the choice

	Series/prod	luct		Dus	st classe		/ tools	Use cuuming w and clear	vith elec tric pov ning work area	wer						Fe	eatures a	and tech	nical da	ata						
		Duck class	Our of one of the one of the other other of the other other of the other other of the other othe	Dial good H habin need	No 20 4 to control	High use emission High s base is in the form of the	Microson occurrent	low chief	of entropy	Solution of the second	Contraction of the second	Deve file (Control of the control of	for and the second	Anticon display	Tile-	Prost Martin Michol	Wry) Take	South Market Contraction	koune at the of	Meson model how	Meiner Partie Partie	1000 100 100 100 100 100 100 100 100 10	Sound Solution	rifer shipe and an and an and an	and and a start and a start a	CRAFT
iPulse L-1635 Basic iPulse L-1635 Top iPulse M-1635 Safe iPulse M-1635 Safe Plus iPulse H-1635 Safe Plus iPulse H-1235 Asbest Safe Plus ···Working without suction flow loss and interruption	extreme dust emission			H H	• • • •	• • • • • • • • • • • • • • • • • • • •	• • • •	• • • •		• • • •			• • • • •		L L M H H	j j j j j	1600 1600 1600 1600 1600 1200	280 280 280 280 280 280 265	75 75 75 75 75 75 70	35 35 35 35 35 35 35 35		11,0-12,0 13,0-14,0 13,0 13,0 13,0 13,0 13,0	69	8600 8600 8600 8600 8600 8600	20 20 22 22 22 22 23	
ISC L-1625 ISC L-1625 Top ISC L-1650 Top ISC M-1625 Safe						• • • •	•	•			• • • •	• • • •	•	• • • •	M M M M	j j j	1600 1600 1600 1600	280 280 280 280 280	75 75 75 75	25 25 50 25	12,2 12,2 18,3 12,2	13,0 13,0-14,0 13,0-14,0 13,0		8600 8600 8600 8600	28 28 28 29	
UCIean ADL-1420 EHP uCIean ADL-1432 EHP uCIean ADL-1445 EHP uCIean ARDL-1420 EHP uCIean ARDL-1432 EHP uCIean ARDL-1435 EHP uCIean ARDL-1435 EHP uCIean ARDL-1445 EHP	middle dust emission 						• • • • • •	• • • • • •			•		• • • • • • • • • •	• • • • •	M M M M M M M M M	j j j j j j	1400 1400 1400 1400 1400 1400 1400 1400	259 259 259 259 259 259 259 259 259	69 69 69 69 69 69 69 69 69 69	20 32 45 20 32 35 45 55	8,5 8,6 12,8 9,3 9,6 11,1 13,3 20,3	11,2–12,2 11,2–12,2 11,2–12,2 11,2–12,2 11,2–12,2 11,2–12,2 11,2–12,2 11,2–12,2	72 72 72 72 72 72 72 72	3600 3600 3600 3600 3600 3600 7200 7200 7200	36 36 36 34 34 34 35 35 35	
eSwift A-1232 EHB eSwift AR-1220 EHB	low dust emission							•				•			M M	n	1200 1200	210 210	70 70	32 20	7,5	8,2-9,2 8,2-9,2	72,5	3600	39 39	
QUADRIX QUADRIX L 18V	1							•				•			L	n		120	35	7,5	6,2			3800	41	

DECISION SUPPORT Starmix

Adapter plate **UNIFIX**

As a professional, you don't like wasting time. So, looking for your tools is really not your thing. But you are clever and can easily attach any standard work tool box onto your starmix vacuum cleaner using the UNIFIX adapter plate. From then on, your work tool is always where you need it to be.



All common boxes are mountable! (Systainer & Sortimo Bosch (L-BOXX))

			UNIFIX				
Article no.			449432				
Technical data							
Dimensions	$L \times B \times H$	cm	45 × 39 × 7,5				
Weight		kg	1,2				



One for all

With the UNIFIX adapter plate, a arge number of tool boxes from various manufacturers can be mounted and transported on the vacuum cleaner. UNIFIX fits universally on all starmix **iPulse**, **ISP** and **ISC Compact** series.



Tool-free mounting

For mounting the adapter plate UNIFIX on the head of the vacuum cleaner no tools are required.



Hose winding

Easy and secure attachment. The hose is wrapped around the suction head and pressed three times in the two-sided brackets. Simple and effi cient.



Cable hook The integrated cable hook with plug fixation on the adapter plate ensures a tidy cable during transport and storage.





Wire ropes Recesses for tensioning cables: to attach boxes, which don't match the System Systainer or Sortimo, or other objects.

UNIFIX

[" 5] ["5. 2] [En. 2]







Adapter plate

Also perfectly equipped for stationary work in the workshop. With UNIFIX, the tools you need will always be within reach. 14 CRAFT – POWER TOOL VACCUM CLEANER IPULSE RELOADED

"iPulse" Reloaded: for your greatest challenges

The electric power tool is in your hands. A long day is ahead of you. Tough work, long hours. You can't afford any interruptions, you must finish. You know that dust is awaiting you. A lot of dust. Dangerous dust. But that doesn't bother you. Your "iPulse" will protect you. And the air is always clean. Your tools last longer. Your customer is satisfied and you leave a clean, dust-free site behind you.

starmix



iPulse REL<mark>O</mark>ADED "iPulse" series

The innovative power tool vacuum for extreme use with very high dust emission. For vacuuming directly next to electric power tools during drilling, milling, grinding and sawing work. Innovative filter technic for materials such as concrete, plaster, stone and cement, through to wood, metal, paint and lacquer and on to the handling of health-endangering, asbestos-containing fine dust. "iPulse" technology with intelligent pulse filter cleaning provides permanently free filters without performance deficits and suction power interruption.

Your colleagues are delighted:

Bert B. (carpenter)

about the iPulse: "The suction power of the new iPulse is great! Better than all devices from other manufacturers. Another important argument is that we can transport all our boxes. Only starmix in the future!"





Warning, fine dust! Take care of your health. • page 8 / 9

For the most fine, and problematic dust!

Klaus H. (assembly operation)

about the iPulse:

"Amazing what the iPulse contributes in terms of performance. In addition, other useful details make the daily work routine easier. I think the big wheels and the handle are great, the vacuum is easy to lift up the stairs."





Further information under www.starmix.de/en/ipulse

"^{iPulse}" series Hightech, Highpower, High-end

The patented filter cleaning technology gives the iPulse its unique performance. The demand-driven, permanent filter cleaning works without power interruption and enables uninterrupted vacuuming. This saves time and costs, and improves productivity by eliminating the need for involuntary work breaks.

Away with dust: filter cleaning without power interruptions for continuous work!

***** "iPulse" – the first vacuum cleaner in its class with differential pressure measurement



Intelligent electronics measure the suction before and after the filter (DDM). As soon as a suction value set at the factory is fallen below, the impulse filter cleaning switches on automatically and cleans both filter cassettes for 3.5 seconds, one after the other, with electromagnetic shocks. Even problematic dust such as plaster cannot stand the forces at work - over 300 times the force of gravity (300 *g*).

Fill level/volume flow comparison with plasterboard







The 4-point tool that can be used without tools for attaching all transpor toolboxes of the "systainer" system. 2 rails expand the storage area of the suction head and offer velcro straps, e. g. for attaching the suction tube.

Smartfix



Speed control/ selection switch 2-level speed control for M-, H- and H-asbestos vacuums is integrated into the selection switch with which the tube diameter is adjusted.



Safe dust disposal The conversion from a fleece filter bag to PE bags requires different air conditions in the container. The starmix rotary vane allows the use of both bags (depending on the application) by moving the slider.

PEN = PE emptying bag OSE = Fleece filter bag



- / 13-20/ Mar 2

starmix

iPulse RELOADED

"IPULSE" SERIES Starmix







"iPulse" series Exciting technology for real stars

The new iPulse series is equipped with a range of innovative, practical solutions that significantly increase customer satisfaction and provide even more fun and comfort at work.

Great new features for even more effective working!

† Technical highlights and features



High-performance motor High-speed motor with 15-20 % higher volumetic flow and vacuum than previous motors.



Special filter concept

2 cartridges for extremely high dust absorption, protected in the integrated motor head. Easier and cleaner access to the filter cassettes. No contact with dirt or dust when changing the filters.



Multifunctional elements (Basic variations)

4 brackets for pulling on securing straps e.g. for transporting boxes on the vacuum cleaner. Also velcros for safe storage of the hose can be fixed with this multifunctional elements.



Main switch

On-demand, automatic pulse filter cleaning. 0 = OFF

No suction loss – always free filter:

IR = ON / automatic filter cleaning only with added filters

AR = Automatic start-up with on-demand filter cleaning A = Automatic start-up without vibration

Container

Smartfix rail set



Extremly robust, double-walled container for construction sites. Impact-resistant construction. Simple and quick to empty due to smooth interior walls. Very stable with large wheels and castors. Flush and stable fasteners.



For secure attachment of all boxes of the system "Systainer". Stow any accessories by pulling in tension belts. Handle for carrying the device and for fixing the hose. iPulse 'Basic' models can be upgraded.

storage

Optionally installed and expanded on the appli-ance. With 4 mounts for secure attachment of not in use and 2 add onal mounts on the section.



Hose winding and ixation y using the velcros.



Seal Elastic TPE, good handling. Injected directly at the suction inlet. For dust-free transport of the vacuum cleaner.



"IPULSE" SERIES Starmix

THE ADVANTAGES AT A GLANCE:

✓ For hard, continuous use on the construction site ✓ Approved for dust classes L/M/H/H asbestos ✓ DDM: constant monitoring of the filter layers ✓ Cleaning with 300-times gravitational strength ✓ Strong suction performance without interruption 🗸 Extra robust

ush handle

For easy transport of the device. Even full and neavy containers can be moved easily. owder-coated: no elec ric charge. (standard or optional)



iPulse REL<mark>O</mark>ADED

"iPulse" series Electric power tool vacuum cleaner (wet/dry)

For vacuuming directly next to power tools during drilling, milling, grinding and sawing work in the workshop or on the construction site. The specialist for the toughest continuous use on the most difficult of fine and problematic dust.



Article no.

Filter bag

Accessory set

Included in the scope of d





For the most difficult of fine and problematic dust.



*BASIC, only individual parts can be ordered 1 unit FBV 25-35 After-sales art. no. 411231 (5 pcs.)

	Aiter sales art. 10. 411251 (5 pcs.)	Anter Sules unt. no. 411251 (5 pes
Equipment		
Main filter	FKP 4300 (polyester) Dust retention capacity: 99.9 % art. no. 416069	FKP 4300 (polyester) Dust retention capacity: 99.9 % art. no. 416069
Impulse filter cleaning	yes – iPulse	yes – iPulse
Smartfix for toolboxes	no, multifunctional element	yes
Multi-function element	yes, 4×	no
Speed controller	yes, stepless	yes, stepless
Appliance socket	yes	yes
Filter control light	yes	yes
Push handle	no, optional FB 35, art. no. 445137	yes
Carring handle with cable hook / hose fixing - plug fixation	yes/yes (1 velcro)	yes/yes (2 pcs. velcro)
Pre-selection switch volume flow / hose ø	no	no
Electric volume flow monitoring with optical + acoustic warning function	no	no
Rotary vane for flexible use of fleece filter bags and PE emptying bags	yes	yes
Fastening for intake manifold	yes	yes
Soft start/after-run	yes	yes
Water level detection	yes	yes
Antistatic equiped	yes	yes
Accessory storage	no, optional (Art. no. 445113)	yes
Technical data		
Power consumption (max.) Watt	1600	1600
Volume flow (max.) measured at the motor head I/s	75	75
Volume flow (max.) measured at the end of the hose I/s	45	45
Vacuum (max.) measured at the motor head mbar	280	280
Vacuum (max.) measured at the end of the hose mbar	245	245
Container volume (max.) I gros-dust-water / container material	35/25/22 plastic	35/25/22 plastic
Sound pressure level dB(A)	69	69
Dimensions L × B × H (*inkl. FB)	53 × 40 × 56 cm	66 × 40 × 92 cm
Weight kg	15.6	16.8
Power cabel length m	8 (rubber, H05RR-F), red	8 (rubber, H05RR-F), red
Maximum reach m	11.0 – 12.0	13.0 - 14.0





Equipment

art. no. 413228

1 × Tube handle, plastic with supplem. air slide, art. no. 424804

- 2 × Suction tube, plastic (each 50 cm),
- 1 × Rubber nozzle (23 cm long), art. no. 425696

Тор

- Smartfix
- 2 pcs. velcro
- Push handle

- Accessory set EWS:*



- 1 × Suction hose with red supplementary air ring,
- ø 35 mm × 5 m, art. no. 447193
- 1 × Tube handle, stainless steel, supplem. air slide, art. no. 421445
- 2 × Suction tubes, stainless steel (each 50 cm), art. no. 424842
- 1 × Crevice nozzle (22 cm long), art. no. 417011 1 × Connecting sleeve, stepped, art. no. 425719
- 1 × Dust nozzle 37 with hard floor insert,
- art. no. 414706



The boxes are equiped with various accessories. More information at starmix.de/en/accessories





Fleece filter bag FBV 25/35 5 pcs.

starbox II FBV 25/35 = art. no. 444451





PE emptying bag FBPE 25/35 5 pcs.

starbox II FBPE 25/35 art. no. 444475





Filter cassettes FKP 4300 2 pcs.

starbox II FKP 4300 _ art. no. 444468





problematic dust. With push handle.

018621

1 unit FBV 25-35

- 1 × Suction hose, ø 35 mm × 3,2 m,

- art. no. 424859
- 1 × Crevice nozzle (22 cm long), art. no. 417011
- 1 × Floor nozzle 30 (BG Bau), art. no. 440941



"IPULSE" SERIES STATMIX



Especially suited to fine dusts containing fibre.

Protection class I [III C E IP24 🛞 🙆 🚭

iPulse REL<mark>O</mark>ADED

"iPulse" series Safety vacuum cleaners M, H and H-asbestos

The specialists for the toughest use with hazardous dusts.

018935

*EW, art. no. 044705

3 units special PE emptying bag

after-sales art. no. 425764 (5 pcs.)

Article no.

Included i

Filter bag

Accessory set





A



*EWA, individual parts only 3 units special PE emptying bag after-sales art. no. 425764 (5 pcs.)



018614

iPulse H-1635 Safe Plus Dust retention capacity at least 99,995 % according to dust class "H"



*EWA, individual parts only

-		
3 units special		, ,
after-sales art.	no. 425764	(5 pcs.
FKP 4300 HEP	A (Polyester)	



iPulse H-1235 Asbest Safe Plus Dust retention capacity at least 99,995 % according to dust class "H asbestos" 018645

*EWA, individual parts only 3 unit special PE emptying bag (asbestos) after-sales art. no. 425757 (5 pcs.) EKP 4300 HEPA (Polyester)



Safe Plus

- Smartfix
- 2 pcs. velcro
- Push handle





from page 77

Equipment				
Main filter	FKP 4300 (Polyester) Dust retention capacity: 99.9 % art. no. 416069	FKP 4300 (Polyester) Dust retention capacity: 99.9 % art. no. 416069	FKP 4300 HEPA (Polyester) Dust retention capacity: 99.995 % art. no. 419190	FKP 4300 HEPA (Polyester) Dust retention capacity: 99.995 % art. no. 419190
Impulse filter cleaning	yes – iPulse	yes – iPulse	yes – iPulse	yes – iPulse
Smartfix for toolboxes	no, multifunctional element	yes	yes	yes
Multi-function element	yes, 4×	no	no	no
Speed controller	yes, 2-level	yes, 2-level	yes, 2-level	yes, 2-level
Appliance socket	yes	yes	yes	yes
Filter control light	yes	yes	yes	yes
Push handle	no, optional FB 35, art. no. 445137	yes	yes	yes
Carring handle with cable hook / hose fixing - plug fixation	yes/yes (1 velcro)	yes/yes (2 pcs. velcro)	yes/yes (2 pcs. velcro)	yes/yes (2 pcs. velcro)
Pre-selection switch volume flow / hose $ø$	yes / 21, 27, 35	yes / 21, 27, 35	yes / 21, 27, 35	yes / 21, 27, 35
Electric volume flow monitoring with optical + acoustic warning function	yes	yes	yes	yes
Rotary vane for flexible use of fleece filter bags and PE emptying bags	yes	yes	yes	yes
Fastening for intake manifold	yes	yes	yes	yes
Soft start/after-run	yes	yes	yes	yes
Water level detection	yes	yes	yes	yes
Antistatic equiped	yes	yes	yes	yes
Accessory storage	no, optional (Art. no. 445113)	yes	yes	yes
Technical data				
Power consumption (max.) Watt	1600	1600	1600	1200
Volume flow (max.) measured at the end of the hose I/s	75	75	75	70
Volume flow (max.) measured at the end of the hose I/s	45	45	45	40
Vacuum (max.) measured at the motor head mbar	280	280	280	265
Vacuum (max.) measured at the end of the hose mbar	245	245	245	230
Container volume (max.) I gros-dust-water / container material	35/25/22 plastic	35/25/22 plastic	35/25/22 plastic	35/25/22 plastic
Sound pressure level dB(A)	69	69	69	69
Dimensions $L \times B \times H$ (*incl. FB)	53 × 40 × 56 cm	66 × 40 × 92* cm	66 × 40 × 92* cm	66 × 40 × 92 * cm
Weight kg	15.6	16.8	16.8	16.8
Power cabel length m	8 (rubber, H07RN-F), red	8 (rubber, H07RN-F), red	8 (rubber, H07RN-F), red	8 (rubber, H07RN-F), red
Maximum reach m	13.0	13.0	13.0	13.0





Warning, fine dust! Take care of your health. • page 8 / 9

★ Scope of delivery:

- Accessory set EWA:* (individual parts only)



Equipment 1 × Suction hose AS with red supplementary air ring, ø 35 mm × 5 m, art. no. 447162 1 × Connection sleeve, stepped, art. no. 425719

<u>Safe</u>

- 1 velcro

- Accessory set EW:*



- $1 \times \text{Suction}$ hose with red supplementary air ring, ø 35 mm × 5 m, Art.-Nr. 447193
- $1 \times \text{Connection sleeve, stepped, art. no. 425719}$

★ Advantages antistatic suction hose: ★ Permanently electrostatically conductive – no static charge (see iPulse Safe Plus vacuum cleaners) ★ Non-marking – no stripes on the floor on objects ★ Very flexible and resistant to abrasion ★ Patented construction and manufacturing processes ★ 360° rotatable connection sleeve for tube and bayonet – no twisting



Protection class I [III C E IP24 🕘 🔿

ISC "Compact": It just makes hard days easier.

On the construction site your full commitment is needed and in the workshop. Great flexibility is demanded. So you need a partner that can follow you everywhere. A powerful professional, mobile and easy to handle. You can't afford any errors, or any dust in the air!



ISC "Compact" series Compact profile for hard dust usage

The powerful classic, designed for use on construction sites with high dust emission: For vacuuming directly next to power tools. With the ISC, high performance is combined with high flexibility, ergonomics and compact dimensions for optimal usable volume. This makes the ISC the most-sold Starmix vacuum cleaner.

Your colleagues are delighted:

Marc D. (master of electrician) about the ISC:

"The vac is daily required for really hard work. Dust-free working with core drill bit, slit miller etc. is garanteed at all times – abolutely awesome! The ISC is a powerful and simultanously compact vacuum cleaner. It's just the right devise for my daily workday!"





Warning, fine dust! Take care of your health. page 8 / 9

Timo M. (floor layer) about the ISC:

"The vacuum cleaner is a really clean business for the construction site. With its unlimited suction power, even the most dusty jobs are no longer a problem for me. I don't have to worry about my health anymore – thanks to the ISC Compact. I'm totally convinced by the ISC!"

ISC "Compact" series Compact dimensions, strong performance

The ISC "Compact" combines high performance and proven quality with clear lines in the housing design and improved ergonomics. The compact shape makes it easier to handle and improves the mobility of the vacuum cleaner.







Pulse filter cleaning

The automatic pulse filter cleaning cleans the filter during work breaks so well, that you can then continue to vacuum with an unchanged, high airflow.



Simple and safe handling

- Compact, rectangular construction: requires little room, light to carry, easy to store.
- Low centre of gravity: very stable and manoeuvrable.
- Robust wheels and castors: very easy and safe to move even over "hill and dale".
- Bayonet connector: pull-tight connector between pipe and container.
- High filling volume: filters attached parallel to the motor axle require no additional space in the container.



High-performance motor

High-speed motor with 15-20 % higher volume tic flow and vacuum than previous motors.



Container that has been proven effective at construction sites Light but extremely stabile double-walled constructior (25 I). Smooth interior walls for easy emptying of dust, dirt and liquids. With a new container closure for a dust-free transport.



Safe dust disposal

The conversion from a fleece filter bag to PE bags requires different air conditions in the container. The new **starmix rotary vane*** provides an optimal dust-filling capacity.

OPEN = PE emptying bag CLOSE = Fleece filter bag



ISC "COMPACT" SERIES

. 14

CRAFT

THE ADVANTAGES AT A GLANCE:

✓ Pulse filter cleaning during work breaks
 ✓ Innovative filter technology

✓ Top quality "Made in Germany"
 ✓ Powerful high-performance motor

starmiz





*only 251 containers

ISC "Compact" series Electric power tool vacuum cleaner (wet/dry)

The compact version for dust application. For vacuuming directly next to power tools during drilling, milling, grinding and sawing work in the workshop or on the construction site.



Article no.

Accessory set Filter bag

Included in the scope of de





ISC L-1650 Top

and push handle

018584

The large version with 50l container

With accessories for cleaning work

LAIL

	7777	11
I	* EWS, art. no. 072401	*EWS, art. no. 072401
	1 unit FBV 25-35 after-sales art. no. 411231 (5 pcs.)	1 unit FBV 45-55 after-sales art. no. 435039
	FKP 4300 (polyester) Dust retention capacity: 99,9 % art. no. 416069	FKP 4300 (polyester) Dust retention capacity: 9 art. no. 416069
	ves – during work breaks	ves – during work breaks

9 (5 pcs.) Dust retention capacity: 99,9 % 99,9% art. no. 416069 yes – during work breaks yes yes yes yes, stepless yes, stepless yes, stepless yes yes yes yes/yes, 1 velcro yes/yes, 1 velcro yes/yes, 1 velcro no no no no no no no yes yes no yes yes yes yes yes

ISC "Compact" series Special vacuum cleaner class M

The specialist for dangerous fine dusts and organic dusts.



ISC M-1625 Safe Dust retention capacity at least 99.99% according to dust class "M"

Article no.		018591	MEADM
Included in the scope of deliv	/ery		IVIE LEVEL
Accessory set		* EW, art. no. 0	44705
Filter bag		3 units special PE after-sales art. no	emptying bag p. 425764 (5 pcs.)
Equipment			
Main filter		FKP 4300 (polyes Dust retention ca art. no. 416069	
Pulse filter cleaning		yes – during wor	k breaks
Appliance socket		yes	
Speed controller		no	
Filter control light		yes	
Carrying handle with cable hook/ hose fixing - plug fixation		yes/yes, 1 velcro	
Pre-selection switch volume flow, hose ø	1	yes / 21, 27, 35	
Signal tone if volume flow is too low		yes	
Rotary slider for use of the PE emptying bag		yes	
Fastener for intake socket		yes	
Soft start/after-run		yes	
Water level detection		yes	
Antistatic equipment		yes	
Push handle		no	
Accessory storage		no	
Technical data			
Power consumption (max.)	Watt	1600	
Volume flow (max.) measured at the motor head	l/s	75	
Volume flow (max.) measured at the end of the hose	l/s	45	
Vaccuum (max.) measured at the motor head	mbar	280	
Vaccuum (max.) measured at the end of the hose	mbar	245	
Container volume (max.) gross-dust-water	I	25/20/15 plastic	
Sound pressure level	dB(A)	69	
Dimensions L	×B×H	$45 \times 39 \times 49$ cm	
Weight	kg	12.2	
Power cable length	m	8 (rubber, H07RN	I-F), red
Maximum reach	m	13.0	



ISC "COMPACT" SERIES







Accessory set EW*

(see page 75)



<u>Safe</u>

- 1 velcro - Accessory set EW:*



Equipment

- 1 × Suction hose with red air slide, ø 35 mm × 5 m, Art. no. 447193
- 1 × connecting sleeve, stepped, Art. no. 425719

Top

- 1 velcro

- Accessory set EWS:*



- 1 × Suction hose with red air slide,
- ø 35 mm × 5 m, Art. no. 447193 1 × Tube handle, stainless steel with supplementary air slide,
- Art. no. 421445 2 × Suction tubes, stainless steel
- (each 50 cm), Art. no. 424842
- 1 × Crevize nozzle (22 cm long) Art. no. 417011
- 1 × Connection sleeve, stepped, Art. no. 425719
- 1 × Dust nozzle 37 with hard-floor insert Art. no. 414706



"uClean": If you have to be flexible.

Your working day is varied and diverse. As an universal professional, you carry out installation work for customers just as reliably as work in the workshop or the cleaning of work surfaces. And with the "uClean" on your side, you are exceptionally flexible. It ensures dust-free air and fun at work thanks to its clever details.



"uClean" series The versatile version for universal use

The "uClean" is designed to be a **highly versatile universal** vacuum cleaner for flexible application with low to normal dust formation. Due to its great versatility, it can be used as a power tool vacuum cleaner or a cleaning vacuum cleaner for the workshop, work surfaces and machines. Its **comfortable handling** is characterised through the unique SmartStop, the blowing function and the best storage system for pipe and accessories – **Made in Germany**!

Your colleagues are delighted:

Wolfgang D. (carpenter) about the uClean:

"The new uClean is small, light and handy. Even perfect for works on the roof truss. Ideal for the cleaning of larger surfaces, corners, joints, but also for smaller jobs with the electric power tool."



Tim K. (renovations) about the uClean:

"With the uClean it is finally possible to store all the accessories on the vacuum cleaner. No wobbliness or falling over any more, and the carry handle is superb. The journey to the building site can sometimes be long and up steps, but this makes it much easier."

"uClean" series New technology and clever ideas

The "uClean" series is based on the sophisticated starmix technology and quality levels "Made in Germany". The aim was to develop an universal vacuum cleaner that sets new standards in performance, ergonomics, comfort and working pleasure through intelligent details. The result: top performance and an attractive design with many exciting features.

That is the intelligent starmix technology. The uClean is great fun. Pure excitement for diverse professionals!

† Technology for professionals



Up to 20% more performance:

powerful high speed motor Single-stage quick-running motor with high-speed turbine. Optimal efficiency with significantly higher flow volume and suction than comparable motors with similar wattage. The working life of the carbon brushes is over 800 hours!

A
The second second
and the second se
Terrate Party of
and the second second
Name of Concession, Name of Street, or other

Up to 20% more usable volume: **Optimised container**

Impact-resistant, robust container with optimal The gross-to-net ratio. Quick and easy to empty thanks to the smooth interior walls. Very stable with a low centre of gravity, large wheels and castors.



Transport walers with accessory storage

he unit.

Simply clever: all of the standard accessories can be safely stored or

Filter cleaning and applicance socket

Automatic pulse filter cleaning and appliance socket (only ARDL vacs) to connect the electric power tool.





"SmartStop" – 3 in 1 Suitable as a locking brake for stable fixation of the uClean, as a handle for emptying the container and for protecting the chassis from damage as well as for overcoming obstacles.



Blowing function with bayonet coupling The new blowing function with a sensational exhaust power of 215 km/h can be used parallel to vacuuming.

O

FAQ videos on important topics The starmix Youtube channel also contains explanatory videos about the uClean devices as well as videos about the other vacuum cleaner series and sanitary products.



The I/O switch is easily wer tool and the brating function can be











THE ADVANTAGES AT A GLANCE: Top performance from the high-speed turbine

- ✓ Great variability for diverse professionals Exciting handling due to clever details
- ✓ Top quality "Made in Germany"
- ✓ Modern, cool design
- ✓ Blowing function with 215 km/h



Further information under www.starmix.de

Changing the cable The red cable can be changed quickly and easily, simply by loosening the two screws.

"uClean" series Power tool vacuum cleaner (wet/dry)

Article no.

Filter bag

Main filter

Park position

SmartStop

Push handle

Vacuum (max.)

Dimensions

Power cable length

Weight

Reach

Accessory set

Replacement filter

Included in the scope o

The universal version with vibrating function for installation work on the construction site (concrete, stone, cement) and work with power tools in the workshop (wood, paint, lacquer) with non-health endangering dusts. For operation with or without a filter bag.





uClean ARDL-1432 EHP

normal dust development,

with automatic filter cleaning for

uClean ARDL-1420 EHP with automatic filter cleaning for normal dust development, 20l container

020198

9.3

8 (PVC), red

11.2 – 12.2

kg

m

m

32l container 016344

of delivery		
	*EHP art. no. 016542	*EHP art. no. 016542
	1 × FSS 1200 (foam material)	1 × FSS 1200 (foam material)
	1 × FBV 20 after-sales art. no. 434827 (5 pcs.)	1 × FBV rd 30-35 after-sales art. no. 442761 (5 pcs.)
	FPPR 3600 (polyester) Dust retention capacity: 99,9 % art. no. 413464	FPPR 3600 (polyester) Dust retention capacity: 99,9 % art. no. 413464
	yes, during work breaks	yes, during work breaks
	yes	yes
	stepless	stepless
	yes	yes
	yes	yes
	yes	yes
	no	no
	yes/yes	yes/yes
	yes	yes
	yes	yes
-		



9.6

8 (PVC), red

11.2 – 12.2



uClean ARDL-1435 EHP

with automatic filter cleaning for

normal dust development, 35l stainless-steel container Article no. 017372 Included in the sco *EHP art. no. 016542 Accessory set Replacement filter 1 × FSS 1200 (foam material) Filter bag 1 × FBV rd 30-35 after-sales art. no. 442761 (5 pcs.) Main filter FPPR 3600 (polyester) Dust retention capacity: 99,9 % art. no. 413464 Pulse filter cleaning yes, during work breaks Appliance socket yes Speed controller stepless Filter control light yes Hose winding and yes connector fixture Park position yes Tilting running gear no Gentle start/after-running yes/yes Water level detection yes Antistatically prepared yes Rubber wheels and castors yes SmartStop no Accessory storage yes Blowing function yes Push handle no Technical data 1400 Power consumption (max.) Watt Volume flow (max.) 69 l/s Vacuum (max.) 259 mbar Container volume (max.) 1 35/30/23 gross - dust - water stainless stee Sound pressure level db(A) 72 $46 \times 44 \times 70$ cm Dimensions L×B×H Weight 11.1 kg Power cable length 8 (PVC), red m Reach 11.2 – 12.2 m

★ Scope of delivery: Accessory set EHP* (see page 75)



† Optional accessories:

Antistatic suction hose (see page 85)



- ★ Permanently electrostatically conductive no static charge
- ★ Non-marking no stripes on the floor or on objects
- ★ Very flexible and resistant to abrasion
- * Patented construction and manufacturing processes
- ★ 360° rotatable connecting sleeve for tube and bayonet – no twisting

Protection class I	EAE	€	IP 24	٩	ⓓĞ
--------------------	-----	---	-------	---	----

Warning, fine dust! Take care of your health. • page 8/9



uClean ARDL-1445 EHP with automatic filter cleaning for normal dust development,

45l container

016351

*EHP art. no. 016542

1 × FSS 1200 (foam material) 1×FBV 45-55 after-sales art. no. 435039 (5 pcs.)

FPPR 7200 (polyester) Dust retention capacity: 99,9 % art. no. 413372								
yes, during work breaks								
yes								
stepless								
yes								
yes								
no								
no								
yes/yes								
yes								
no								
yes								
no								
yes								
yes								
yes								
1400								

69
259
45/40/33 plastic
72
47 × 48 × 79 cm
13.3
8 (PVC), red
11.2 – 12.2



uClean ARDL-1455 EHP KFG

with tilting running gear and large volume 55l stainless-steel container

016375



EHP art. no. 016542
1 × FSS 1200 (foam material)
1 × FBV 45-55
after-sales art. no. 435039 (5 pcs.)

	FPPR 7200 (polyester) Dust retention capacity: 99,9 % art. no. 413372											
	yes, during work breaks											
yes												
	stepless											
yes												
	yes											
	no											
	yes											
	yes/yes											
	yes											
	yes											
	yes											
	no											
	yes											
	yes											
	yes											
	1400											
	69											
	259											
	55/50/43 stainless steel											
	72											
	58 × 50,5 × 97,5 cm											
	20.3											

8 (PVC), red

11.2 – 12.2

NSG "uClean" series Power tool vacuum cleaner (wet/dry)

20l container

*EHP art. no. 016542

1 × FSS 1200 (foam material)

016306

The universal version for installation work on the construction site (concrete, stone, cement) and work with electric power tools in the workshop (wood, paint, lacquer)

with non-health endangering dusts.

Warning, fine dust! Take care of your health. 0 page 8/9

Article no.

Included in the Accessory set

Replacement filter





*EHP art. no. 016542

1 × FSS 1200 (foam material)

without filter cleaning for low/ normal dust development, 45l container 016337

*EHP art. no. 016542 1 × FSS 1200 (foam material)

uClean ADL-1445 EHP

Filter bag		1 × FBV 20 after-sales art. no. 434827 (5 pcs.)	1 × FBV 45-55 after-sales art. no. 435039 (5 pcs.)					
Equipment								
Main filter		FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109	FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109	FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109				
Pulse filter cleaning		no	no	no				
Appliance socket		yes	yes	yes				
Speed controller		stepless	stepless	stepless				
Filter control light		no	no	no				
Hose winding and connector fixture		yes	yes	yes				
Park position		yes	yes	no				
Tilting running gear		no	no	no				
Gentle start/after-running		yes/yes	yes/yes	yes/yes				
Water level detection		yes	yes	yes				
Antistatically prepared		yes	yes	no				
Rubber wheels and castors		no	no	yes				
SmartStop		yes	yes	no				
Accessory storage		yes	yes	yes				
Blowing function		yes	yes	yes				
Push handle		no	no	yes				
Technical data								
Power consumption (max.)	Watt	1400	1400	1400				
Volume flow (max.)	l/s	69	69	69				
Vacuum (max.)	mbar	259	259	259				
Container volume (max.) gross - dust - water			32/28/21 plastic	45/40/33 plastic				
Sound pressure level	db(A)	72	72	72				
Dimensions	$L \times B \times H$	43 × 39 × 55 cm	43 × 39 × 64 cm	47 × 48 × 79				
Weight	kg	8.5	8.6	12.8				
Power cable length	m	8 (PVC), red	8 (PVC), red	8 (PVC), red				
Reach	m	11.2 – 12.2	11.2 – 12.2	11.2 – 12.2				

"eSwift": For your quick use



"UCLEAN" SERIES / "ESWIFT" SERIES FOR CRAFT

"Do it quickly...". This sounds familiar to you? Quickly drill a hole, saw off a bar, vacuum up the construction site dirt or the water. And you must do it quickly – there's no time to waste. Vacuum cleaner out, connect it, go. Done.

"eSwift" Serie Pragmatic, practical, good

Compact, agile and robust. Perfect for quick use at home, in a hobby room or in the workshop and on the construction site. The powerful new all-purpose vacuum cleaner series "Made in Germany" was developed for exactly these reasons. Useorientated accessories and sophisticated detail solutions make the new starmix all-purpose vacuum cleaner a helpful allrounder – everywhere that cleanliness is important.



† Practical equipment



Optimised container with up to 10% more volume

20l container with optimum gross/net ratio. The impact-resistant, robust construction is tuned to the field of application. Quick and easy to empty thanks to the smooth interior walls.



Compact design, large surface area

Light, compact and agile - good to transport and stable to move. The upper surface of the container offers lots of room for storing tools and auxiliary devices.



More safety The integrated hose winding and a power cable in signal red colour, provides additional protection against tripping.





Filter cleaning and appliance socket Socket for connection of power tools. Manual filter cleaning for optimum results thanks to clean filter.

Very stable and unctiona of the container provides perfect stability. The built in ramp eases movement over obstacles.



"eSwift" series All-purpose vacuum cleaner (wet/dry)

The all-rounder for hobby, workshop and the construction site.



eSwift AR-1220 EHB All-purpose vacuum cleaner with socket for power tool

Article no.		016511	016528						
Included in the scope of	delivery								
Accessory set		* EHB power tool (basic) art. no.016603	* EHB power tool (basic) art. no.016603						
Replacement filter		no	no						
Filter bag		1 × FBV 20 after-sales art. no. 434827 (5 pcs.)	1 × FBV rd 30-35 after-sales art. no. 442761 (5 pcs.)						
Equipment									
Main filter		FPPR 3600 (polyester) Dust retention capacity: 99,9 % art. no. 413464	FP 3600 (cellulose) Dust retention capacity: 99,8 % art. no. 411729						
Pulse filter cleaning		yes	no						
Appliance socket		yes	yes						
Speed controller		no	no						
Carry handle with cable and connector fixture	pipe coiling -	yes	yes						
Gentle start/after-running		yes/yes	yes/yes						
Water level detection		yes	yes						
Antistatically prepared		no	no						
Push handle		no	no						
Park position		yes	yes						
Accessory storage		yes	yes						
Technical data									
Power consumption (max.)	Watt	1200	1200						
Volume flow (max.)	l/s	70	70						
Vacuum (max.)	mbar	210	210						
Container volume (max.) gross - dust - water	I	20/15/8 plastic	32/27/20 plastic						
Sound pressure level	dB(A)	72.5	72.5						
Dimensions	$L \times B \times H$	39.5 × 39 × 47.3 cm	39.5 × 39 × 56.3 cm						
Weight	kg	7.7	7.5						
Power cable length	m	5 (PVC), red	5 (PVC), red						
Reach	m	8.2 – 9.2	8.2 – 9.2						





eSwift A-1232 EHB Power tool vacuum cleaner with socket and manual filter cleaning

low dust emission





★ Scope of delivery:

Accessory set EHB power tools (basic)* (see page 67)



QUADRIX

The cordless vacuum cleaner for just a quick moment

You know what it's like – especially with the assembly: a quick job here, a quick job there. Over the head, into confined spaces – you have to be quick and mobile. And more than ever, you don't have the time to haul things around or to look for sockets all the time. That's why our QUADRIX L 18V is lightweight, compact and cordless. And if the job takes a bit longer, the appliance just keeps going. The ideal secondary appliance. That way you really can get some work done.



† Technology for professionals



PressClean

The QUADRIX L 18V has the manual filter cleaning system PressClean. By operating a switch and locking the hose, the filter is cleaned using a powerful flow of air during work breaks.

The full range of acces-sories are stored in the storage compartments in the vacuum cleaner so they don't take up much space.



LiPower

Battery packs Lithium-ion batteries with a three-year guarantee. The battery's capacity indicator is displayed directly on the vacuum cleaner's control panel. Eco mode for extended operating time per battery charge; boost mode for maximum power.

tarmî





QUADRIX The specialist for mobile use

Includes manual filter cleaning PressClean and efficient Eco mode for an extended operating time per battery charge.





QUADRIX L 18V Top Commercial cordless vaccum cleaner with 2×18 V/5.2 Ah battery packs.

Article no.		020280	
Included in the scope of o	lelivery		7777
Additional filter		-	
Filter bag		1 × FBV 7,5; art. n	io. 448794 (5 pcs.)
Equipment			
Main filter		FF 3800 art. no. 448800	
Manual filter cleaning		yes (PressClean)	
Power regulation		2-level (Eco/Boos	t)
Blwoing function		yes	
Capacity indicator battery		yes	
Hose and accessories storage (incl. battery / charger)		yes, completely st	towable in the vac
Technical data			
Voltage	Volt	18	
Volume flow (max.)	l/s	35	
Vacuum (max.)	mbar	120	
Container volume (max.) gross - dust	I	7,5/5,5	
Dimensions	L×B×H	39×29,3×35,7 c	m
Weight (without equipment/battery)	kg	6,2	
Battery		Lithium ion batte	ry pack (18V 5.2 Ah)
Running time		Eco mode: appro Boost mode: app	
Charging time		approx. 104 min.	

QUADRIX L 18V Starmix





★ Scope of delivery:

QUADRIX L 18V Top Individual parts* (from page 78)

a dream comes

true!

















- 1 × Suction hose 27-300 (f. QUADRIX), ø 32 mm × 3 m, art. no. 448787 with connection sleeve, Ø 27 mm \times 3 m crevice nozzle, suction nozzle, strap
- $1 \times$ Fleece filter bag FBV 7,5, art. no. 448794
- 1 × Folded filter FF 3800, art. no. 448800
- 2 × Battery pack Li-Power 18V 5.2 Ah, art. no. 448824
- 1 × Standard charger ASC 55, art. no. 448848
- 1 × starmix bohrfixx

The right equipment for any dirt.

Inside or outside. At home or in the workplace. For wet or dry vacuuming. For large areas or tight corners. For fine dust or coarse dirt. Or even a rusty boiler. No matter what is the order of the day, starmix cleaning equipment make cleaning easy and thorough.

n



CONTENT

05 CRAFT

42 CLEANING

44	Overview/	decision	support	for o	leaning	J

- "uClean" series for cleaning The vacuum cleaner for a wide range of wet-dry cleaning.
- STANDARD vacuum cleanersLD-/ vacuum cleaners
- 4 GS series The wet-dry vacuum cleaner for large areas.

6 Special vacuum cleaners The vacuum cleaners for special applications.

58 "eSwift" series

The compact cleaners for universal wet-dry cleaning.

Dry vacuum cleaner The dry vacuum cleaners for hotels and commerce.

62 Power sweepers Patented, efficient disc brush technology. 70 Cordless battery broom New

72 ACCESSORIES

Decision support

	Series	products				A	oplicatio	n areas	• /								Featu	ires and	technic	cal data							
		cto oot	tous and office of the state		Contraction of the second second	ee contraction of the second	Coentry and Providence	Wer of the state o	estimation of the second	ritition of the second s	^{doico}	_e~ /	Speed	And the second second	4000 March M	opto (10000000)	(th) Ast. A	ka no	Voi meetinee	(boy of the state	Mein Merce Parties	to the second se	⁵ Ound Cable and Cable	rine round and	den des		
28	uClean																										
	uClean 1420 HK		•	•				•		n	n	у	n	n	у	n	1400	259	69	20		9.75–10.75		3600	50	L	
The second second	uClean 1432 HK		•	•				•		n	n	у	n	n	у	n	1400	259	69	32	+	9.75–10.75		3600	50		
	uClean 1432 ST			•	•		•	•		n	n	у	n	n	У	n	1400	259	69	32	8.1	9.75–10.75		3600	51	<u> </u>	
	uClean LD-1420 HMT	•	•			•		•		У	У	у	2-level	n	У	у	1400	259	69	20	8.0	15.2–16.2	68.5	3600	52	<u> </u>	
	uClean LD-1432 HMT	•	•			•		•		У	У	у	2-level	n	У	У	1400	259	69	32	8.3	15.2–16.2		3600	52		
	uClean LD-1435 PZ					•	•	•		У	У	у	2-level	n	У	у	1400	259	69	35	9.9	15.2–16.2	68.5	3600	53	<u> </u>	
BITT AND	uClean LD-1445 PZ					•	•	•		У	У	у	2-level	n	У	у	1400	259	69	45	12.6	15.2–16.2	68.5	3600	53	<u> </u>	
	uClean LD-1422 HZ plus		•					•		У	У	у	2-level	n	У	у	1400	259	69	22	9.6	15.2–16.2	69.5	3600	53		
																											CLEANING
Of Dian	GS																										U
A DESCRIPTION OF THE PARTY OF T	GS 2078 PZ					•	•	•		n	n	у	n	у	n	n	2400	205	108	78	23.5	11.7–12.7	77		55		
	GS 3078 PZ					•	•	•		n	n	У	n	у	n	n	3600	205	162	78	26.0	11.7–12.7	79		55		
	eSwift																										
	eSwift 1220 HK		•	•				•		n	n	у	n	n	у	n	1200	210	70	20	-	6.75-7.75		3600	59		
A	eSwift 1232 HK		•	•				•		n	n	У	n	n	у	n	1200	210	70	32	7.4	6.75–7.75	72.5	3600	59		
	Special vacuum cleaners																										
	uClean PA-1455 KFG FW							•		n	n	У	2-level	У	n	У	2200	248	61	55	22.0	18.0-50.0		3600			
Al-Se	uClean PA-1455 KFG * for large volumes of liquid							•		n	n	У	2-level	У	n	у	2200	248	61	55	20.3	18.0–50.0	73	3600	57		
	TS																										
	TS 711 BASIC	•	•							у	у	n	Eco mode	n	у	n	700	210	38	11	4.2	13.0	77		61		
	TS 714 RTS HEPA	•	•							у	у	n	Eco mode	n	у	n	700	210	42	14	4.9	13.0	73		61		



"uClean": For all those who work professionally.

This is the vacuum cleaner for all those who want professional cleanliness under the widest range of conditions. The "uClean" ensures this in the car, in the workshop, all round machinery, on the building site or wherever cleaning jobs arise in the wet and dry area. It is the ideal partner for professionals who want to be prepared for everything.

"uClean" series

As versatile and individual as life

The "uClean" is designed to be a highly powerful and versatile universal vacuum cleaner for a large number of applications. Due to its great versatility, it can be used as a vacuum cleaner for buildings, large areas, coarse dirt and also machines. Its comfortable handling is particularly characterised through the unique SmartStop, the blowing function and the best storage system for accessories.

Uwe S. about the uClean:

"It's absolutely fantastic how much suction power this appliance has. Even damp, stubborn dirt in my light well was no problem at all for the uClean with coarse dirt accessories. In future I will only use starmix, I wouldn't have managed that with my other vacuum cleaner!"





Stefan A. about the uClean:

"Spilled drilling emulsion? No problem with this wet and dry vacuum cleaner. Also blowing dirt out of joints works excellent when using the blowing function. The uClean ensures a totally clean work area for the next day."



Product video

"uClean" series Reliable technology and clever details

The "uClean" series is based on the sophisticated starmix technology and quality level "Made in Germany". The aim was to develop a universal vacuum cleaner that sets new standards in performance, ergonomics, comfort and working pleasure through intelligent details. The result: top performance and an ergonomic, attractive design with many exciting features.

That is the intelligent starmix technology. The new version is great fun. Pure delight for professionals!

† Power technology for professionals



Up to 20% more performance:

Up to 20% more usable volume:

Impact-resistant, robust container with optimal

The gross-to-net ratio. Quick and easy to empty thanks to the smooth interior walls. Very stable

with a low centre of gravity, large wheels and

Optimised container

castors.

powerful high speed motor Single-stage quick-running motor with new highspeed turbine. Optimal efficiency with significantly higher flow volume and suction than comparable motors with similar wattage. The working life of the carbon brushes is over 800 hours!



Blowing function with bayonet coupling The new blowing function with a sensational exhaust power of 215 km/h can even be used parallel to vacuuming. Just insert a starmix suction hose (only intermateable hoses) into the bayonet coupling, lock it in and away you go.

"SmartStop" – 3 in 1*

coming obstacles.



Suitable as a locking brake for stable fixation of the uClean, as a handle for emptying the container and for protecting the chassis from damage as well as for over-

*only on marked appliances



- With optimised wheeled crossbe



accessible on the top side of the container. The LD appliances also feature a appliances also reature power-saving function (ECO mode).





Accessory storage Simply clever: All of the standard ccessories can be safel tored on the container.

CIFAN

starmix

THE ADVANTAGES AT A GLANCE:

- ✓ Top performance from the high-speed turbine ✓ Great variability for diverse professionals ✓ Impressive handling due to clever details
- ✓ Top quality "Made in Germany"
- ✓ New, cool design
- ✓ Blowing function with 215 km/h



Best hose winding It's so easy: wrap twice, lock once, done.



★ Scope of delivery:

Accessory set HK

Other accessories from page 77

"uClean" series Vacuum cleaner (wet/dry)

The universal cleaners with <u>basic equipment</u> for wet and dry cleaning of buildings (garage, commerce, household) and workshop and for coarse dirt applications.



016238

*HK art. no. 044101

uClean 1420 HK The lightweight vacuum cleaner (wet-dry) with 20l container

016221

*HK art. no. 044101

uClean 1432 HK The lightweight vacuum cleaner (wet-dry) with 32l container

·····, ····	hecessory see	
house/hobby*	Replacement filter	1
(see Page 76)	Filter bag	1 af
	Equipment	
	Main filter	FF Di ar
	Pulse filter cleaning	n
	Appliance socket	n
	Speed controller	no
	Hose winding and connector fixture	ye
Accessory set ST Standard	Park position	ye
49 mm (coarse dirt)*	Gentle start/after-running	n
	Water level detection	ye
(see Page 76)	Antistatically prepared	n
	Noise reduction	n
	Push handle	no
	Rubber wheels and castors	no
	SmartStop	no
	Accessory storage	ye
	Blowing function	ye
	Technical data	

Article no.

Accessory set

Included in the scope of d

Replacement filter		1 × FSS 1200 (foam material)	1 × FSS 1200 (foam material)						
Filter bag		1 × FBV 20 after-sales art. no. 434827 (5 pcs.)	1 × FBV rd 30–35 after-sales art. no. 442761 (5 pcs.)						
Equipment									
Main filter		FP 3600 (cellulose) Dust retention capacity: 99,8 % art. no. 411729	FP 3600 (cellulose) Dust retention capacity: 99,8 % art. no. 411729						
Pulse filter cleaning		no	no						
Appliance socket		no	no						
Speed controller		no	no						
Hose winding and connector	fixture	yes	yes						
Park position		yes	yes						
Gentle start/after-running		no	no						
Water level detection		yes	yes						
Antistatically prepared		no	no						
Noise reduction		no	no						
Push handle		no	no						
Rubber wheels and castors		no	no						
SmartStop		no	no						
Accessory storage		yes	yes						
Blowing function	_	yes	yes						
Technical data									
Power consumption (max.)	Watt	1400	1400						
Volume flow (max.)	l/s	69	69						
Vacuum (max.)	mbar	259	259						
Container volume (max.) gross-dust-water	I	20/16/10 plastic	32/28/21 plastic						
Sound pressure level	dB(A)	72.5	72.5						
Dimensions	$L \times B \times H$	39.5 × 39 × 55 cm	39.5 × 39 × 64 cm						
Weight	kg	7.8	8.1						
Power cable length	m	8 (PVC), red	8 (PVC), red						
Reach	m	9.75 – 10.75	9.75 – 10.75						
Application areas		– House and home – Garage / workshop / hobby	– House and home – Garage / workshop / hobby						



uClean 1432 ST The coarse dirt vacuum cleaner (wet-dry) with 32l container

Article no.		016245						
Included in the scope of	delivery							
Accessory set		*ST art. no. 044309						
Replacement filter		1 × FSS 1200 (foam material)						
Filter bag		1 × FBV rd 30–35 after-sales art. no. 442761 (5 pcs.)						
Equipment								
Main filter		FP 3600 (cellulose) Dust retention capacity: 99,8 % art. no. 411729						
Pulse filter cleaning		no						
Appliance socket		no						
Speed controller		no						
Hose winding and connector	fixture	yes						
Park position		yes						
Gentle start/after-running		no						
Water level detection		yes						
Antistatically prepared		no						
Noise reduction		no						
Push handle		no						
Rubber wheels and castors		no						
SmartStop		no						
Accessory storage		yes						
Blowing function		yes						
Technical data								
Power consumption (max.)	Watt	1400						
Volume flow (max.)	l/s	69						
Vacuum (max.)	mbar	259						
Container volume (max.) gross-dust-water	I	32/28/21 plastic						
Sound pressure level	dB(A)	72.5						
Dimensions	$L \times B \times H$	39.5 × 39 × 64 cm						
Weight	kg	8.1						
Power cable length	m	8 (PVC), red						
Reach	m	9.75 – 10.75						
Application areas		 Outside area / coarse dirt Operational and machine cleaning Garage / workshop/ hobby 						



"uClean" series Vacuum cleaner (wet/dry)

Dimensions

Power cable length

Application areas

Weight

Reach

The universal cleaners with professional equipment for demanding cleaning of buildings (office, commerce, industry, household), large areas/halls, machinery and especially boilers. The appliances are distinguished by an additional noise insulation feature and an ability to select eco mode.





large reach



uClean LD-1420 HMT The lightweight vacuum cleaner (wet-dry) with 20l container and

uClean LD-1432 HMT The lightweight vacuum cleaner (wet-dry) with 32l container and large reach

 $43 \times 39 \times 64$ cm

12 (PVC), red

Hotel and office

- House and home

- Cleaning large areas / buildings

15.2 – 16.2

8.3

Article no.	016269	016276				
Included in the scope of delivery						
Accessory set	*HMT art. no. 003009	*HMT art. no. 003009				
Replacement filter	1 × FSS 1200 (foam material)	1 × FSS 1200 (foam material)				
Filter bag	1 × FBV 20 after-sales art. no. 434827 (5 pcs.)	1 × FBV rd 30–35 after-sales art. no. 442761 (5 pcs.)				
Equipment						
Main filter	FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109	FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109				
Pulse filter cleaning	no	no				
Appliance socket	no	no				
Speed controller	2-level with eco mode	2-level with eco mode				
Hose winding and connector fixture	yes	yes				
Park position	yes	yes				
Gentle start/after-running	yes/no	yes/no				
Water level detection	yes	yes				
Antistatically prepared	no	no				
Noise reduction	yes	yes				
Push handle	no	no				
Rubber wheels and castors	yes	yes				
SmartStop	yes	yes				
Accessory storage	yes	yes				
Blowing function	yes	yes				
Technical data						
Power consumption (max.) Watt	1400	1400				
Volume flow (max.) I/s	69	69				
Vacuum (max.) mbar	259	259				
Container volume (max.) I gross-dust-water	20/16/10 plastic	32/28/21 plastic				
Sound pressure level dB(A)	68.5	68.5				

43 × 39 × 55 cm

12 (PVC), red

15.2 – 16.2

Hotel and office

- House and home

- Cleaning large areas / buildings

8.0

L×B×H

kg

m

m



uClean LD-1435 PZ The vacuum cleaner (wet-dry) for cleaning buildings, large areas and machinery, 35l container

Article no.		017389				
Included in the scope of	delivery					
		*PZ art. no. 003108				
Accessory set						
Replacement filter		1 × FSS 1200 (foam material)				
Filter bag		1 × FBV rd 30–35 after-sales art. no. 442761 (5 pcs.)				
Equipment						
Main filter		FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109				
Pulse filter cleaning		no				
Appliance socket		no				
Speed controller		2-level with eco mode				
Hose winding and connector	r fixture	yes				
Park position		yes				
Gentle start/after-running		yes/no				
Water level detection		yes				
Antistatically prepared		no				
Noise reduction		yes				
Push handle		no				
Rubber wheels and castors		yes				
SmartStop		no				
Accessory storage		yes				
Blowing function		yes				
Technical data						
Power consumption (max.)	Watt	1400				
Volume flow (max.)	l/s	69				
Vacuum (max.)	mbar	259				
Container volume (max.) gross-dust-water	I	35/30/23 stainless steel				
Sound pressure level	dB(A)	68.5				
Dimensions	L×B×H	46 × 44 × 70 cm				
Weight	kg	9.9				
Power cable length	m	12 (PVC), red				
Reach	m	15.2 – 16.2				
Application areas		 Cleaning large areas / buildings Industrial and machine cleaning 				

★ Scope of delivery: Accessory set HMT Household* (see page 76)



Accessory set PZ Professional accessories* (see page 76)



Accessory set HZ Plus* (from page 77)





uClean LD-1422 HZ plus The vacuum cleaner (wet-dry) especially

The vacuum cleaner (wet-dry) for cleaning buildings, large areas and machinery, 45l container

uClean LD-1445 PZ

016283

016399

for heating boilers

*PZ art. no. 003108	*HZ Plus, only individual parts can be ordered
1 × FSS 1200 (foam material)	-
1 × FBV 45–55	1 × FBV 20
after-sales art. no. 435039 (5 pcs.)	after-sales art. no. 434827 (5 pcs.)
FPP 3600 (polyester) Dust retention capacity: 99,9 % art. no. 415109	FPP 3600 (polyester) Dust retention capacity: 99,9% art. no. 415109
no	no
no	no
2-level with eco mode	2-level with eco mode
yes	yes
no	yes
yes/no	yes/no
yes	yes
no	no
yes	yes
yes	no
yes	yes
no	no
yes	yes
yes	yes
1400	1400
69	69
259	259
45/40/33 plastic	22/17/10 plastic
68.5	69.5
47 × 48 × 79 cm	46 × 44 × 57 cm
12.6	9.6
12 (PVC), red	12 (PVC), red
15.2 – 16.2	15.2 – 16.2
 Cleaning large areas / buildings Industrial and machine cleaning 	– House and home

CLEANING

The power packages for tough jobs

Robust, durable and the highest power level: that is what distinguishes the vacuum cleaners in the GS series. These vacuum cleaners, developed especially for cleaning large areas and machinery, feature particularly large containers and tailored running gear. Combined with special accessory sets, the GS vacuum cleaner overcomes any challenge encountered during everyday work.

† Power technology for professionals



Motors

Powerful bypass motors with outputs of 2,400 to 3,600 Watts. The vacuum cleaner models have 2 or 3 motors! More flow volume is generated, thus achieving even better suction power.

Water filter WF 3200 Ideal for use with wate sucking. Holds back coarse dirt.



Tilting running gear

The vacuum cleaners in the GS series are equipped with tilting running gear and a comfortable push handle. A genuine help for demanding cleaning.





GS series

Articla n

Vacuum cleaners for cleaning large areas and machinery

The special vacuum cleaners for demanding wet and dry cleaning of large areas, halls and machinery.



GS 2078 PZ The special vacuum cleaner (wet-dry) with steel container and	
2 motors	

Article no.		004020				
Included in the scope of	delivery					
Accessory set		* PZ, art. no. 003108				
Replacement filter		1 × polyester filter bag FSP 3100 after-sales art. no. 413501				
Paper filter bag		1 × FB 78, art. no. 413044 (5 pcs.)				
Equipment						
Main filter		FPP 3200 (polyester) Dust retention capacity: 99,8 % art. no. 413525				
Pulse filter cleaning		no				
Speed controller		no				
Appliance socket		no				
Noise reduction		no				
Carry handle with cable hoo	k	yes/no				
Tilting running gear		yes				
Gentle start/after-running		no				
Water level detection		yes				
Antistatically prepared		no				
Accessory storage		no				
Technical data						
Power consumption (max.)	Watt	2400				
Volume flow (max.)	l/s	2 × 54 = 108 (2 motors)				
Vacuum (max.)	mbar	205				
Container volume (max.) gross-dust-water	Ι	78/57/50 steel				
Sound pressure level	dB(A)	77				
Dimensions	$L \times B \times H$	61.5 × 63 × 97 cm				
Weight	kg	23.5				
Power cable length	m	8,5 (PVC)				
Reach	m	11.7 – 12.7				

GS SERIES Starmix





GS 3078 PZ

The special vacuum cleaner (wet-dry) with steel container and 3 motors

003924

*PZ, art. no. 003108

 $1 \times \text{polyester filter bag FSP 3100}$ after-sales art. no. 413501 $1 \times \text{FB}$ 78, art. no. 413044 (5 pcs.)

3 × 54 = 162 (3 motors) 205 78/57/50 steel 79 61.5 × 63 × 97 cm 26.0 8.5 (PVC) 11.7 - 12.7



Nothing is going

to stop me any more!

> Accessory set PZ Professional accessories* (see page 76)



★ Optional accessories:

FS 2078/3078 (see page 73+76)



Water filter WF 3200 (see page 81)



Other accessories from page 77

Cleaning up come hell or high water

When removing large amounts of liquid, the starmix pump and fire brigade vacuum cleaners are a reliable partner. Thanks to the robust stainless steel container and the

specially developed detail solutions, the vacuum cleaners have proven themselves in industry, trade, technical relief and fire services.

† The starmix pump vacuum cleaners

Pump vacuum cleaner advantages:

- Drain hose connection with C-coupling
- FI circuit breaker in the power supply lead
- Special filter bags
- Special application-oriented accessories
- Pump can be completely removed and the container sealed. It is therefore possible to use the appliance as a normal wet-dry vacuum cleaner.

Firefighting vacuum cleaner advantages:

- Water pressure-tight protective contact socket (IP68)
- Water pressure-tight protective contact plug connector (IP68)
- Red suction and drain hose
- (C coupling included in the scope of delivery)
- Reflector safety stripes

Top quality "Made in Germany"

Integrated pump/ Maximal delivery listance

umps the extracted lid ut of the container Th difference of 3 metres.





Water stop

Pneumatic water level detection. As soon as the maximum level is reached during wet vacuuming, the suction power is interrupted.

Features of the pump::

- Dry running safe, maintenance-free, with thermal winding protection
- With built-in float switch
- Motor housing and rotor shaft made of stainless steel
- Handle, pump housing and protective screen made of 30 % glass fiber reinforced plastic



Special vacuum cleaners Water vacuum cleaner with integrated pump

The special water vacuum cleaners for removing large amounts of liquid.



uClean PA-1455 KFG The water vacuum cleaner with integrated pump

			5 1 5			
Article no.		019086	019093			
Included in the scope of deliv	ery					
Accessories		*Pump vacuum cleaner individual parts	*Fire service vacuum cleaner individual parts			
Replacement filter		1 × FSS 1200 (foam) art. no. 413297	1 × FSS 1200 (foam) art. no. 413297			
Filter bag		1 × FSN 80, art. no. 424071	1 × FSN 1000, art. no. 424569			
Equipment						
Main filter		FPP 3600 (polyester) Dust retention capacity: 99.9 % art. no. 415109	FPP 3600 (polyester) Dust retention capacity: 99.9 % art. no. 415109			
Pulse filter cleaning		no	no			
Appliance socket		yes	yes, water-tight (IP68)			
Speed controller		yes, 2-level with eco mode	yes, 2-level with eco mode			
Hose winding / connector fixture		yes/yes	yes/yes			
FI circuit breaker		yes	yes			
Tilting running gear		yes	yes			
Gentle start/after-running		yes	yes			
Water level detection		yes	yes			
Antistatically prepared		yes	yes			
Integrated immersion pump		yes	yes			
Technical data						
Power consumption (max.)	Watt	2210 incl. pump	2210 incl. pump			
Volume flow (max.)	l/s	69	69			
Vacuum (max.)	mbar	259	259			
Container volume (max.) gross-dust-water	I	55/50/43 stainless steel	55/50/43 stainless steel			
Sound pressure level	dB(A)	73±2	73±2			
Dimensions L	×B×H	52 × 51 × 100 cm	52 × 51 × 93 cm			
Weight (incl. submersible pump, n	et) kg	26.5	26			
Power cable length	m	8.40 (H07RN-F, incl. FI circuit breaker)	8.40 (H07RN-F, incl. FI circuit breaker)			
Reach	m	13.0 - 14.0	13.0 – 14.0			
Pump delivery output (max.)	l/min	330	330			
Pumping height in full suction mo	de m	2.5	2.5			
Pumping height in slurping mode	m	5 – 8	5 – 8			
Delivery height (max.)	m	11	11			
Delivery distance (max.)	m	55	55			

1 m







uClean PA-1455 KFG FW**

The water vacuum cleaner with integrated pump and water pressuretight socket/plug connector



cleaner individual parts* (see from page 82 ff.) 5 m 10 m

Other accessories from page 77

Pragmatic, practical, good

Compact, agile and robust. Perfect for quick use at home, in a hobby room or in the workshop. The powerful, new all-purpose vacuum cleaner series "Made in Germany" was developed for exactly these reasons. Use-orientated accessories and sophisticated detailed solutions, make the new starmix all-purpose vacuum cleaner a helpful all-rounder – everywhere that cleanliness is important.

† Practical equipment



Optimised container with up to 10% more volume 20l container with optimum gross/net ratio. The impact-resistant, robust construction is tuned to the field of application. Quick and easy to empty thanks to the smooth interior walls.



Compact design, large surface area Light, compact and agile - good to transport and stable to move. With practical detailed solutions such as the cable and hose coiling and connector fixture which are integrated into the carry handle. The upper surface of the container offers lots of room for storing tools and auxiliary devices.





unctional f gravity of the containe rovides perfect stability he built-in ramp makes t easier to move over ble offers protection ainst tripping.



CSwift _

"eSwift" series All-purpose vacuum cleaner (wet/dry)

The all-rounder for hobby, workshop and garage.



eSwift 1220 HK	
All-purpose vacuum cleaner with	
20l container	

Article no.		016535	016504			
Included in the scope of	delivery					
Accessory et		* HK art. no. 044101	* HK art. no. 044101			
Replacement filter		no	no			
Filter bag		1 × FBV 20 after-sales art. no. 434827 (5 pcs.)	1 × FBV rd 30–35 after-sales art. no. 442761 (5 pcs.)			
Equipment						
Main filter		FP 3600 (cellulose) Dust retention capacity: 99,8 % art. no. 411729	FP 3600 (cellulose) Dust retention capacity: 99,8 % art. no. 411729			
Pulse filter cleaning		no	no			
Appliance socket		no	no			
Speed controller		no	no			
Carry handle with cable and connector fixture	hose coiling -	yes	yes			
Gentle start/after-running		no	no			
Water level detection		yes	yes			
Antistatically prepared		no	no			
Push handle		no	no			
Park position		yes	yes			
Accessory storage		yes	yes			
Technical data						
Power consumption (max.)	Watt	1200	1200			
Volume flow (max.)	l/s	70	70			
Vacuum (max.)	mbar	210	210			
Container volume (max.) gross-dust-water	I	20/15/8 plastic	32/27/20 plastic			
Sound pressure level	dB(A)	72.5	72.5			
Dimensions	$L \times B \times H$	39.5 × 39 × 47.3 cm	39.5 × 39 × 56.3 cm			
Weight	kg	7.3	7.4			
Power cable length	m	5 (PVC), red	5 (PVC), red			
Reach	m	6.75 – 7.75	6.75 – 7.75			

"ESWIFT" SERIES FOR CLEANING





eSwift 1232 HK All-purpose vacuum cleaner with 32l container

For quick use it is just the right thing!





Accessory set HK house/hobby* (see page 67)



CLEANING



★ Power technology for professionals



Convenient to work with Due to the large foot-operated on/off switch and sideways park position for the vacuum accessories. Possible to easily transport with one hand.



Quiet and safe all round Elastic bumpers and rubber rollers for quiet easy rolling. Bottom runner to help it roll off door sills almost barrier-free.

Extra long wheel base For optimal safety against overturning



Cable hook ansporting the vacuum eaner. Light and easy to perate thanks to the



Dry vacuum cleaner Dry vacuum cleaner

The dry vacuum cleaners are optimal for dry cleaning in the hotel, catering and office sector. With the additional HEPA filter a plus for the cleaning, especially for people who are allergic to house dust.



TS 711 BASIC The new commercial entry-level dry

Article no.			020020					
Included in the scope of	delivery							
Accessory set			*BASIC, only individual parts can be ordered	1				
Replacement filter			no	E				
Filter bag			1 × FBV 11/HEPA after-sales art. no. 444154 (10 pcs.)	1 a				
Equipment								
Main filter		Ι	Fleece filter bag FBV 11/14 HEPA (vacuuming only with inserted filter bag!)	F				
Pulse filter cleaning			no	r				
Appliance socket			no	r				
Eco mode			yes	3				
Noise reduction			yes	3				
Carry handle with lockable c	able hook		yes)				
Park position for floor nozzle	2		yes)				
Gentle start/after-running			no	r				
Water level detection			no	r				
Antistatically prepared			no	r				
Accessory storage			yes)				
Technical data								
Power consumption (max.)	Watt		700	7				
/olume flow (max.)	l/s		38	4				
/acuum (max.)	mbar		210	2				
Container volume (max.) gross-dust	Ι		11 plastic	1 F				
Sound pressure level	dB(A)		66	6				
Sound power level	dB(A)		77	7				
Dimensions	$L \times B \times H$		35 × 28.5 × 38.8 cm	4				
Weight	kg		4.2	4				
Power cable length	m		10 (PVC)	1				
Reach	m		13.0	1				

For efficient dirt pick-up, the suction power can be adjusted to any floor covering.



TS SERIES **Starmix**

Intertek CE

Haaga sweepers: only the best is good enough

The comprehensive range of Haaga sweepers has something to offer for both facility management companies and consumers looking for an appliance to clean their garden paths alike.

Power sweepers

Powerful, efficient, robust

Sweeping larger paved areas with a broom is time-consuming and energy-sapping. starmix power sweepers manage this work quicker and easier. The patented disc brush technology makes them especially efficient, quiet and handy. Unlike the otherwise conventional roller power sweepers, the disc brushes pick up wet and dry foliage, stones, flat and bulky waste in front of the machine. Nothing obstructs the picking up of dirt. Compact dimensions and the low weight ensure simple, fatigue-free work.

The strong partner for all requirements:

Natalie D. about the haaga 355:

"The height-adjustable handle allows to set the optimal height for me. So sweeping with the haaga 355 is really enjoyable. Thanks to the fine brush roller, you get a really great sweeping result around the house and in the garden."



MADE

IN

GERMANY



Bobby B. about the haaga 497 Profi:

"No way to take a broom in the hand when sweeping larger areas. With the haaga 497 Profi it is so easy. Pull out, one time over it and then back in the corner. Clean, quick and you have time for the next task."



Video of the sweepers

Haaga sweeper series Proven system with improved technology

Haaga sweepers are charactersized by a very easy handling and high quality. With the unique disc brush system dirt is not simply pushed in front of the sweeper but directly into the dirt container. The turbo sweeping system with an additonal brush picks up dirt twice in one step. "Made in Germany" is to us an absolute quality standard and therefore a 'must' criterion - even when it comes to sweepers.

Sweeping is really fun with the haaga technology!

† Features that make sweeping more easy



Overlaying disc brushes on both sides: for a better sweeping performance. Even there it is no problem to sweep underneath edges.



Vertical storage

The handle, which can be pivoted 180°, helps reduce the amount of space required for storing the sweeper. This allows the appliance to be stored in the minimum amount of space when not in use.



Brush height adjustment:

Thanks to the infinitely variable height adjustment, the brush pressure can be adapted to the respective soil texture. For very compact dirt, the height adjustment can be set to level 8. So the sweeper can lift the dirt with the brushes even better from the ground.



Brush down holder and guiding roller* This feature helps keep the bristles of the circular brooms on the ground during use. The guiding roller offers extra protection to the bristles and chassis when sweeping near edges.

*depends on the device



orm of the containe ated container for an



Height-adjustable telescopic push hand with three different height adjustments for comfortable sweeping







POWER SWEEPERS haaga



✓ Top quality "Made in Germany"

✓ Sweep wet and/or dry

✓ More sweeping capacity due to disc brushes

projecting on both sides

- ✓ Pleasant smooth running and long shelf life due to beltless drive
- Easy sweeping along kerb stones and walls due to additional guide rollers
- ✓ Optimum cleaning capacity on different floors due to infinitely variable brush height adjustment
- ✓ Space-saving storage

CLEANING



Waste bin

Easy opening and closing of the waste bin due to a

Decision support

		Products			A	pplicati	on area	5				Swe	eeping f	requenz	zy				
		man	Mique of the office of the off	(4)0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,	(a)00 - 100	(300, 15000, 1500, 1500, 1500,	Ver 10,000 10,000 11, 1000 11,	¹ ^{m2, 4rest un 0, 200 m2, 2500 m2, 2500 m2, 2500 m2, 250, 4100, 250, 4100, 400, 400, 400, 400, 400, 400, 4}	Younge the service of	oo No	feguity streeting	er suesoi	Succo.	^d ^{mon} ^{mon}	Super-	a it is it i	Signal and	the second second	So.
LA	Sweepers		(/		/	<u></u>											
	haaga 355	•								•			55	у	у	у	on one side	n	n
	haaga 375		•							•			75	n	n	у	n	n	n
	haaga 477 Profi		•	•							•		77	у	у	у	on one side	у	у
	haaga 497 Profi			•	•						•		97	у	у	у	on one side	у	у
	haaga 677 Profi					•					•		77	у	у	у	on one side	у	у
- PM -	haaga 697 Profi						•				•		97	у	у	у	on one side	у	у
1000	haaga 697 Profi plus 👖 🙀							•			•		97	у	у	у	on one side	у	у
	haaga 137 accu	•								•			37	n	n	у	n	n	n



Four-year wear guarantee on the brushes* guarantees full performance capability of the power sweeper over a long period.



urbo sweeping system Counter-rotating disc prushes push the waste directly into the collecting container. With the additional fine-dirt sweeping roller the machines sweep twice in one step.





iSweep Form-fitting construction and self lubricating material to increase reliability and durability of the driving clutch.





The system of the rotating disc brushes

Detailed information to the turbo sweeping system and the intelligent air flow system you can find on our webite.



Power sweepers

Best sweeping capacity and easy, comfortable operation





on car parks and at filling stations are cleaned as effortlessly as large areas in production halls or workshops.



haaga 355 For use at home, in the garden and in small industrial enterprises.

haaga 375 For occationally use for mediumsized areas up to approx. 1,000 m².

haaga 477 Profi For commercial use for larger areas up to approx. 1,500 m².

haaga 497 Profi For commercial use for large areas up to approx. 2,000 m².

haaga 677 Profi For commercial use for large areas up to approx. 2,500 m². Battery powered or manual.

					battery powered of manual.	battery powered of manual.	battery powered of manual.		
Article no.	095097	095332	095325	095189	095363	095349	095370		
Equipment									
iSweep	yes	no	yes	yes	yes	yes	yes		
Turbo sweeping system	yes	yes	yes	yes	yes	yes	yes		
Disc brushes projecting on both sides	yes	yes	yes	yes	yes	yes	yes		
Lateral guidance	yes – on one side	no	yes – on one side	yes – on one side	yes – on one side	yes – on one side	yes – on one side		
Brush pressure pad	no	no	yes	yes	yes	yes	yes		
Brush height adjustment	yes	yes – infinitely variable	yes – infinitely variable	yes – infinitely variable	yes – infinitely variable	yes – infinitely variable	yes – infinitely variable		
Gearbox protected against dirt	no	no	yes	yes	yes	yes	yes		
Ergonomic push handle	no	no	yes	yes	yes	yes	yes		
Height-adjustable telescopic push handle	yes (90 – 95 – 100 cm)	no	no	no	no	no	no		
Flexible seals for low-dust sweeping	no	no	yes	yes	yes	yes	yes		
Fine dirt brush	yes	yes	yes	yes	yes	yes	yes		
Battery-powered	no	no	no	no	yes Running time: approx. 90 min. Charging time: ca. 7 hours	yes Running time: ca. 90 min. Charging time: ca. 7 hours	yes Running time: ca. 120 min. Charging time: ca. 9 hours		
Technical data									
Operating principle	Turbo sweeping system	Turbo sweeping system	Turbo sweeping system	Turbo sweeping system	Turbo sweeping system	Turbo sweeping system	Turbo sweeping system		
Brush drive	manually	manually	manually	manually	electrically or manually	electrically or manually	electrically or manually		
Sweeping width* cm	55	75	77	97	77	97	97		
Container volume (max.)	20	50	50	50	50	50	50		
Sweeping capacity m ² /h	1,600	2,900	3,000	3,600	3,600	4,100	4,100		
Weight kg	7.2	11.1	14.6	15.7	20.2	21.1	21.1		
Application areas	Home and garden, narrow corridors	Filling stations, workshops, car parks, yards	Filling stations, workshops, car parks, yards, warehouses, production halls	Filling stations, workshops, car parks, yards, warehouses, production halls	Property management, cleaning companies, filling stations, workshops, car parks, yards, warehouses, production halls	Property management, cleaning companies, filling stations, workshops, car parks, yards, warehouses, production halls	Property management, cleaning companies, filling stations, workshops, car parks, yards, warehouses, production halls		

*measured on the outer edge of the plate broom

Explanation of pictograms:



Industry



The Haaga power sweepers offer the right appliance for every application. Smaller and larger areas in the home, garden,



haaga 697 Profi

For commercial use for very large areas up to approx. 3,000 m². Battery powered or manual.

haaga 697 Profi plus

For commercial use for very large areas up to approx. 3,500 m². Battery powered or manual.

C€ ERE

Quick sweeper for in between

SOUND

You know how it is – fine particles of dirt collect everywhere in no time at all. In entrance halls and corridors, staircases and hotel lobbies but also at airports, railway stations, trade fairs or at the breakfast table at home. With the haaga 137 battery, they can be clean again in a jiffy – quickly, quietly and with no fuss.

★ Power technology for professionals



Dirt drawer

The very roomy dirt drawer with a dirt volume of 2 litres ensures long periods of sweeping without the need to empty it in between.



Lithium-ion battery

The haaga 137 comes with a powerful lithium-ion battery pack (10.8 V 2.0 Ah), enabling an operating time of approx. 45 minutes. The quick charging device (90 min. per battery) is included as standard.



Sweeper

Commercial battery-powered sweeper

For quiet and easy intermediate cleaning, both indoors and outdoors. The suspended sweeper roller is perfect for carpets or hard floors. No tracks left on sensitive floors thanks to its rubber wheels.



haaga 137 accu Cordless battery sweeper for quick and professional cleaning.

Article no.	020297				
Equipment					
iSweep	no				
Turbo sweeping system	no				
Disc brushes projecting on both sides	yes				
Lateral guidance	no				
Brush pressure pad	no				
Brush height adjustment	no				
Gearbox protected against dirt	no				
Ergonomic push handle	no				
Height-adjustable push handle	yes				
flexible Dichtlippen für staubarmes Kehren	no				
Fine dirt brush	yes				
Battery drive	yes				
Battery type	Lithium-ion battery pack				
Running time	approx. 45 min. /30 min. (on hard floors/ carpets)				
Charging time	approx. 90 min.				
Technical data					
Operating principle	Turbo sweeping system				
Brush drive	electrically				
Sweeping width cm	37				
Container volumen (max.)	2				
Sweeping performance m ² /h	1,225				
Weight kg	2.8				
Application areas	For cleaning in between e.g. on fair booths, in bistros, lobbies, kitchens or cinemas.				

Side brushes The rotating side brushes enable a perfect sweeping result, even in difficult areas such as corners and edges.

(€ □



POWER SWEEPERS



Fast, quiet and cordless – the best for intermediate cleaning

 Cleans right up into every corner: Incluedes 2 spare side brushes
 EXTRA + FREE

Rapid charger: charging time per battery pack approx. 90 minutes

 Large foot pedal makes it easy to switch on and off without bending

★ Suitable for smooth surfaces and short pile carpets

 Low noise level – also for cleaning during business hours

★ Ergonomic handle, telescopic handle for simple height adjustment & parking position for space-saving storage. Practical one-handed operation.

Easy to assemble Both the individual side brushes and the main sweeper roller can be exchanged without using a tool.









Accessories Recommendations for special cases



🛨 Antistatic equipment

Have you got a 'shock' when vacuuming? That's something many tradespeople know all too well. This is due to electrostatic charge in the suction hose. The solution: the starmix anti-static hose*! To avoid harmless yet unpleasant electric shocks, some of our vacuum cleaners (iPulse Safe Plus vacuum cleaner) already come with an anti-static hose fitted as standard. For all other vacuum cleaners, we offer this hose as an option. Accessories page 85.

(*suitable for all antistatically prepared starmix vacuum cleaner)



★ Nozzle set

art. no. 418032 no. 418407 le, art. no. 418452 to 35 mm system

The right nozzle for every application – regardless of whether it is use in skilled trades or for special cleaning applications! The nozzle set comes in very handy when such as the spaces between the seat and

MANO Filter

Thanks to the specially coated surface, dust doesn't stick as much and the filters are also cleaned well, even in cases of hazardous problem dust (Minimum 99.9% dust retention capacity of the filter). There's nothing left to stand in the way of continuous, easy work. For use with ISP / ISC L and M vacuum cleaners or uClean and eSwift vacuum cleaners. See accessories page 79.



† Intermateable hoses

When you are working, do you have to cover large distances between the vacuum cleaner and your work area? We have the solution: Connect two starmix five-metre suction hoses together and extend the area you can work in! For distances of more than ten metres, is being vacuumed. With liquids or fine, lightweight dust, this is negligible; however, with heavy materials it is considerable.

Variable use through accessory change

An application-specific accessory set is contained in the scope of delivery of every starmix vacuum cleaner. To prepare the vacuum cleaner for another area of application, it only has to be equipped with another accessory set. The starmix accessory programme offers many possibilities for this. This way, an uClean power tool vacuum cleaner can be used to vacuum an office floor in no time at all. See accessories, page 75.



🛨 Wet filter bag NFB

art. no. 420592

Perfectly for sucking mud – cleans the water from mud. Suitable for IS 501 und GS 451 and 55 l containers. See accessories, page 81.



FS 2078/3078

uipment cl. suction hose, ø 49 mm × 1.1 m or GS 2078 and 3078

Driving nozzle for GS 2078/3078. Can be mounted on the vacuum cleaner – heightadjustable, for sucking up (dry vacuuming) of larger areas.

ACCESSORIES

CONTENT

05	CRAFT
42	CLEANING
72	ACCESSORIES
74	Bohrfixx
75	Accessory sets for all applications
77	Special accessories for iPulse
78	Consumables
	Filter bags
	Main filter
	Additonal filters for use as a pre-filter
	Special filters
82	Special accessories for pump vacuum cleaner
82	Optional accessories
	Floor nozzles
	Special nozzles / brushes
82 82 83 84 85	Tube handles, suction tubes, adapters,
	Hose connecting sleeves / tool adapter suction hoses
86	Accessories for cordless tools



Simple and uncomplicated to use

GB/RU/PL/HR/CZ)

*Suitable for almost all regular vacuum cleaners. Even domestic vacuum cleaners can be connected to it. Warning: exceptions are vacuum cleaners with a filter cleaning system based on an "air-backwash principle"

art. no. 425696 1 × water nozzle 26 art. no. 440934

art. no. 424859

art. no. 417011

1 × crevice nozzle (22 cm long)

1 × rubber nozzle (23 cm long)

ACCESSORIES Starmix

art. no. 044705

Equipment

- 1 × suction hose with red air slide,
- ø 35 mm × 5 m, art. no. 447193
- 1 × connecting sleeve for electric power tools, stepped, art. no. 425719

art. no. 091709

Equipment

- $1 \times$ tube handle, stainless steel with
- supplementary air slide, art. no. 421445 2 × suction tubes, stainless steel (each 50 cm)
- art. no. 424842 1 × crevice nozzle (22 cm long)
- art. no. 417011
- 1 × professional aluminium floor nozzle 45 with brush and rubber strip art. no. 416106

art. no. 016542

Equpiment

- 1 × suction hose*, ø 35 mm × 3.2 m art. no. 413228
- 1 × tube handle, plastic with supplementary air slide, art. no. 424804
- 2 × suction tubes, plastic (each 50 cm) art. no. 424859
- 1 × crevice nozzle (22 cm long) art. no. 417011
- 1 × rubber nozzle (23 cm long) art. no. 425696
- 1 × floor nozzle 30 (BG Bau) art. no. 440941



art. no. 044309

Equipment

- 1 × suction hose*, ø 49 mm × 1.75 m art. no. 414256
- 2 × suction tubes, plastic (each 50 cm) art. no. 425610
- 1 × coarse dirt crevice nozzle (16 cm long) art. no. 417639
- 1 × coarse dirt floor nozzle 36 (36 cm wide) art. no. 416731
- 1 × coarse dirt nozzle art. no. 417943

Accessories Accessory sets for all applications



Accessories

Special accessories for iPulse

Accessory Length or system width mm Ø

cm



1 × crevice nozzle (37 cm long) art. no. 41 70 28 1 × fine suction brush, art. no. 418032 1 × suction brush, art. no. 418407 1 × upholstery nozzle, art. no. 418452 1 × adapter, 49 mm to 35 mm system art. no. 425641

ACCESSORIES STORMIX

Special features, material	Order no EAN 4011240
Set push handle incl. pin plug, for all iPulse vacuum cleaners Powder-coated, avoids static electricity For comfortable driving of the vacuum cleaners For easy mounting to the container (plug in – ready)	445137
4 holders for wobble free fixation of the accessory, parking position for floor nozzles	445113
Rail set, 2 pcs. (left and right) for mount on iPulse vacuum cleaner. Incl. 2 \times velcro and Spax screws	445106
Systainer size II L 296 × B 396 × H 165 mm, 2.035 kg filled with fleece filter bag FBV 25/35 (5-pack) box suitable for all ISP vacuum cleaner with smartfix	444451
Systainer size II L 296 × B 396 × H 165 mm, 2.015 kg filled with PE emtying bag FBPE 25-35 (5-pack = 1 set), box suitable for all ISP vacuum cleaner with smartfix	444475
Systainer size II L 296 × B 396 × H 165 mm, 2.656 kg filled with filter cassette FKP 4300 (2 pcs. = 1 set) box suitable for all ISP vacuum cleaner with smartfix	444468

Accessories Consumables

		Accessory system mm Ø	Length or width cm	Special features, material	Order no. EAN 4011240
Filter bags					
Filter bag for uClean/eSwift ser	ies (also suitable for HS/GS/AS units)				
	Fleece filter bag, double-layered – IFA (BI	A) tested/du	st class "M'		
Ö.	FBV 20 (5 pcs.) FBV 20 (10 pcs.)	-	-	for all 20 – 22 l plastic and steel containers large package – contains 10 pieces per box	434827 434971
Filter bag for iPulse and ISC ser	ries (also suitable for IS units)				
	Fleece filter bag, double-layered – IFA (BI	A) tested/du	st class "M'		
Del	FBV 25/35 (5 pcs.) FBV 25/35 (10 pcs.)	-	-	for all square 25 and 351 plastic containers 5160 cm ² large package – contains 10 pieces per box	411231 434988
Filter bag for uClean/eSwift ser	ies (also suitable for HS/GS/AS units)				
	Fleece filter bag, double-layered – IFA (BI	A) tested/du	st class "M'		
0	FBV rd 30 – 35 (5 pcs.) FBV rd 30 – 35 (10 pcs.)	-	-	for all round 30 - 351 plastic, steel and stainless 6150 cm ² steel containers, large package – contains 10 pieces per box	442761 442778
Filter bag for ISC, uClean series	(also suitable for IS/HS/GS units)				
	Fleece filter bag, double-layered – IFA (BI	A) tested/du	st class "M'		
D•1	FBV 45 – 55 (5 pcs.) FBV 45 – 55 (10 pcs.)	-	-	for all 45 - 55 l plastic, steel and stainless containers 8190 cm ² large package – contains 10 pieces per box	435039 435176
Filter bag for TS 714 RTS HEPA					
	Fleece filter bag, triple-layered – IFA (BIA)) tested/ dus	t class "M"	- (10 pieces = 1 set)	
P	FBV 11/14 HEPA (10 pcs.)	-	-	only for dry vaccum cleaner TS 714 RTS HEPA, TS 711 BASIC and TS 1214, 5-layered tearprooven fleece filter material – HEPA filter quality H13 – ideal for people who are allergic to house dust – Dust retention capacity: 99.95 %	444154
Filter bag for QUADRIX L 18V					
ALCONO.	Fleece filter bag $-$ (5 pcs. $=$ 1 set)				
	FBV 7,5 (5 Pack)	-	-	only for cordless vacuum cleaner QUADRIX L 18V Well suited for applications where small amounts of fine dust are produced	448794
Filter bag for GS 2078 +3078					
1220	Paper filter bag, double-layered – IFA (BIA	A) tested/ du	st class "M'	' – (5 pieces = 1 set)	
	FB 78 (5 pcs.)	-	-	for 78l steel container 13000 cm ² only for GS 2078 + 3078	413044
PE emptying and disposal bags	for iPulse and ISC series				
Story and a local division of the local divi	Emptying and disposal bag (5 pieces = 1	set)			
	FBPE 50 (5 pcs.) for IS "M" and "H"	-	-	Polyethylen, for IS M and H with 50 l container	421742
死 第二日	FBPE 25/35 (5 pcs.) for ISP iPulse, IS/ISC "M" and "H"	-	-	Polyethylen, für ISC/ISP iPulse mit 25- und 35 l-Behälter, auch L- Sauger mit neuem Drehschieber (ab Produktionsjahr Okt. 2017)	425764
	FBPE 35 (5 pcs.) for ISP iPulse "H asbestos"	-	_	Polyethylen, with "Asbestos" marking !! Observe disposal regulations !! for ISP iPulse with 35 l container	425757
	FBVPE 25/35 (5 pcs.) for "iPulse" and "ISC", "M" and "H" vacuum cleaner	-	-	Safety filter bag, polyethylene with inlay fleece filter bag. For all iPulse / ISC "M" and "H" vacuum cleaners with 25 and 35 liter container and new rotary slide, produced from october 2017!! !! Observe disposal regulations !!	445267

Accessory Length or system width mmØ cm Folded filter for ISP iPulse, ISC, IS series Cellulose – Dust retention: 99.9 % FK 4300 _ _ Polyester - class "M" - Dust retention: 99.9 % FKP 4300 _ _ Polyester – class "H"/"HEPA" – Dust retention: 99.995 % FKP 4300 HEPA _ _ Polyester - NANO coated class "M" - Dust retention: 99.97 % FKPN 3000 NANO _ -Folded filter cassette for uClean, HS, GS, eSwift, AS series without vibrator (not suitable for GS 2078 Polyester – Dust retention: 99,9 % FPP 3200 _ _

ACCESSORIES STARMIX

Special features, material	Order no. EAN 4011240
2 x cellulose folded filter cassettes with insertion rib filter material IFA (BIA) tested in accordance with dust class "M" – Filter surface area: 8600 cm ² – Material: cellulose – Dust retention capacity: 99.9 % Folded filter cassette with glued in, optimised cellulose filter materi- al and inserted rubber seal. For vacuuming household and industrial dust, sawdust, wood shavings, brick, drilling and milling dust and other similar substances. Depending on the type of dust Safety vacuum cleaner must be used, see page 6/7. (2 pcs. = 1 set, 2 × 4300 cm ² filter surface)	416038
 2 × cellulose folded filter cassettes with insertion rib filter material IFA (BIA) tested in accordance with dust class "M" Filter surface area: 8600 cm² (2 × 4300 cm²) Material: polyester Dust retention capacity: 99.9 % Folded filter cassette with glued in, optimised polyester filter material and inserted rubber seal. For vacuuming industrial dust, sa- wdust, brick, drilling and milling dust and other similar substances. Suitable for damp dust and liquids (fleece material). Depending on the type of dust Safety vacuum cleaner must be used, see page 6/7. Suitable for moist dusts and liquids (plastic fleece). 	416069
$-2 \times polyester folded filter cassettes with insertion rib$	419190
 FA (BIA) certified filter in accordance with dust class "H" (HEPA 14) – Filter surface area: 8600 cm² – Material: 1st layer: cellulose; 2nd layer: glass fibre fleece; 3rd layer: polyester – Dust retention capacity: 99.995 % As folded filter cassette FKP 4300, but with an additional filter layer for separating suspended materials which are not absorbed by the first layer. Due to the extremely high separation grade, this filter is classified in the H (HEPA) filter class. 	
 2 × nano-coated polyester folded filter cassettes with insertion rib filter material IFA (BIA) tested in accordance with dust class "M" Filter surface area: 6000 cm² (2 × 3000 cm²) Material: nano-layered polyester Dust retention capacity: 99.97 % As with folded filter cassette FKP 4300, but with additional nano- coating. Especially suited to fine dusts containing fibre; e. g. when cutting and sanding Fermacell, drywall and MDF boards.* + greater fold distance for better, easier filter cleaning + smooth filter material (nano coated surface) + therefore significantly higher flow volume for a longer time 	425740
8/3078)	
 1 × polyester folded filter cartridge** Filter surface: 3200 cm² Material: polyester Dust retention capacity: 99.9 % Folded filter cartridge for vacuuming household and industrial dust, sawdust, wood shavings, brick, drilling and milling dust and other similar substances*. Due to double filter surface FP 7200 is suitable for longer working cycles. Only for GS 2078 and GS 3078 PZ! 	413525

ACCESSORIES

		Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240
Folded filter cassette for uClean	, HS, GS, eSwift, AS series without vibrator				
	Cellulose – Dust retention: 99.9 %				
	FP 3600 FP 7200	_	-	 - 1 × cellulose folded filter cassette ** - Filter surface area: 3600 cm²/7200 cm² - Material: cellulose - Dust retention capacity: 99.9% Folded filter cassette for vacuuming household and industrial dust, sawdust, wood shavings, brick, wall, drilling and milling dust and other similar substances*. Due to the double filter surface, FP 7200 is suitable for longer work cycles. Not for GS 2078/3078 PZ. 	411729 413471
	Polyester – Dust retention: 99.9 %				
	FPP 3600	_	_	 1 × polyester folded filter cassette ** Filter surface area: 3600 cm² Material: polyester Dust retention capacity: 99.9 % Folded filter cassette for vacuuming industrial dust, sawdust, brick, drilling and milling dust and other similar substances*. Suitable for damp dust and liquids (fleece material). Special polyester material with outstanding separation efficiency. Not for GS 2078/3078 PZ. 	415109
	Cellulose – Dust retention: 99.9 %				
Element	FPN 3600 NANO	_	_	 1 × nano-layered polyester folded filter cassette Filter surface area: 3600 cm² Material: cellulose with PET fibres Dust retention capacity: 99.9 % Nano layered folded filter cassette for vacuuming industrial dust, sawdust, brick, drilling and milling dust and other similar substances*. With double dust intake as FPP 3600. Special NANO coated material. Not for GS 2078/3078 PZ. 	400686
Folded filter cassette for uClean	, HS, GS, eSwift, AS series without vibrator				
	Polyester – Dust retention: 99.9 %				
	FPPR 3600 FPPR 7200	-		 1 × polyester folded filter cassette ** Filter surface area: 3600 cm²/7200 cm² Material: polyester Dust retention capacity: 99.9 % Folded filter cassette for vacuuming industrial dust, sawdust, brick, drilling and milling dust and other similar substances*. Suitable for damp dust and liquids. Special polyester material with outstanding separation efficiency. Due to the double filter surface, FPPR 7200 is suitable for longer work cycles. 	413464 413372
	HEPA – Dust retention: 99,995 %				
	FPPR 7200 HEPA	_	_	 - 1 × HEPA folded filter cassette - IFA (BIA) certified filter for units of dust class "H" (HEPA 14) - Filter surface area: 7200 cm² - Material: 1st layer: cellulose; 2nd layer: glass fibre fleece; 3rd layer: polyester - Dust retention capacity: 99.995 % As folded filter cassette FPPR 7200, but with an additional filter layer for separating suspended materials which are not absorbed by the first layer. 	414171
Filter for QUADRIX L 18V					
	Folded filter				
	FF 3800	-	-	Only for cordless vacuum cleaner QUADRIX L 18V (1 pcs./carton) – Material: cellulose – Dust class "L"	448800



ACCESSORIES Starmix

or	Special features, material		Order no. EAN 4011240
	for dry vacuum cleaner TS 714 RTS HEPA und TS 1214 RTS		436135
	for all 201 plastic containers for all 32/451 containers (Material: cotton)	3000 cm ² 4000 cm ²	411743 413280
	for GS 2078 + GS 3078 complete with filter ring and filter insert	3100 cm ²	413501
	for all GS/HS 30 - 55 l containers (Material: polyester)	4000 cm ²	443522
	for all NSG, HS, GS, NTS units for wet vacuuming (not suitable for GS 2078/3078)	1200 cm²	413297
		1200 cm ²	413297 420592
	for wet vacuuming (not suitable for GS 2078/3078) 3 bags = 1 set	6500 cm²	
	for wet vacuuming (not suitable for GS 2078/3078) 3 bags = 1 set For IS 50I and GS 45I and 55I containers Polyamide fabric suitable for water filters included in the scope of delivery of pump vacuum cle	6500 cm²	420592
	for wet vacuuming (not suitable for GS 2078/3078) 3 bags = 1 set For IS 50I and GS 45I and 55I containers Polyamide fabric suitable for water filters included in the scope of delivery of pump vacuum cle can be used several times, since it can be washed out PET (polyethylene terephthalate) suitable for coarse water filters, e. g. for vacuuming ponds/algae, leaves, etc.,	6500 cm²	420592 424071
	for wet vacuuming (not suitable for GS 2078/3078) 3 bags = 1 set For IS 50I and GS 45I and 55I containers Polyamide fabric suitable for water filters included in the scope of delivery of pump vacuum cle can be used several times, since it can be washed out PET (polyethylene terephthalate) suitable for coarse water filters, e. g. for vacuuming ponds/algae, leaves, etc., can be used several times, since it can be washed out Only for GS 2078/3078	6500 cm²	420592 424071 424569

Special accessories

		Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240
Pump vacuum clean					
10	GEKA-C-coupling			for fire service C-hose	424187
	Drain hose red 33-1000 rot	33	1000	for disposal of the dirty water vacuumed up	411316

Optional accessories

		Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240
Floor nozzles					
	Universal nozzle 25 reversible	35	25	Plastic, can be switched to brush insert, floor side made of plastic	414447
	Floor nozzle 26 Hard-floor insert 26 Water insert 26	35 - -	26 26 26	Plastic, floor nozzle complete with 3 inserts (hard-floor insert, water insert, carpet insert) plastic, with 2 brush strips plastic, with 1 × rubber and 1 × brush strip	434773 414478 414485
	Dust nozzle 26 Hard-floor insert 26	35	26 26	Plastic, floor nozzle with hard-floor insert (2 brush strips and rollers) plastic, with 2 brush strips	440927 414478
	Water nozzle 26 Water insert 26	35	26 26	Plastic, floor nozzle with water insert (1 × rubber and 1 × brush strip) plastic, with 1 × rubber and 1 × brush strip	440934 414485
<u> </u>	Professional universal nozzle 27 TS reversible	32	27	Plastic, can be switched to brush insert. Usable with accessories for dry vacuum cleaner TS 714 and TS 1214 RTS only.	426402
	Universal nozzle 28 TS	32	28	for dry vacuum cleaner TS 711, suitable also for TS 714 and TS 1214	446202
	Professional universal nozzle 29 reversible	35	29	Plastic, can be switched to brush insert, with large roller Floor side made of metal	414454
	Floor nozzle 37	35	37	Plastic, floor nozzle complete with all 3 inserts (hard-floor insert with 2 brush strips and rollers, water insert with 2 rubber strips and rollers, carpet insert with plastic fluted profile)	402413
	Dust nozzle 37 Hard-floor insert 37	35	37	Plastic, floor nozzle with hard-floor insert (2 brush strips and rollers) Plastic with 2 brush strips and rollers	414706 414539



ACCESSORIES Starmix

n or h	Special features, material	Order no. EAN 4011240
	Plastic, floor nozzle with water insert (2 rubber strips and rollers) Plastic, with 2 rubber strips and rollers	414713 414546
	Aluminium, complete with 2 brush strips and 2 rubber strips, rollers front and back front and back	416106 436548 436616
	Plastic/aluminium, complete with 2 brush strips and 2 rubber strips, rollers Rubber strip set Brush strip set	416519 417646 417738
	Plastic, with 2 brush strips	416731
	Plastic/aluminium, complete with 2 brush strips and 2 rubber strips, rollers Rubber strip set Brush strip set	416984 417646 417738
	Plastic, according to the regulations of BG Bau, Dimensions of suction intake: 28 × 70 mm	440941
	for dry vacuum cleaner TS 714 RTS HEPA and TS 1214 RTS	436388
	Plastic Plastic Steel	417011 417028 417035
	Plastic	417639
	Plastic	417943
	Steel, for cleaning heating boilers Steel, for cleaning heating boilers	417950 418025
	Plastic, round Ø 7.5 cm	418032
	Plastic	418407

		Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240
	Upholstery nozzle 10 TS	35	12	or dry vacuum cleaner TS 714, also suitable for TS 1214	436418
1	Upholstery nozzle	35	12	Plastic, with thread lifter	418452
	Aluminium suction nozzle 12	35	12	Aluminium (incl. brush insert)	419763
-	Radiator brush	_	_	Plastic Only to be used with crevice nozzles no. 417028	419794
Tube handles					
	Tube handle ES 35 with NL	35	33	Stainless steel, with supplementary air slide for hose with tapered connection	421445
	Tube handle 35 with NL	35	30	Plastic, with supplementary air slide for hose with tapered connection	424804
Suction tubes		1			
Suction tubes	Suction tube, aluminium 32-50 TS	32	50	or dry vacuum cleaner TS 714 und TS 1214	436425
Suction tubes	Suction tube, aluminium 32-50 TS Suction tube ES 35 – 50	32 35	50	Stainless steel, with click-in lock, intermateable	436425 424842
Suction tubes					
Suction tubes	Suction tube ES 35 – 50	35	50	Stainless steel, with click-in lock, intermateable suitable for all vacuum cleaners, tubes and accessories with Ø 35 mm	424842
Suction tubes	Suction tube ES 35 – 50 Suction tube 35 – 50	35 35	50 50	Stainless steel, with click-in lock, intermateable suitable for all vacuum cleaners, tubes and accessories with Ø 35 mm Plastic, grooved Stainless steel, infinitely extendable from 57 – 95 cm,	424842 424859
Suction tubes	Suction tube ES 35 – 50 Suction tube 35 – 50 Telescopic tube	35 35 35	50 50 57/95	Stainless steel, with click-in lock, intermateable suitable for all vacuum cleaners, tubes and accessories with Ø 35 mm Plastic, grooved Stainless steel, infinitely extendable from 57 – 95 cm, with click-in lock	424842 424859 425573
	Suction tube ES 35 – 50 Suction tube 35 – 50 Telescopic tube	35 35 35	50 50 57/95	Stainless steel, with click-in lock, intermateable suitable for all vacuum cleaners, tubes and accessories with Ø 35 mm Plastic, grooved Stainless steel, infinitely extendable from 57 – 95 cm, with click-in lock	424842 424859 425573
	Suction tube ES 35 – 50 Suction tube 35 – 50 Telescopic tube Suction tube 49-48 coarse dirt	35 35 35 49	50 50 57/95 48	Stainless steel, with click-in lock, intermateable suitable for all vacuum cleaners, tubes and accessories with Ø 35 mm Plastic, grooved Stainless steel, infinitely extendable from 57 – 95 cm, with click-in lock Plastic, intermateable	424842 424859 425573 425610

Hose connecting sleev	es/tool adapters			
	Rubber nozzle	35	23	
	Rubber nozzle oil-resistant	35	20	
	Connection sleeve stepped	35	11	
	Connection sleeve rotatable	35	11	
	Connection sleeve 44	35	11	
Suction hoses				
Electrically conductive				
	Suction hose AS 27 - 500	27	500	
	Suction hose AS 35 - 320 (black) - Discontinued item -	35	320	
	Suction hose AS 35 - 500 (black) with red air slide	35	500	
Normal type	Schlauch 27 - 300 (f. Quadrix)	27	300	
0		21	300	
	Suction hose 27 - 500	27	500	
0	Suction hose 32-250 TS (incl. handle)	32	250	
	Suction hose 35 – 175 (black)	35	175	
	Suction hose 35 - 320	35	320	
	Suction hose 35-500 with red air slide	35	500	

ACCESSORIES **Starmîx**

	Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240
T	35	23	Rubber, cone for connection with electric power tools,	425696
			tapering from 28.0 - 38.0 mm outer ø	
	35	20	Rubber, oil-resistant cone with connection with electric power tools, tapering from 28.0-38.0 mm outer ø	425702
	35	11	Rubber, cone for connection with electric power tools, electrically conductive 1st step: 25.5 - 26.5 mm 2nd step: 30.5 - 32.5 mm 3rd step: 36.0 - 38.0 mm	425719
	35	11	Rubber, cone for connection with electric power tools, electrically conductive, also for oval tubes 36.5 - 37.0 mm outer ø	425726
	35	11	37.0 mm inner ø 44.0 mm outer ø Rubber, cone for connection with electric power tools, electrically conductive, also for oval tubes single-stage	508580
	27	500	Pipe connection rotatable with connection sleeve (stepped) for connection to electric power tools, as no. 425719 bayonet connection rotatable can only be ordered together	417165
	35	320	Pipe connection, rotatable for stainless steel tube handle bayonet connection rigid, abrasion-proof	414164
	35	500	Suction hose with pipe connection with red air slide to adjust suction performance	447162
	27	300	Suction hose Ø 27 mm 3m, black with rotatable connection sleeve (Outer Ø 35 mm/Inner Ø 25 mm), only forr QUADRIX L 18V	
	27	500	Pipe connection rotatable with connection sleeve (rotatable) for connection to electric power tools, as no. 425719 bayonet connection rigid can only be ordered together	417158
	32	250	Suitable for dry vacuum cleaner TS 711 BASIC, TS 714 RTS HEPA and TS 1214 RTS	436326
	35	175	Both connections rigid – intermateable and extendable	411507
	35	320	Grey – both connections rotatable – can be pushed together and extended	413228
	35	500	Suction hose with pipe connection with red air slide to adjust suction performance	447193

		Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240
	Suction hose 35 - 500 (signal red) with red air slide	35	500	Suction hose with pipe connection with red air slide to adjust suction performance	447179
	Bayonet connection 35 rotatable	35	_	Plastic, rotatable, break-proof, electrically conductive	426594
	Pipe connection 35 with red air slide, rotatable	35	-	Pipe connection EL with red air slide to adjust suction performance	447186
	Hose connector old 35 rotatable	35	-	Plastic, rotatable – usable for all 35 mm suction hoses, can be connected to older containers without bajonet system	421537
	Hose 49 – 175 Hose 49 – 300 Hose 49 – 500 Hose 49 – 300 oil-resistant	49 49 49 49	175 300 500 300	Grey – both connections rigid Grey – both connections rigid Grey – both connections rigid Grey – both connections rigid, oil-resistant	414256 414225 415758 414201
(12)	Bayonet connection 49 rigid Pipe connection 49 rigid	49 49	-	Plastic, rigid Plastic, rigid can be connected to older tanks without bayonet connection	529752 583723

Accessories for cordless devices

		Accessory system mm Ø	Length or Width cm	Special features, material	Order no. EAN 4011240		
Battery packs							
	Battery pack Li-Power 18V 5.2 Ah	-	_	Li-Power Battery pack 18V 5.2 Ah for QUADRIX L 18V, intelligent battery management for a long service life, no memory effect, com- patible with CAS, fits cross-manufacturer on all cordless devices / devices with the CAS logo	448824		
1	Li-lon removeable battery for haaga 137 accu	_	_	Lithium-Ion battery pack 10,8V 2.0 Ah for cordless sweeper haaga 137 accu, rechargeable, long lifetime, no memory effect	449104		
Battery charger							
	Standard charger ASC 55	_	_	Standard chargerASC 55 is suitable for charging starmix and CAS Li-ion battery packs (Cordless Alliance System). According to the imprint 12 - 36 V, 1.3-8.0 Ah, 3-10 cells	448848		
	Fast charger (without power adapter) for removable battery of haaga 137 accu	_	-	Fast charger for removable battery of haaga 137 accu Charging time approx. 90 min.	449258		
	Power adapter with EU plug for charger of haaga 137 accu	-	_	Power adapter with EU plug for charger of haaga 137 accu	449265		

Certification marks

Explanation of the certification marks				
	VDE mark (Verband der Elektrotechnik, Elektronik, Informati- onstechnik). The VDE indicates the safety of the product with regard to electrical, mechanical, thermal, toxic, radiological and other dangers.			
S	Certified safety. Equipment must satisfy the generally approved practices of engineering and conform to the Equipment Safety Act.			
	The VDE test seal for electromagnetic compatibility.			
	Insulated housing (Protection Class II). The unit does not require a protective earth.			
Intertek	Intertek is a worldwide leading company when it comes to testing, inspecting and certifying electric and gas-powered products.			
IP 24	Protection against the penetration of foreign bodies $\emptyset > 12$ mm. Protection against sprayed water from all directions.			
EAC	The certification is compulsory for a variety of products based on the safety test (IEC standards with Russian deviations).			
CE	With the CE mark (Conformité Européenne) the manu- facturer confirms the conformity of the product with the applicable EC directive and compliance with the stipulated "essential requirements.			
Schall- druck	Sound measured in aacordance with DIN EN 60704-1 and DIN EN 60704-2-1 (standardised survey method).			

PROMOTION

Further information on the sales promotion measures can be found in the separate "Sales promotion" leaflet. Please contact us under export@starmix.de.

Note DSGVO:

Printed links and QR codes are forwarded to the starmix website and partly to the website of third party providers (eg youtube). The links were checked and classified as harmless at the time of catalog printing. Further information under www.starmix.de/en/ data-protection

CONTACT





ELECTROSTAR GmbH

Hans-Zinser-Straße 1-3 D-73061 Ebersbach/Fils Phone +49 (0) 7163/9988-100 Fax +49 (0) 7163/9988-013 info@starmix.de

Export sales

Phone +49 (0) 7163/9988-120 Fax +49 (0) 7163/9988-136 export@starmix.de

Customer service/spare parts service Central customer service workshop

U & W GmbH Jakob-Wolf-Str. 26 63179 Obertshausen Phone +49 (0) 6104/60 05 100 Fax +49 (0) 3212/12 39 075 service@starmix.de

Visit us on our Social Media Channels:



starmix for sanitary:





All information about our hand dryers, hair dryers, hand-held hair-dryers and the accessories for hotel & guest bath.



Further information under www.starmix.de/en

