



GH™ Big Rig™ Sprayers

Large Gas Hydraulic Sprayers




PROVEN QUALITY. LEADING TECHNOLOGY.

Big Rig Sprayers.

Quality. Performance.
Durability. Productivity.

Welcome to a whole new world of coating application possibilities. Graco manufactures the most extensive and highest quality professional line of coating application solutions in the market. This informational guide is designed to help you select the right solutions for your coating needs. According to Frost & Sullivan, "U.S. Painting Contractors overwhelmingly rate Graco as the best overall brand of spray equipment and is considered the 'Overall Best' brand among all paint-related products." When it comes to making a choice, Graco is preferred 7 to 1 over the nearest competitive brand.





QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

PRODUCTS INCLUDE PATENTED AND PATENT PENDING TECHNOLOGIES.

Big Rig Material And Application Guide

When you need maximum performance, versatility, durability and time-saving accessories, look no further than Graco's line of Big Rig Large Gas Hydraulic Sprayers. Whether you are applying roof coatings, waterproofing, fireproofing, protective or architectural coating, count on Graco Big Rig Sprayers to get the job done - FAST!

APPLICATIONS



| | | Pressure (PSI) | Flow (GPM) | QuickChange Pump | Complimentary Unit For Small Jobs | Cool Roof | Silicone |
|------------------|------------------|----------------|------------|------------------|-----------------------------------|-----------|----------|
| EQUIPMENT | GH 933 HI FLO | 7250 | 2.5 | + | DUTYMAX GH 675DI | ● | ● |
| | GH 933 | 7250 | 2.5 | + | DUTYMAX GH 675DI | ● | |
| | DUTYMAX GH 675DI | 6750 | 1.5 | + | | ● | ● |
| | GH 5040 | 5000 | 3.5 | + | DUTYMAX GH 675DI | ● | |
| | GH 833 | 4000 | 4.0 | - | GMAX 7900 RR | ● | |
| | GH 733 | 4000 | 4.0 | + | GMAX 7900 RR | ● | |
| | GMAX 7900 RR | 3300 | 2.2 | - | | ● | |
| | GH 2570 | 2500 | 7.0 | + | GMAX 7900 RR | ● | |
| | GH 1017 | 1000 | 16.5 | + | | | |

KEY APPLICATION ACCESSORIES

Direct Immersion Kit

287843 - GH 733, GH 833, GH 933, GH 5040
16U764 - GH 2570

Hopper Kits

25 Gallon Plastic -
25D078 GH 933, GH 5040, GH 733, DutyMax GH 675DI
12 Gallon SST - 16U505
GH 933, GH 5040, GH 733

Big 250 Kits

See page 11 for PN's and details

Mastic Gun w/36" Extension 5000 psi
224472

Heavy-Duty 18" JetRoller
25D229

5:1 Monark Feed

Pump Kit
24A423 - GH 933

Hopper Kits

25 Gallon Plastic -
25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI

Big 150 & 250 Kits

See page 11 for PN's and details

Heavy-Duty 18" JetRoller
25D229

APPLICATIONS



| Elastomeric | Monoform | Emulsion | Intumescent | Paints & Primers | Protective | Protective High Solids |
|-------------|----------|----------|-------------|------------------|------------|------------------------|
| ● | | ● | ● | | | ● |
| ● | | ● | ● | ● | ● | ● |
| ● | | ● | ● | ● | ● | ● |
| ● | | ● | | ● | ● | |
| ● | | ● | | ● | ● | |
| ● | | ● | | ● | ● | |
| ● | | ● | | ● | ● | |
| | ● | ● | | ● | ● | |
| | ● | ● | | | | |

| | | | | | |
|--|---|--|---|---|---|
| <p>5:1 Monark Feed Pump Kit 24A423 - GH 933</p> <p>Direct Immersion Kit 287843 - GH 733, GH 833, GH 833, GH 5040 16U764 - GH 2570</p> <p>Hopper Kits 25 Gallon Plastic - 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST - 16U505 GH 933, GH 5040, GH 733</p> <p>Big 150 & 250 Kits See page 11 for PN's and details</p> <p>Heavy-Duty 18" JetRoller 25D229</p> | <p>Direct Immersion Kit 287843 - GH 733, GH 833, GH 833, GH 5040 16U764 - GH 2570</p> <p>Hopper Kits 25 Gallon Plastic - 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST - 16U505 GH 933, GH 5040, GH 733</p> <p>Big 150 & 250 Kits See page 11 for PN's and details</p> <p>Heavy-Duty 18" JetRoller 25D229</p> | <p>5:1 Monark Feed Pump Kit 24A423 - GH 933</p> <p>Hopper Kits 25 Gallon Plastic - 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI</p> <p>Big 150 & 250 Kits See page 11 for PN's and details</p> | <p>Direct Immersion Kit 287843 - GH 733, GH 833, GH 833, GH 5040 16U764 - GH 2570</p> <p>Hopper Kits 25 Gallon Plastic - 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST - 16U505 GH 933, GH 5040, GH 733</p> | <p>Hopper Kit 12 Gallon SST - 16U505 GH 933, GH 5040, GH 733</p> | <p>Hopper Kit 12 Gallon SST - 16U505 GH 933, GH 5040, GH 733</p> |
|--|---|--|---|---|---|

Roof Rig

GMAX II 7900

DESCRIPTION
GMAX II 7900 ROOF RIG

PART #:
16W987

SPECIFICATIONS:

MAX TIP SIZE:

- .048–1 GUN
- .035–2 GUNS
- .027–3 GUNS
- .023–4 GUNS

MAX GPM (LPM): 2.2 (8.3)

MAX PSI (BAR): 3300 (227)

HONDA ENGINE: 200 CC (6.5 HP)

INCLUDES:
HEAVY-DUTY GUN

- LTX527, LTX635 SwitchTips™ and Guard
- 20 in (50 cm) Fixed Heavy-Duty Tip Extension
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose
- 1/4 in x 3 ft (6.4 mm x .9 m) BlueMax II Whip Hose



The GMAX II 7900 Roof Rig sprayer features Graco's extreme-duty MaxLife Pump

- ▶ Lasts 6X longer between repacks
- ▶ Features exclusive hardened MaxLife sleeve and rod
- ▶ Oversized clearances ensure minimal pressure drop

The **GMAX™ II 7900 Roof Rig** is the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Powered by Honda® engines, this portable rig will go anywhere the job demands.

Honda Power

- ▶ Delivers maximum performance
- ▶ Contractor preferred engine with Oil Alert

SmartControl™ Pressure Control

- ▶ Advanced microprocessor control delivers the most consistent spray fan at all spraying pressures

Advantage Drive™ System

- ▶ Time-tested drive system provides peace of mind
- ▶ Hardened helical gears are quiet running
- ▶ Lifetime guarantee

Easy Out™ Pump Filter

- ▶ Filtering reduces tip clogs and ensures a quality finish
- ▶ Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- ▶ Filter removes with the cap for less mess



Endurance Pump

- ▶ Long-life V-Max Blue™ packings, Chromex™ rod and hardened Stainless Steel sleeve
- ▶ Exclusive MaxLife™ rod and sleeve delivers unmatched durability and life – *Graco's best*
- ▶ QuikAccess™ intake valve requires only a hammer to access the intake ball to easily clean or clear debris

Roof Rig

GH 833

The **GH 833** is the preferred choice for high production professional contractors who spray the wide range of materials. This jobsite-proven workhorse is the answer when you demand ruggedness, performance and value.

Honda Engine with Electric Start* (*ES models only)

- ▶ 390 cc (13 HP) engine with integrated fuel tank to deliver maximum performance
- ▶ Contractor preferred engine with Oil Alert
- ▶ Back-up Pull Start
- ▶ High-capacity, 12 Volt 18 Amp Charging System*

Heavy-Duty Graco Hydraulic System

- ▶ Faster, more responsive changeover
- ▶ O-ring sealed to eliminate leaks
- ▶ High-precision pressure control
- ▶ No hydraulic reset button needed
- ▶ Durable hydraulic lines for long life

Flow-Through Filter System

- ▶ Inside/out design eliminates clogged filters
- ▶ Eliminates tip clogs

Heavy-Duty Cooling System

- ▶ Large 4 gallon hydraulic reservoir
- ▶ Return line hydraulic filter extends life
- ▶ No special hydraulic fluid needed
- ▶ Proven cooler and blower system
- ▶ Easy to use drain plug

Heavy-Duty Frame

- ▶ Easy-roll tubed pneumatic tires
- ▶ Enamel painted steel tubing – corrosion protection
- ▶ Multi-function design converts to skid mount in seconds

Exclusive MaxLife Endurance Pump

- ▶ Proven design and performance
- ▶ Only 16 cycles per gallon
- ▶ Exclusive MaxLife rod and sleeve delivers unmatched durability and life – *Graco's best*
- ▶ Exclusive QuikChange Pump System and QuikAccess Intake Valve eliminates downtime



Bare Electric Start model shown

| DESCRIPTION | PART #: |
|---|---------|
| GH 833 BARE | 249318 |
| GH 833 COMPLETE | 249617 |
| GH 833ES BARE ELECTRIC START | 16U287 |
| GH 833ES COMPLETE ELECTRIC START | 16U288 |
| GH 833 OEM (HYDRAULIC ENGINE AND DISPLACEMENT PUMP ONLY) | 249767 |

SPECIFICATIONS:

| | |
|----------------|---|
| MAX TIP SIZE: | .065–1 GUN .046–2 GUNS .037–3 GUNS .032–4 GUNS .029–5 GUNS .026–6 GUNS |
| MAX GPM (LPM): | 4.0 (15.1) |
| MAX PSI (BAR): | 4000 (276) |
| HONDA ENGINE: | 390 CC (13.0 HP) |

COMPLETE SPRAYER INCLUDES:

- Silver Plus Gun
- RAC X 517, RAC X 655 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II HP Airless Hose
- 1/4 in x 3 ft (6.4 mm x .9 m) BlueMax II Whip Hose

ADDITIONAL FEATURES:

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Huge 1.5 inch diameter siphon hose
- Oversized 1 inch porting on displacement pump



Direct Immersion Kit allows ultimate flexibility with tough-to-spray materials. (Part #287843)



Roof Rig

DutyMax GH™ 675DI

DESCRIPTION
DUTYMAX GH 675DI
COMPLETE

PART #
25D223

DUTYMAX GH 675DI
BIG 150

25D225

DUTYMAX GH 675DI
BIG 150 W/HOPPER

25D226

SPECIFICATIONS

MAX TIP SIZE: .041 1-GUN

MAX GPM (LPM): 1.5 GPM (5.7)

MAX PSI (BAR): 6750 PSI
(465 BAR)

HONDA GX
ENGINE CC (HP): 270 (9.0)

COMPLETE SPRAYER INCLUDES:

- XTR-7 HF Gun w/Swivel
- XHD 523, 527, 531 Tip and Guard
- 1/2 in x 50 ft Xtreme Duty Hose
- 3/8 in x 10 ft Xtreme Duty Whip Hose

BIG 150 INCLUDES:

- XTR-7 HF Gun w/Swivel
- XHD 523, 527, 531 Tip and Guard
- (3) 1/2 in x 50 ft Xtreme Duty Hoses
- 3/8 in x 10 ft Xtreme Duty Whip Hose
- 18 in Tip Extension
- 180 degree tip swivel
- All Fittings

BIG 150 WITH HOPPER INCLUDES:

- 25 Gallon Material Hopper with Couplings
- XTR-7 HF Gun w/Swivel
- XHD 523, 527, 531 Tip and Guard
- (3) 1/2" x 50' Xtreme Duty Hoses
- 3/8" x 10' Xtreme Duty Whip Hose
- 18" Tip Extension
- 180 degree tip swivel
- All Fittings

**Do More Jobs with the 3300 psi pump,
hose and gun kit (PN 17V188)
See pg 11 for more information**

Maximum power and performance in a compact and highly portable package.

When it comes to hard-to-atomize materials, look no further than the new DutyMax GH 675DI. Offering 6750 psi of pressure, it handles hard-to-spray materials such as silicone and other waterproofing and protective coating materials with the convenience of a small gas powered sprayer. Plus, it's easily transported in a small truck and easy to position where you need it—like right on the roof.

Small size—ultimate portability

Whether it's your first silicone rig, or a smaller setup where your Big Rig can't go, DutyMax GH 675DI gets the job done.

- ▶ Maximum pressure of 6750 psi and flow rates up to 1.5 gpm to tackle the toughest coatings
- ▶ Cleanup is simple and economical using less solvent than larger systems
- ▶ Significantly faster than manual rolling or squeegee applications
- ▶ Spraying delivers more consistent mil build over the entire surface
- ▶ Converts to 3300 psi / 3 gpm pump with optional kit —spray both Silicone and Acrylics! Like 2 sprayers in 1
- ▶ Removable engine for ultimate versatility when moving



The perfect small job and cut-in solution!



The ideal complement to your larger rigs on the big jobs for cut-in and detail work





The Heavy Duty JetRoller converts to a 42" spray wand in seconds.

Work Smarter and Faster with these great accessories

Windy conditions? No problem with the new Heavy Duty 18" JetRoller®*

Introducing the all new Heavy Duty 18" JetRoller. Designed specifically for the most severe job site conditions, this innovative spray roller offers low overspray and a wide coverage area. Perfect for horizontal surfaces, this innovative accessory gives you the power to spray, even in moderate crosswinds, with virtually no overspray. Now you can get the benefit of spraying and backrolling all in one step, with one person.

..... 25D229

Refill less with 25 Gallon Hopper*

Eliminate wasted time refilling with the new 25 gallon hopper. This time-saving hopper features a lid, wheels, heavy-duty frame, and flexible connection to the sprayer to allow easy maneuvering around job site while still connected. Included plugs allow disassembly with less mess.

..... 25D078



Spend more time spraying and less time managing refills with the 25 Gallon Hopper.

*** SEE PAGE 12 FOR MORE INFORMATION**

Roof Rig

GH 733

DESCRIPTION
GH 733ES BARE
ELECTRIC START

PART #:
16U279

SPECIFICATIONS:
MAX TIP SIZE: .065
MAX GPM (LPM): 4.0 (15.1)
MAX PSI (BAR): 4000 (276)
HONDA ENGINE: 390 CC (13.0 HP)

Big Rigs

DESCRIPTION
GH 1017ES BARE
ELECTRIC START

PART#:
16U277

SPECIFICATIONS:
MAX GPM (LPM): 16.5 (62.5)
MAX PSI (BAR): 1000 (70)

GH 2570ES BARE
ELECTRIC START

PART#:
16U278

SPECIFICATIONS:
MAX GPM (LPM): 7.0 (26.5)
MAX PSI (BAR): 2500 (172)

GH 5040ES BARE
ELECTRIC START

PART#:
16U280

SPECIFICATIONS:
MAX GPM (LPM): 3.5 (13.2)
MAX PSI (BAR): 5000 (345)

Big Rig Sprayers

GH 733/GH 933/GH 1017/GH 2570/GH 5040

For 30 years, contractors have turned to the GH line of gas hydraulic sprayers when they needed maximum performance and unmatched versatility. The tradition continues with the all new line of GH Big Rig sprayers. Equipped with exclusive QuikChange™ Lowers, each Big Rig sprayer can easily be customized for each coating, eliminating the need to purchase additional rigs. Whether you require high pressure for long hose runs and hard-to-atomize materials, or high flow rates for heavier coverage, turn to the GH Big Rig sprayers to get the job done!

Honda Engine with Electric Start* (*ES models only)

- ▶ 390 cc (13 HP) engine with integrated fuel tank to deliver maximum performance
- ▶ Contractor preferred engine with Oil Alert
- ▶ Back-up Pull Start
- ▶ High-capacity, 12 Volt 18 Amp Charging System*



Rugged, Heavy-Duty Steel Frame

- ▶ Welded, heavy-gauge steel construction
- ▶ Integrated, fully-balance lift points
- ▶ Easy-roll tubed pneumatic tires
- ▶ Enamel painted steel tubing – corrosion protection
- ▶ Multi-function design converts to skid mount in *seconds* – easily converts to secure skid mount by moving handle to lower frame holes



Perfect for trucks and trailers!

BIG RIG MATERIAL APPLICATION CHART

SPRAYABLE COATINGS

- Architectural
- Protective
- Roofing, Waterproofing, Fireproofing

GRACO SPRAYER

| | Latex Paints | Primers | Block Fillers | Enamel | Elastomerics | Acrylic: Water / Solvent | Epoxy: Finishes / Mastics | Polyester | Coal Tar | Polyurethane | Asphalt Emulsion: Fibered / Non-fibered | Mastics - Adhesive Type | Waterproofing / Above and Below Grade | Contact Cement | Asphalt Cut-back: Fibered / Non-fibered | Texture: Smooth and Fine | Burmastics | MonoForm | Aluminum Emulsion: Fibered / Non-fibered | Elastomer Acrylic Emulsion Primer | Silicon | Intumescent |
|-------------------|--------------|---------|---------------|--------|--------------|--------------------------|---------------------------|-----------|----------|--------------|---|-------------------------|---------------------------------------|----------------|---|--------------------------|------------|----------|--|-----------------------------------|---------|-------------|
| GMAX II 7900 RR | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| DutyMax GH 675DI* | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| GH 733 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| GH 833 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| GH 933 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| GH 1017 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| GH 2570 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| GH 5040 | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |

Note: Materials and temperatures may dictate the hose length you can use. Fibered materials not recommended.

Roof Rig

GH 933

7250 PSI
FEEL THE POWER!

The most **POWERFUL** hydraulic sprayer in the industry!

| DESCRIPTION | PART #: |
|----------------------------------|---------|
| GH 933 BARE | 16U281 |
| GH 933 COMPLETE | 16U282 |
| GH 933 BARE ELECTRIC START | 16U285 |
| GH 933ES COMPLETE ELECTRIC START | 16U286 |

SPECIFICATIONS:

| | |
|----------------|------------------|
| MAX TIP SIZE: | .053 |
| MAX GPM (LPM): | 2.5 (9.5) |
| MAX PSI (BAR): | 7250 (500) |
| HONDA ENGINE: | 390 CC (13.0 HP) |

COMPLETE SPRAYER INCLUDES:

- XTR 704 Gun
- XHD 519 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless Hose
- 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Whip Hose

GH 933ES

HI-FLO BIG RIG

Optimized for Silicon and other Heavy Bodied Materials

Equipped with Graco's proven Xtreme® pump lower with durable Tuff-Stack™ packings, this pump features over-sized outlets and a filter-less design for maximum flow and performance.

| DESCRIPTION | PART #: |
|--------------------------|---------|
| GH 933ES HI FLO BARE | 17B484 |
| GH 933ES HI FLO COMPLETE | 17B485 |

COMPLETE SPRAYER INCLUDES:

- XHF Gun
- XHD 429 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless Hose
- 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Whip Hose

Additional Features

- ▶ Lockable pressure control knob
- ▶ Grounding wire for safety with solvent materials
- ▶ Large diameter siphon hose



Heavy-Duty Graco Hydraulic System

- ▶ Faster, more responsive changeover
- ▶ O-ring sealed to eliminate leaks
- ▶ High-precision pressure control
- ▶ No hydraulic reset button needed
- ▶ Durable hydraulic lines for long life

Heavy-Duty Cooling System

- ▶ Large 4 gallon hydraulic reservoir
- ▶ Return line hydraulic filter extends life
- ▶ No special hydraulic fluid needed
- ▶ Proven cooler and blower system
- ▶ Easy to use drain plug

Exclusive Xtreme™ Pump

- ▶ QuikChange pump section
- ▶ Time tested durability and performance
- ▶ Long life XtremeSeal™ and leather packings
- ▶ Heavy-duty piston rod for long life
- ▶ QuikAccess intake valve removes easily for fast repairs



Interchangeable pumps allow maximum versatility for all applications.

Ready to Spray Big 150 and Big 250 Systems

Roof Rigs

WORK SMARTER, FINISH MORE JOBS

Decide which system fits your application needs with these **11 Ready-to-Spray Systems** from Graco. Configured with 150 or 250 feet of pressure-rated hose, gun, tip extensions, and all the fittings you will need, these systems offer ultimate convenience and value. Whether you require high-pressure, maximum flow, electric start, or even the ability to swap pumps with available QuikChange Lower, we have a System for you!

Everything you need to start spraying today!

PART # DESCRIPTION

- **25D225** **DutyMax GH 675DI Big 150 System Includes:**
DutyMax GH 675DI, 150 ft of Xtreme-Duty 1/2 in hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XTR-7 HF Gun, 18 in Tip Extension, 180 degree tip swivel, XHD 527 & 531 Tips and all fittings
- **25D226** **DutyMax GH 675DI Big 150 with 25 Gallon Material Hopper Includes:**
DutyMax GH 675DI, 25 Gallon Material Hopper and Couplings, 150 ft of Xtreme-Duty 1/2 in hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XTR-7 HF Gun, 18 in Tip Extension, 180 degree tip swivel, XHD 527 & 531 Tips and all fittings
- **16U776** **GH 2570es Big 250 System Includes:** GH 2570es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180° Tip Swivel, RAC X 519, 531 Tips and all fittings
- **16U778** **GH 733es Big 250 System Includes:** GH 733es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180° Tip Swivel, RAC X 519, 531 Tips and all fittings
- **16U780** **GH 833 Big 250 System Includes:** GH 833, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180° Tip Swivel, RAC X 519, 531 Tips and all fittings
- **16U781** **GH 833es Big 250 System Includes:** GH 833es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180° Tip Swivel, RAC X 519, 531 Tips and all fittings
- **16U782** **GH 5040es Big 250 System Includes:** GH 5040es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Flex Plus Gun, 18 in Tip Extension, 180° Tip Swivel, RAC X 517, 531 Tips and all fittings
- **16U783** **GH 933 Big 250 System Includes:** GH 933, 200 ft of 3/4 in Hose, 50 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, XTR™-7 Gun, 18 in Tip Extension, 180° Tip Swivel, XHD™ 519, 531 Tips and all fittings
- **16U784** **GH 933es Big 250 System Includes:** GH 933es with Electric Start, 200 ft of 3/4 in Hose, 50 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, XTR-7 Gun, 18 in Tip Extension, 180° Tip Swivel, XHD 519, 531 Tips and all fittings
- **17B488** **GH 933es Hi Flo Big 250 System Includes:** GH 933es with Electric Start, 50 ft of 3/4 in Xtreme-Duty Hose, 50 ft of 1/2 in Xtreme-Duty Hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XHF Gun, 18 in Tip Extension, 180° Tip Swivel, XHD 429, 531 Tips and all fittings
- **25M283** **GH 933es Hi Flo Big 250 System with 5:1 Monark System Includes:**
GH933es with Electric Start, 5:1 Monark Feed Pump, 50 ft of 3/4 in Xtreme-Duty Hose, 50 ft of 1/2 in Xtreme-Duty Hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XHF Gun, 18 in Tip Extension, 180° Tip Swivel, XHD 429, 531 Tips and all fittings



Designed FOR YOU by
GRACO!




QuikChange Pump Lower

Exclusive QuikChange Pump Lower maximize production. Easily customize your Big Rig for each coating, without purchasing additional rigs! Each QuikChange Pump Lower Kit is sold separately. Big Rig Pump Lower Kits include: Pump Lower, Tie Rods and Rod Connector. Fits GH 733, GH 933, GH 1017, GH 2570, GH 5040 units only.

QuikChange Lower

- ❑ 16U753 – GH 733 Pump Lower Kit
- ❑ 16U755 – GH 933 Pump Lower Kit
- ❑ 17B489 – GH 933 Hi Flo Pump Lower Kit
- ❑ 16U751 – GH 1017 Pump Lower Kit
- ❑ 16U752 – GH 2570 Pump Lower Kit
- ❑ 16U754 – GH 5040 Pump Lower Kit



Heavy-Duty 18 in JetRoller™

- ❑ 25D229

One Step Spray & Back Roll With Less Overspray Than Conventional Airless Spray!

- ▶ Combines the speed of spray with the simplicity of rolling
- ▶ Fits 9-18" Standard Roller Covers
- ▶ Pressure rated to 7250 psi
- ▶ Perfect for windy areas

Heavy-duty Construction

- ▶ All-aluminum construction withstands job site abuse
- ▶ Tool-less components adjust for maximum comfort



Remove roller and it becomes a 42" spray wand!



Fully adjustable handle for ultimate comfort



Perfect For All Horizontal Coating Applications!

25-Gallon Material Hopper

- ❑ 25D078

Boost Productivity By Minimizing Refills

- ▶ Features no-tools connections
- ▶ Large, 25 Gallon Capacity
- ▶ Lid protects material and keeps debris out
- ▶ Long-length flexible coupling tube allows easy maneuvering without disconnecting

Heavy-duty Construction

- ▶ Welded steel frame withstands job site abuse
- ▶ Durable polyethylene hopper allows the easy cleanup and accepts standard 55 gallon garbage bag for an inexpensive liner



Fits GH 733, GH 5040 GH 933 and GH 675DI



Accessories

ELECTRIC AIRLESS SPRAYERS

GUNS AND GUN ACCESSORIES

HEAVY-DUTY AND MASTIC GUNS

- 241705 Heavy-Duty Gun with RAC X 531 Tip and Guard, 4000 psi (276 bar)
- 224472 Mastic Gun 36 in (.9 m) Extension, 5000 psi (345 bar)
- 237260 Repair Kit – Heavy-Duty Gun

SILVER PLUS AND FLEX PLUS GUNS

Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)

- 246240 Silver Plus Gun (2-finger) with RAC X 517 Tip and Guard
- 243283 Silver Plus Gun (2-finger) with RAC 5 517 Tip and Guard
- 235460 Silver Plus Gun (2-finger) with Flat Tip and Guard
- 235461 Silver Plus Gun (4-finger) with Flat Tip and Guard
- 235462 Silver Plus Gun Fine Finish (2-finger) with Flat Tip and Guard
- 246468 Flex Plus Gun (2-finger) with RAC X 517 Tip and Guard
- 235474 Repair Kit (Silver Plus, Flex Plus)

XTR GUNS

XTR-5 Airless Spray Gun, 5000 psi (345 bar, 34.5 MPa)

- XTR500 1 in round handle, four-finger trigger, no tip
- XTR501 1 in round handle, four-finger trigger, 519 flat tip
- XTR502 Oval-insulated handle, four-finger trigger, 519 XHD RAC tip
- XTR503 Oval-insulated handle, two-finger trigger, 519 XHD RAC tip
- XTR504 1 in round handle, four-finger trigger, 519 XHD RAC tip
- XTR505 1 in round handle, two-finger trigger, 519 XHD RAC tip

XTR-7 Airless Spray Gun, 7250 psi (500 bar, 50 MPa)

- XTR700 Round handle, four-finger trigger, no tip
- XTR701 Round handle, four-finger trigger, 519 flat tip
- XTR702 Oval-insulated handle, four-finger trigger, 519 XHD RAC tip
- XTR703 Oval-insulated handle, two-finger trigger, 519 XHD RAC tip
- XTR704 Round handle, four-finger trigger, 519 XHD RAC tip
- XTR705 Round handle, two-finger trigger, 519 XHD RAC tip

XTR-7 HF High Flow Airless Spray Gun, 7250 psi (500 bar)

- 17V677 Filterless, oval-insulated handle, four finger trigger, XHD 523 & 531 Tips

Xtreme-Duty High Pressure Gun Accessories, (Fit both XTR-5 and XTR-7 Spray Guns)

- 246294 10 in (254 mm) Gun Extension, 7250 psi (500 bar, 50 MPa)
- 246295 15 in (380 mm) Gun Extension, 7250 psi (500 bar, 50 MPa)
- 246296 18 in (457 mm) Gun Extension, 7250 psi (500 bar, 50 MPa)
- 246297 180° Spray Nozzle, 7/8-14 UNC-2B, 7250 psi (500 bar, 50 MPa)
- 248837 Gun Repair Kit (includes gasket, needle and seat)
- 287449 Four-finger Round Trigger Kit
- 287450 Two-finger Trigger Kit
- 287451 Four-finger Oval Insulation Trigger Kit
- 287032 Filter, 60 mesh
- 287033 Filter, 100 mesh
- 287034 Filter, 60 and 100 mesh combination
- 247634 Seal Kit, GHD conversion (5-pack)
- 262854 XHF Gun, Includes XHD 429 tip

GUN SWIVEL

- 189018 Gun Swivel rated to 7500 psi

EXTENSIONS

- Includes: RAC X HandTite Guard Standard with 7/8 in (22 mm) Gun Nut and OneSeal
Maximum Working Pressure: 4050 psi (280 bar, 28.0 MPa)

- 287019 10 inch (25 cm)
- 287020 15 inch (38 cm)
- 287021 20 inch (50 cm)
- 287022 30 inch (75 cm)
- 246294 10 in (254 mm) Gun Extension, 7250 psi (500 bar, 50 MPa)
- 246295 15 in (380 mm) Gun Extension, 7250 psi (500 bar, 50 MPa)
- 246296 18 in (457 mm) Gun Extension, 7250 psi (500 bar, 50 MPa)
- 17U148 42 in (107 cm) Gun Extension with Handle, 7250 psi (500 bar)



SPRAY NOZZLE

- 246297 180° Spray Nozzle, 7/8-14 UNC-2B, 7250 psi (500 bar, 50 MPa)



Essential Tools for Maximum Productivity and Performance

SPRAY TIPS AND GUARDS

RAC X TIPS AND GUARDS

- LTX-XXX RAC X SwitchTips, Blue (Odd #)
 - ▶ Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)
- WR-XXXX RAC X Wide RAC SwitchTips, Blue (Odd #)
 - ▶ Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)
- 246215 RAC X HandTite™ Guard
 - ▶ 7/8 in (22 mm) thread size, standard Graco thread
- 246437 RAC X HandTite Guard
 - ▶ 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads
- 286-XXX RAC® 5 SwitchTips, Black (Odd #)
 - ▶ Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)
- 243161 RAC 5 HandTite Guard
 - ▶ 7/8 in (22 mm) thread size, standard Graco thread
- 243263 RAC 5 HandTite Guard
 - ▶ 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads



XHD TIPS AND GUARDS

- XHD-XXX XHD SwitchTips, Gray (Odd #)
 - ▶ Maximum Working Pressure: 7250 psi (500 bar, 50.0 MPa)
- XHD001 XHD RAC Guard
 - ▶ Maximum Working Pressure: 7250 psi (500 bar, 50.0 MPa)
- XHD010 Seal and Seal Kit (5-pack)

BLUEMAX II AIRLESS HOSE *Feel the Difference in Flexibility!*

- 238358 3/16 in x 3 ft (4.8 mm x 0.9 m) 3300 psi (227 bar) BlueMax II Airless Whip Hose
- 238959 3/16 in x 4.5 ft (4.8 mm x 1.4 m) 3300 psi (227 bar) BlueMax II Airless Whip Hose
- 240793 1/4 in x 25 ft (6.4 mm x 7.5 m) 3300 psi (227 bar) BlueMax II Airless Hose
- 240794 1/4 in x 50 ft (6.4 mm x 15 m) 3300 psi (227 bar) BlueMax II Airless Hose
- 240797 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) BlueMax II Airless Hose



XTREME-DUTY HIGH PRESSURE WHIP HOSE

- Maximum Working Pressure: 4000 psi (276 bar)
- 277249 1/4 in x 3 ft (6.4 mm x 0.9 m) MxF Whip Hose
- 277250 1/4 in x 50 ft (6.4 mm x 15 m) FBE
- 277351 3/8 in x 3 ft (9.5 mm x 0.9 m) MxF Whip Hose
- 277251 3/8 in x 50 ft (9.5 mm x 15 m) FBE
- 277253 1/2 in x 50 ft (13 mm x 15 m) FBE




Xtreme-Duty High-Pressure Hoses

4500 psi

5600 psi

7250 psi



Choose the Right Hose for the Job

Technical Specifications

- Working Pressure 4500 psi (310 bar), 5600 psi (386 bar), or 7250 psi (500 bar)
- Temperature Rating (all sizes) -40° to 180°F (-40° to 82°C)
- Chemical Resistance Hose cover resistant to a wide variety of solvents, acids and bases
- Weather Resistance Hose cover has outstanding resistance to oxygen, ozone, sunlight and general weather conditions
- Electrical Properties Conductive hose

3/4 IN XTREME-DUTY HIGH PRESSURE HOSE

- H77550 3/4 in x 50 ft (6.4 mm x 15 m) FBE Xtreme-Duty High Pressure Hose
 - ▶ Maximum Working Pressure: 7250 psi (500 bar)



Accessories

BIG RIG AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and extensions, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

KITS

GH 833 KITS

- 287843 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
- 249767 OEM Kit; Includes: Hydraulic Engine/Head, Displacement Pump
- 287916 Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft (2 m) Siphon Hose
- 287915 Solvent Resistant Siphon Kit, 1.5 in diameter x 6.5 ft (2 m) Siphon Hose

GH 733, GH 933, GH 2570, GH 5040 KITS

- 287843 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
 - ▶ Fits GH 733, GH 833, GH 933 and GH 5040
- 16U764 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
 - ▶ Fits GH 2570
- 287936 Non-Solvent Siphon Kit, 2 in diameter x 6.5 ft (2 m) Siphon Hose
- 17B825 GH 933 Hi Flo Big 250 Gun and Hose Kit with XHF Gun

HOPPER

- 25D078 25 Gallon Material Hopper
 - ▶ Fits DutyMax GH 675DI, GH 733, GH 933, and GH 5040
 - ▶ Includes: Hopper, Lid, Coupling Hose, Elbow, Plugs, and Quick Disconnects
- 16U505 12 Gallon Stainless Steel Material Hopper Kit
 - ▶ Includes: Hopper, Lid, Mounting Bracket, Fittings, Quick Disconnect
 - ▶ Fits GH 733, GH 933 and GH 5040
- 24A423 5:1 Monark Feed Pump Kit Fits GH 933



MISCELLANEOUS

FLUIDS

- 243103 Pump Armor – 1 qt (1 l)
- 245133 Pump Armor – 1 gal (3.8 l)
 - ▶ Use Graco's exclusive Pump Armor for long term pump storage to prohibit harmful rust and corrosion to your sprayer.
- 206994 Throat Seal Liquid (TSL) – 8 oz (.24 l)
- 206995 Throat Seal Liquid (TSL) – 1 qt (1 l)
- 206996 Throat Seal Liquid (TSL) – 1 gal (3.8 l)
 - ▶ Prolong the life of your pump by routinely adding TSL to your pump's wet cup.
- 207428 Hydraulic Fluid – 1 gal (3.8 l)

XTREME QUIKCHANGE LOWER KITS

- ▶ Includes pump lower and three (3) tie rods; fits GH 733, GH 933, GH 1017, GH 2570, GH 5040
- 16U753 GH 733 Pump Lower
- 16U755 GH 933 Pump Lower
- 17B489 GH 933 Hi Flo Pump Lower
- 16U751 GH 1017 Pump Lower
- 16U752 GH 2570 Pump Lower
- 16U754 GH 5040 Pump Lower

CONVERT DUTYMAX GH 675DI TO 3300 PSI PERFECT FOR YOUR ACRYLIC JOBS

17V188 DUTYMAX 3300 PSI LOWER KIT

- ▶ 3300 psi 3 gpm DI Endurance Lower
- ▶ HD Blue Texture Gun
- ▶ Prime Valve
- ▶ 1/2 x 50" BlueMax Hose
- ▶ 3/8" x 11' BlueMax Whip Hose
- ▶ 30" Tip Extension
- ▶ 180 degree Tip Swivel
- ▶ RAC X 529 & 535 Tips and Guard
- ▶ All Fittings

HOSE FITTINGS

- 175013 3/4 in npt x 3/4 in npt (19 mm x 19 mm) – MBE
 - ▶ Maximum Working Pressure: 7250 psi (500 bar, 50 MPa)
- 156971 1/4 in npt x 1/4 in npt (6.4 mm x 6.4 mm) – MBE
 - ▶ Maximum Working Pressure: 7500 psi (517 bar, 51.7 MPa)
- 156849 3/8 in npt x 3/8 in npt (9.5 mm x 9.5 mm) – MBE
 - ▶ Maximum Working Pressure: 7250 psi (500 bar, 50 MPa)
- 158491 1/2 in npt x 1/2 in npt (13 mm x 13 mm) – MBE
 - ▶ Maximum Working Pressure: 7250 psi (500 bar, 50 MPa)
- 157350 1/4 in npt x 3/8 in npt (6.4 mm x 9.5 mm) – MBE
 - ▶ Maximum Working Pressure: 6000 psi (420 bar, 29 MPa)
- 159239 1/2 in npt x 3/8 in npt (13 mm x 9.5 mm) – MBE
 - ▶ Maximum Working Pressure: 7250 psi (500 bar, 50 MPa)



Direct Immersion Kit allows ultimate flexibility with tough-to-spray materials. (Part #287843)





WARRANTY

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

3 YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.



3 YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

BIG RIG SPRAYER SPECIFICATIONS



| | | GMAX II 7900 Roof Rig | DutyMax GH 675D1 | GH 733 | GH 833 |
|-----------------------|--|---|--|--------------------------------|---|
| MODEL | Cart Design– Part Number | Complete–16W987 | Complete - 25D223 Big 150 - 25D225 Big 150 with 25 Gallon Hopper - 25D226 | Bare Electric Start–16U279 | Bare–249318 Complete–249617 Bare Electric Start–16U287 Complete Electric Start–16U288 OEM Kit–249767 |
| | | | | | |
| SPECIFICATIONS | Maximum gpm (lpm) | 2.2 (8.3) | 1.5 (5.7) | 4.0 (15.1) | 4.0 (15.1) |
| | Maximum psi (bar) | 3300 (227) | 6750 (465) | 4000 (276) | 4000 (276) |
| | Maximum Tip Size | .048 | .041 | .065 | .065 |
| | Engine | 200 cc Honda (6.5 HP) | 270 cc Honda (9.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) |
| | Electric Start | No | No | Yes | Available |
| | Charging System (Electric Start Only) | No | No | 18 Amp | 18 Amp |
| INCLUDES | Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless | 1/2 in x 50 ft (12.7 mm x 15 m) Xtreme Duty | N/A | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless |
| | Whip Hose | 1/4 in x 3 ft (6.4 mm x .9 m) BlueMax II Airless | 3/8 in x 10 ft (9.5 mm x 3 m) Xtreme Duty | N/A | 1/4 in x 3 ft (6.4 mm x .9 m) BlueMax II Airless |
| | Gun | Heavy-Duty Blue | XTR-7 HF High Flow | N/A | Silver Plus |
| | Tip | RAC X 427, 635 | XHD 523, 527 & 531 | N/A | RAC X 517, 655 |
| | Filter | Easy Out | No | No | Easy Out |
| | Pulsation Dampener | No | No | No | No |
| | Siphon Set | 5.0 gal Direct Immersion | 5.0 gal Direct Immersion | 1.25 in ID Nylon – 55 gal | 1.5 in ID PVC – 55 gal |
| | Other | 18 in Tip Extension | N/A | N/A | N/A |
| PUMP | Interchangeable Lowers | No | Yes | Yes | No |
| | Pump Type | Endurance Piston Quick-Change | Endurance Piston Quick-Change | Xtreme Piston Quick- Change | Endurance Piston Quick-Change |
| | Packing | V-Max Blue | V-MAX Blue/Leather | XtremeSeal/Leather | V-Max Blue |
| | Piston Rod | MaxLife | Chromex | Chromex | MaxLife |
| | Cylinder | MaxLife | Hard Chrome | Hard Chrome | MaxLife |
| | Tie Rod | N/A | N/A | Silver-16U336 | N/A |



| GH 933 | GH 1017 | GH 2570 | GH 5040 |
|--|----------------------------|----------------------------|-------------------------------|
| Bare-16U281 Complete-16U282 Bare Electric Start-16U285 Complete Electric Start-16U286 | Bare Electric Start-16U277 | Bare Electric Start-16U278 | Bare Electric Start-16U280 |
| 2.5 (9.5) | 16.5 (62.5) | 7.0 (26.5) | 3.5 (13.2) |
| 7250 (500) | 1000 (70) | 2500 (172) | 5000 (345) |
| .053 | N/A | N/A | .067 |
| 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) |
| Available | Yes | Yes | Yes |
| 18 Amp | 18 Amp | 18 Amp | 18 Amp |
| 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless | N/A | N/A | N/A |
| 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Airless | N/A | N/A | N/A |
| XTR-7 Airless XTR704 | N/A | N/A | N/A |
| 519 XHD RAC | N/A | N/A | N/A |
| Yes | No | No | No |
| No | Yes | No | No |
| 1.0 in ID Nylon – 55 gal | 2.0 in ID PVC – 55 gal | 2.0 in ID PVC – 55 gal | 2.0 in ID PVC – 55 gal |
| N/A | N/A | N/A | N/A |
| Yes | Yes | Yes | Yes |
| Endurance Piston Quick-Change | Xtreme Piston Quick-Change | Xtreme Piston Quick-Change | Endurance Piston Quick-Change |
| XtremeSeal/Leather | XtremeSeal/Leather | PTFE/Leather | XtremeSeal/Leather |
| Chromex | Hard Chrome | Hard Chrome | Chromex |
| Hard Chrome | Hard Chrome | Hard Chrome | Hard Chrome |
| Silver-16U336 | Silver-16U336 | Gold-16U339 | Silver-16U336 |



graco.com/bigrigs



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Fluid Equipment
(Shanghai) Co., Ltd
Building 7, 1029 Zhongshan
Road South
Huangpu District, Shanghai,
200011, China
Tel: 86 512 6260 5711
Fax: 86 21 6495 0077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955