



**uCLEAN**



I AM YOUR  
**STAR**  
FOR **CLEANING**

„Your varied partner for universal cleaning tasks.  
GET YOUR STAR – NSG uCLEAN!“



## The starmix vacuum cleaner series NSG uClean

### POWERFUL

#### ★ High speed engine

**YOUR BENEFITS:**

- up to 20 % more performance
- clearly higher volume flow and vacuum with the same wattage
- working life > 800 hours

### INTELLIGENT

#### ★ SMART STOP – 1 part, 3 functionalities (LD appliances with 20l and 32l)

**YOUR BENEFITS:**

- locking brake for a stable parking position (on sloping surfaces as well)
- handle for an easy emptying of the container
- ride guard with ramp function for the easy overcoming of obstacles

### COMFORTABEL

#### ★ Ergonomics & features

**YOUR BENEFITS:**

- ergonomic handle, optimal for winding up the hose, one-handed transport is possible
- hook for an easy cable collection with plug locking
- up to 6 storage positions for wobble-free fixation of the equipment
- larger storage space for tools and small parts
- quick and simple replacement of the power cable (two screws)
- 2 parking positions for nozzles
- easy handling by rocker switch

### INNOVATIVE

#### ★ Blowing function

**YOUR BENEFITS:**

- vacuuming and blowing possible in one step, e.g. for blowing dirt out of edges or scratches
- up to 215 km/h strong air speed

### SECURE

#### ★ Red power cable

**YOUR BENEFITS:**

- More security at work by remarkable, red power cable avoids the risk of tripping

## CLEANING VACUUM CLEANERS

NSG „uClean“ series

# New technology and clever details


The new NSG „uClean“ series is based on the demanding Starmix niveau of technology and quality „Made in Germany“. The aim of Starmix was to develop a universal vacuum cleaner, which sets new standards in achievement, ergonomics, comfortable service and working joy by intelligent details. The result: ergonomic, attractive design with many delighting features!



**High-speed engine**  
with up to 20 % more performance



**Hose fixation**  
the best hose fixation on the market



**Blowing function**  
up to 215 km/h  
strong air speed



**High-quality containers**  
with up to 20 % more net volume  
and impact-proofed transport walers



**Noise reduction**  
clearly diminished volume  
thanks to encapsulated motor  
fan and optimised air conduct  
(only LD devices)



**SMART STOP\***  
**(1 part, 3 functions)**  
- brake  
- ramp  
- handle for container emptying

**Improved accessories storage**  
complete accessories fixable  
on the vacuum cleaner!



**Starmix Quality**

**Made in Germany**

\* only for selected vacuum cleaners, have a look on the overview on the next pages

## CLEANING VACUUM CLEANERS

NSG „uClean“ series

# Cleaning vacuum cleaner (wet/dry)

The universal cleaning vacuum cleaner are optimal for professional wet/dry cleaning of buildings, machines, for coarse dirt in industry and commerce or for special applications like cleaning heating boilers.



### NSG uClean 1420 HK

The lightweight vacuum cleaner (wet-dry) with 20l container

016221



### NSG uClean 1432 HK

The lightweight vacuum cleaner (wet-dry) with 32l container

016238



### NSG uClean 1432 ST

The coarse dirt vacuum cleaner (wet-dry) with 32l container

016245

#### Article no.

#### Scope of delivery

#### Accessory set

Replacement filter

Filter bag

**\*HK Art. no. 044101**

1 × FSS 1200 (foam material)

1 × FBV 20  
Art. no. 434827 (5 pcs)

**\*HK Art. no. 044101**

1 × FSS 1200 (foam material)

1 × FBV rd 30-35  
Art. no. 442761 (5 pcs)

**\*ST Art. no. 044309**

1 × FSS 1200 (foam material)

1 × FBV rd 30-35  
Art. no. 442761 (5 pcs)

#### Equipment

Main filter

FP 3600 (cellulose)  
Dust retention capacity: 99,8 %  
Art. no. 411729

FP 3600 (cellulose)  
Dust retention capacity: 99,8 %  
Art. no. 411729

FP 3600 (cellulose)  
Dust retention capacity: 99,8 %  
Art. no. 411729

Pulse filter cleaning

No

No

No

Appliance socket

No

No

No

Speed controller

No

No

No

Hose winding and connector fixture

Yes

Yes

Yes

Park position

Yes

Yes

Yes

Gentle start / after-running

No

No

No

Water level detection

Yes

Yes

Yes

Antistatically prepared

No

No

No

Noise reduction

No

No

No

Push handle

No

No

No

Rubber wheels and castors

No

No

No

SmartStop

No

No

No

Accessory compartment

Yes

Yes

Yes

Blowing function

Yes

Yes

Yes

#### Technical data

Power consumption (max.)

Watt

1400

1400

1400

Volume flow (max.)

l/s

69

69

69

Vacuum (max.)

mbar

259

259

259

Container volume (max.)  
gross–dust–water

l

20/16/10  
Plastic

32 / 28 / 21  
Plastic

32 / 28 / 21  
Plastic

Sound pressure level

dB(A)

72,5

72,5

72,5

Dimensions

L × B × H

39,5 × 39 × 55 cm

39,5 × 39 × 64 cm

39,5 × 39 × 64 cm

Weight

kg

7,8

8,1

8,1

Power cable length

m

8 (PVC), red

8 (PVC), red

8 (PVC), red

Reach

m

9,75 – 10,75

9,75 – 10,75

9,75 – 10,75

Application areas

- House and home  
- Garage / workshop / hobby

- House and home  
- Garage / workshop / hobby

- Outside area / coarse dirt  
- Operational and machine cleaning  
- Garage / workshop / hobby

### ★ Scope of delivery:

**\*Accessory set HK** (Art. no. 044101)  
(House & Home)

#### Equipment

1 × Suction hose, ø 35 mm × 1,75 m  
Art. no. 411507  
1 × Tube handle, plastic with  
supplementary air slide  
Art. no. 424804

2 × Suction tube, plastic (each 50 cm)  
Art. no. 424859  
1 × Crevice nozzle (22 cm long)  
Art. no. 417011  
1 × Upholstery nozzle (12 cm wide)  
Art. no. 418452  
1 × Universal nozzle 25 (reversible)  
Art. no. 414447  
1 × Water nozzle 26, Art. no. 440934

**\*Accessory set ST** (Art. no. 044309)  
(Coarse dirt)

#### Equipment

1 × Suction hose, ø 49 mm × 1,75 m  
Art. no. 414256  
2 × Suction tube, plastic (each 50 cm)  
Art. no. 425610

1 × Coarse dirt crevice nozzle  
(16 cm long), Art. no. 417639  
1 × Coarse dirt floor nozzle 36  
(36 cm wide), Art. no. 416731  
1 × Coarse dirt nozzle  
Art. no. 417943





# CLEANING VACUUM CLEANERS

All LD appliances are distinguished by an additional noise insulation feature and an ability to select eco mode.



**NSG uClean 1445 ST**  
The coarse dirt vacuum cleaner (wet-dry) with 45l container  
016252



**NSG uClean LD-1420 HMT**  
The lightweight vacuum cleaner (wet-dry) with 20l container  
016269



**NSG uClean LD-1432 HMT**  
The lightweight vacuum cleaner (wet-dry) with 32l containers  
016276

**Scope of delivery**

**\*ST Art. no. 044309**

1 × FSS 1200 (foam material)  
1 × FBV 45-55  
Art. no. 435039 (5 pcs)

**Accessory set**

Replacement filter  
Filter bag

**\*HMT Art. no. 003009**

1 × FSS 1200 (foam material)  
1 × FBV 20  
Art. no. 434827 (5 pcs)

**\*HMT Art. no. 003009**

1 × FSS 1200 (foam material)  
1 × FBV rd 30-35  
Art. no. 442761 (5 pcs)

**Equipment**

FP 7200 (cellulose)  
Dust retention capacity: 99,8 %  
Art. no. 413471

Main filter

FPP 3600 (polyester)  
Dust retention capacity: 99,9 %  
Art. no. 415109

FPP 3600 (polyester)  
Dust retention capacity: 99,9 %  
Art. no. 415109

No  
No  
No  
Yes  
No  
No  
Yes  
No  
No  
Yes  
Yes  
No  
Yes  
Yes  
Yes

Pulse filter cleaning  
Appliance socket  
Speed controller  
Hose winding and connector fixture  
Park position  
Gentle start / after-running  
Water level detection  
Antistatically prepared  
Noise reduction  
Push handle  
Rubber wheels and castors  
SmartStop  
Accessory compartment  
Blowing function

No  
No  
2-level with eco mode  
Yes  
Yes  
Yes / No  
Yes  
No  
Yes  
No  
Yes  
Yes  
Yes  
Yes

No  
No  
2-level with eco mode  
Yes  
Yes  
Yes / No  
Yes  
No  
Yes  
No  
Yes  
Yes  
Yes  
Yes

**Technical data**

1400  
69  
259  
32 / 28 / 21  
Plastic  
72,5  
47 × 48 × 79 cm  
12,4  
8 (PVC), red  
11,2 – 12,2

Power consumption (max.) Watt  
Volume flow (max.) l/s  
Vacuum (max.) mbar  
Container volume (max.) gross-dust-water l  
Sound pressure level dB(A)  
Dimensions L × B × H  
Weight kg  
Power cable length m  
Reach m

1400  
69  
259  
20 / 16 / 10  
Plastic  
68,5  
43 × 39 × 55 cm  
8  
12 (PVC), red  
15,2 – 16,2

1400  
69  
259  
32 / 28 / 21  
Plastic  
68,5  
43 × 39 × 64 cm  
8,3  
12 (PVC), red  
15,2 – 16,2

- Outside area / coarse dirt  
- Operational and machine cleaning  
- Garage / workshop / hobby

Application areas

- Hotel and office  
- House and home  
- Cleaning large areas / buildings

- Hotel and office  
- House and home  
- Cleaning large areas / buildings

**\*Accessory set PZ** (Art. no. 003108) (Professional set)

**Equipment**

1 × Suction hose\*, ø 35 mm × 3,2 m Art. no. 413228  
1 × Tube handle, stainless steel with supplementary air slide, Art. no. 421445

2 × Suction tube, stainless steel (each 50 cm) Art. no. 424842  
1 × Crevice nozzle (37 cm long) Art. no. 417028  
1 × Suction brush round Art. no. 418032  
1 × Professional floor nozzle 45 with rubber and brush strips Art. no. 416519

**\*Accessory set HMT** (Art. no. 003009) (Household)

**Equipment**

1 × Suction hose, ø 35 mm × 3,2 m Art. no. 413228  
1 × Tube handle, stainless steel with supplementary air slide, Art. no. 421445  
1 × Suction tube, stainless steel telescopic 57-95 cm, stepless, Art. no. 425573

1 × Crevice nozzle (22 cm long) Art. no. 417011  
1 × Upholstery nozzle (12 cm wide) incl. brush element Art. no. 418452  
1 × Professional universal nozzle 29 (reversible), Art. no. 414454  
1 × Water nozzle 26, Art. no. 440934



CLEANING VACUUM CLEANERS



**NSG uClean LD-1435 PZ**

The vacuum cleaner (wet-dry) for cleaning buildings, large areas and machinery, 32l container  
017389

**NSG uClean LD-1445 PZ**

The vacuum cleaner (wet-dry) for cleaning buildings, large areas and machinery, 32l container  
016283

**NSG uClean LD-1422 HZ plus**

The vacuum cleaner (wet-dry) especially for heating boilers  
016399

**\*PZ Art. no. 003108**

1 x FSS 1200 (foam material)  
1 x FBV rd 30-35  
Art. no. 442761 (5 pcs)

**\*PZ Art. no. 003108**

1 x FSS 1200 (foam material)  
1 x FBV 45-55  
Art. no. 435039 (5 pcs)

**\*HZ Plus, only individual parts can be ordered**

-  
1 x FBV 20  
Art. no. 434827 (5 pcs)

FPP 3600 (polyester)  
Dust retention capacity: 99,9 %  
Art. no. 415109

FP 7200 (cellulose)  
Dust retention capacity: 99,9 %  
Art. no. 413471

FPP 3600 (polyester)  
Dust retention capacity: 99,9 %  
Art. no. 415109

No  
No  
2-level with eco mode  
Yes  
Yes  
Yes/No  
Yes  
No  
Yes  
No  
Yes  
No  
Yes  
No  
Yes  
Yes

No  
No  
2-level with eco mode  
Yes  
No  
Yes/No  
Yes  
No  
Yes  
Yes  
Yes  
No  
Yes  
No  
Yes  
Yes

No  
No  
2-level with eco mode  
Yes  
Yes  
Yes/No  
Yes  
No  
Yes  
No  
Yes  
No  
Yes  
No  
Yes  
Yes

1400  
69  
259  
35 / 30 / 23  
Stainless steel  
68,5  
46 x 44 x 70 cm  
9,9  
12 (PVC), red  
15,2 – 16,2

1400  
69  
259  
45 / 40 / 33  
Plastic  
68,5  
47 x 48 x 79 cm  
12,6  
12 (PVC), red  
15,2 – 16,2

1400  
69  
259  
22 / 17 / 10  
Steel  
69,5  
46 x 44 x 57 cm  
9,6  
12 (PVC), red  
15,2 – 16,2

- Cleaning large areas/buildings  
- Industrial and machine cleaning

- Cleaning large areas/buildings  
- Industrial and machine cleaning

- House and home



**\*Individual accessory parts set HZ plus (only individual parts)**

**Equipment**

1 x Suction hose, ø 35 mm x 3,2 m  
Art. no. 413228  
1 x Tube handle, stainless steel with supplementary air slide  
Art. no. 421445  
2 x Suction tube, stainless steel (each 50 cm), Art. no. 424842

1 x Crevice nozzle (22 cm long)  
Art. no. 417011  
1 x Upholstery nozzle, Art. no. 418452  
1 x Universal nozzle 25 (reversible), Art. no. 414447  
1 x Angle scratching nozzle  
Art. no. 417950  
1 x Straight scratching nozzle, Art. no. 418025

**★ Optional accessories:**

**FPN 3600 NANO**



1 x nano-layered polyester folded filter cassette  
Dust retention: 99,9 % for vacuuming industrial dust, sawdust, brick, drilling and milling dust and other similar substances. With double dust intake as FP 3600. Special NANO coated cellulose material with outstanding separation efficiency. Suitable for appliances without vibrator. **Art. no. 400686**



## CLEANING VACUUM CLEANERS

## NSG „uClean“ series

## Tested and found to be very good

The NSG „uClean“ series is your ideal partner for universal cleaning purposes – no matter whether in the private sector or for professional cleaning. With the „uClean“ series there is no problem for wet/dry cleaning of industry, car park, household, workshop and coarse dirt. Also demanding professional cleaning of buildings, large spaces, machines and industry is with the „uClean“ very easy. Your colleagues have intensively tested and are impressed:

**Uwe S. (house owner) about the new NSG uClean 1432 ST:**

„It’s absolutely fantastic how much suction power this appliance has. Even damp, stubborn dirt in my light well was no problem at all for the uClean with coarse dirt accessories. In future I will only use Starmix, I wouldn’t have managed that with my other vacuum cleaner.“

**Stefan A. (machine cleaning) about the new NSG uClean LD-1435 PZ:**

„Spilled drilling emulsion? No problem with this wet and dry vacuum cleaner. Also blowing dirt out of joints works excellent when using the blowing function. The uClean ensures a totally clean work area for the next day.“



# CLEANING VACUUM CLEANERS

Complete product range of starmix

## Innovative top products under one-roof

Vacuum cleaners, hand dryers and hair dryers with the most modern technology are the basis of our production. For starmix it is very important to present innovative products for efficient, dust-free work and contemporary hygiene.

### FOR CRAFT



### FOR CLEANING



### FOR SANITARY



#### Documents for the **craft**

The wet/dry vacuum cleaners of the ISP, ISC and NSG series offer persuasive solutions for all duties in craft, business and industry.

#### Documents for **cleaning**

With starmix cleaning vacuum cleaners there is the optimal solution for every range of application: no matter whether in the private sector or for the professional wet/dry cleaning.

#### Documents for **sanitary**

The broadest range of comfortable, powerful and economic hand dryers, hair dryers and selected hotel accessories.

#### Contact

**ELECTROSTAR GmbH**  
Stuttgarter Str. 36  
73262 Reichenbach/Fils  
Phone: +49 (0) 7153/982-0  
Fax: +49 (0) 7153/982-307  
E-mail: info@starmix.de



Customer service workshops in the overview. Further information about the procedure in case of repair.

#### Export sales

Phone: +49 (0) 7153/982-100  
Fax: +49 (0) 7153/982-348  
E-mail: infoe@starmix.de



Download all series flyer and further information on [www.starmix.de](http://www.starmix.de)!

Your retailer: